Publications of Interest

BIOMECHANICS

Analysis of Elbow Forces Due to Highspeed Forearm Movements, A.A. Amis, D. Dowson and V. Wright; J. Biomech., 13(10):825–831, 1980.

Analysis of Pressures and Loads Under the Foot. Part I: Quantitation of the Static Distribution Using the PET Computer, R.B. Betts, C.I. Franks and T. Duckworth; Clin. Phys. and Physiol. Meas., 1(2):101–112, May 1980.

Analysis of Pressures and Loads Under the Foot. Part II: Quantitation of the Dynamic Distribution, R.P. Betts, C.I. Franks and T. Duckworth; Clin. Phys. and Physiol. Meas., 1(2):113–124, May 1980.

Angle–Angle Diagrams in Above-Knee Amputee and Cerebral Palsy Gait, C. Hershler and M. Milner; Amer. J. Phys. Med., 59(4): 165–183, Aug. 1980.

Arm Positioning in Manual Tasks. An Electromyographic Study of Localized Muscle Fatigue, P. Herberts, R. Kadefors and H. Broman; Ergonomics, 23(7):655–665, Jul. 1980.

Assessment of Gait Using Components of the Ground Reaction Force Vector, M.O. Jarrett, P.R. Moore and A.J.G. Swanson; Med. & Biol. Engng. & Comput., 18(5):685–688, Sept. 1980.

Biomechanical Study of the Function of the Femoral Fracture Brace During Stance, D.J. Pratt, P. Bowker, D. Wardlaw and J. McLauchlan; Med. & Biol. Engng. & Comput., 18(5):667–673, Sept. 1980.

Biomechanics: Applications, Costs and Benefits, Priorities, N. Akkas, W. Goldsmith and R.M. Kenedi; J. Biomech., 13(9):737–743, 1980.

Biomechanics of Human Movement, D.A. Winter; John Wiley & Sons, 605 3rd Ave., New York, N.Y. 10016, 202 pp., 1979, $22.95.

The Contact Area and Pressure Distribution Pattern of the Knee. A Study of Normal and Osteoarthrotic Knee Joints, T. Fukubayashi and H. Kurosawa; Acta Orthop. Scan., 51(6):871–879, Dec. 1980.

Differential Diagnosis of Lesions Producing Stiff Shoulder, H.J. Flax; Amer. J. Phys. Med., 60(1):20–29, Feb. 1981.

The Effect of Handgrip Span on Isometric Exercise Performance, J.S. Petrofsky, C. Williams, G. Kamen and A.R. Lind; Ergonomics, 23(12):1129–1135, Dec. 1980.

Elbow Joint Force Predictions for Some Strenuous Isometric Actions, A.A. Amis, D. Dowson and V. Wright; J. Biomech., 13(9):765–775, 1980.

Electronic Measurement of Instantaneous Foot-Floor Contact Patterns During Gait, L.F. Draganich, T.P. Andriacchi, A.M. Strongwater and J.O. Galante; J. Biomech., 13(10):875–880, 1980.

Evaluation of Muscular Moments at the Lower Limb Joints by an On-Line Processing of Kinematic Data and Ground Reaction, S. Boccardi, A. Pedotti, R. Rodano and G.C. Santambrogio; J. Biomech., 14(1):35–45, 1981.

Footprint Analysis in Gait Documentation: An Instructional Sheet Format, M. Shores; Phys. Ther., 60(9):1163–1167, Sept. 1980.

The Function of the Primary Ligaments of the Knee in Anterior-Posterior and Medial-Lateral Motions, R.L. Piziali, W.P. Seering, D.A. Nagel and D.J. Schurman; J. Biomech., 13(9):777–784, 1980.

The Function of the Primary Ligaments of the Knee in Varus-Valgus and Axial Rotation, W.P. Seering, R.L. Piziali, D.A. Nagel and D.J. Schurman; J. Biomech., 13(9):785–794, 1980.

Functional Exercise Position for Treating Persons With Quadriplegia, D.A. Neumann; Phys. Ther., 60(10):1291–1292, Oct. 1980.

Functional Evaluation of the Pes Anserinus Transfer by Electromyography and Gait Analysis, J. Perry, J.M. Fox, M.A. Boitano, S.R. Skinner, L.A. Barnes, and K. Cerny; J. Bone and Joint Surg., 62-A(6):973–980, Sept. 1980.

Hand Function, Biomechanics and Disability, W.K. Purves, N. Berme and J.P. Paul; Engng. in Med., 9(4):215–220, Oct. 1980.

Human Walking, V.T. Inman, H.J. Ralston and F. Todd; Williams & Wilkins, 428 E. Preston St., Baltimore, Maryland, 154 pp., 1981. $25.00.

The Improvement in the Results of Kinematics of In Vivo **Joints,** J. Dimnet; J. Biomech., 13(8):653–661, 1980.

Joint Position Biofeedback Facilitation of Physical Therapy in Gait Training, R. Koheil and A. Mandel; Amer. J. Phys. Med., 59(6):288–297, Dec. 1980.

Justification of Triaxial Goniometer for the Measurement of Joint Rotation, E.Y.S. Chao; J. Biomech., 13(12):989–1006, 1980.

Kinesthetic Biofeedback: A Treatment Modality for Elbow Range of Motion in Hemiplegia, S. Greenberg and R.S. Fowler, Jr.; Amer. J. Occup. Ther., 34(11):738–743, Nov. 1980.

A Load Cell and Sole Assembly for Dynamic Pointwise Vertical Force Measurement in Walking, R.B. Frost and C.A. Cass; Engng. in Med., 10(1):45–50, Jan. 1981.

Measurement of Movement in Painful Intervertebral Joints, I.A.F. Stokes, P.A. Medlicott and D.G. Wilder; Med. & Biol. Engng. & Comput., 18(5):694–700, Sept. 1980.

The Mechanical Characteristics of the Long Bones of the Lower Extremity in Torsional Loading, M. Martens, R. van Audekercke, P. de Meester and J.C. Mulier; J. Biomech., 13(8):667–676, 1980.

Mechanical Energy Generation, Absorption and Transfer Amongst Segments During Walking, D.G.E. Robertson and D.A. Winter; J. Biomech., 13(10):845–854, 1980.

The Mechanical Properties of Soft Tissues—I: A Mechanical System for Bi-Axial Testing, R.P. Vito; J. Biomech., 13(11):947–950, 1980.

The Mechanical Properties of Soft Tissues—II: The Elastic Response of Arterial Segments, R.P. Vito and J. Hickey; J. Biomech., 13(11):951–957, 1980.

Mechanisms of Femoral Fracture, D.C. Viano and R.L. Stalnaker; J. Biomech., 13(8):701–715, 1980.

Metabolic Cost of Walking at Different Speeds with Axillary Crutches, A.K. Ghosh, D.N. Tibarewala, S.R. Dasgupta, A. Goswami and S. Ganguli; Ergonomics, 23(6):571–577, June '80.

Modulation of Muscle Force by Recruitment During Intramuscular Stimulation, P.E. Crago, P.H. Peckham, and G.B. Thrope; IEEE Trans. on Biomed. Engng., BME-27(12):679, Dec. 1980.

Overall Principle of Lower Limb Support During Stance Phase of Gait, D.A. Winter; J. Biomech., 13(11):923–927, 1980.

Patterns of Static Prehension in Normal Hands, N. Kamakura, M. Matsuo, H. Ishii, F. Mitsuboshi, and Y. Miura; Amer. J. Occup. Ther., 34(7):437–445, Jul. 1980.

Plate and Bone Stresses for Single- and Double-Plated Femoral Fractures, D.R. Carter and R. Vasu; J. Biomech., 14(1):55–62, 1981.

Post Vibratory Effects on Fractionated Reaction Time and Maximum Isometric Strength, P.M. Clarkson, S.T. Zigon, and G. Kamen; Amer. J. Phys. Med., 59(6):271–279, Dec. 1980.

Pressure Measurements: Device for Obtaining Readouts from Multiple Sites Using Pneumatic Transducers, W.W. Mayo-Smith; Arch. Phys. Med. and Rehabil., 61(10):460–461, Oct. 1980.

The Process of Habituation to Treadmill Walking at Different Velocities, J.C. Wall and J. Charteris; Ergonomics, 23(5):425–435, May 1980.

Relationships of the Surface Electromyogram to the Force, Length, Velocity, and Contraction Rate of the Cineplastic Human Biceps, C.W. Heckathorne and D.S. Childress; Amer. J. Phys. Med., 60(1):1–19, Feb. 1981.

Reproducibility of Gait Measurement Using the Lamoureux Goniometer, E. Jansen and H. Orbaek; Pros. & Ortho. Int'l. 4(3):159–161, Dec. 1980.

Resultant Finger Joint Loads in Selected Activities, W.K. Purves and N. Berme; J. Biomed. Engng., 2(4):285–289, Oct. 1980.

Some Electrophysiological Methods for the Study of Human Muscle, E. Stalberg; J. Biomed. Engng., 2(4):290–298, Oct. 1980.

The Specificity of Endurance Training on Muscular Power and Muscle Fibre Size, S.H. Constable, R.L. Collins and G.S. Krahenbuhl; Ergonomics, 23(7):667–678, Jul. 1980.

Static and Dynamic Foot-Pressure Measurements in Clinical Orthopaedics, R.P. Betts, C.I. Franks, T. Duckworth and J. Burke; Med. & Biol. Engng. & Comput., 18(5):674–684, Sept. 1980.

Stress Fields in the Unplated and Plated Canine Femur Calculated From In Vivo Strain Measurements, D.R. Carter, R. Vasu, D.M. Spengler, and R.T. Dueland; J. Biomech., 14(1):63–70, 1981.

Stress Transmission Anomalies in Femoral Heads Altered by Aseptic Necrosis, T.D. Brown, M.E. Way, and A.B. Ferguson, Jr; J. Biomech., 13(8):687–699, 1980.

Study of Surface Charge of the Intima and Artificial Materials in Relation to Thrombogenicity, M. Thubrikar, T. Reich and I. Cadoff; J. Biomech., 13(8):663–666, 1980.

Surface Pressure Distribution of the Human Body in the Recumbent Position, S.R. Garfin, S.A. Pye, A.R. Hargens, and W.H. Akeson; Arch. Phys. Med. and Rehab., 61(9):409–413, Sept. 1980.

Telemetry Instrumentation for Kinesiologic Studies of Knee Motion, D.L. Foster, F. Werner, D.G. Murray, and J.H. Somerset; Med. Res. Engng., 13(2):17–21, 1980.

Temporal Asymmetry as a Gait Quality Indicator, M.E. Dewar and G. Judge; Med. & Biol. Engng. & Comput., 18(5):689–693, Sept. 1980.

A Three-Dimensional Mathematical Model of the Knee Joint, J. Wismans, F. Veldpaus, J. Janssen, A. Huson and P. Struben; J. Biomech., 13(8):677–686, 1980.

Tibial Lengthening Apparatus with Distractive Force Measurement System, R.Y.P. Ma, J.L. Sykes, L.S. Cornish, S.H. Lau, T.M. Leung and J.C.Y. Leong; J. Biomed. Engng., 2(4):265–271, Oct. 1980.

The Use of a Permutation Approach in the Solution of Joint Biomechanics: the Knee, M. Nissan; Engng. in Med., 10(1):39–43, Jan. 1981.

Walking Efficiency Before and After Total Hip Replacement, M. Brown, H.J. Hislop, R.L. Waters and D. Porell; Phys. Ther., 60(10):1259–1263, Oct. 1980.

ORTHOTICS

A Biomechanical Study of Cast-Brace Treatment of Femoral Shaft Fractures, D. Wardlaw, J. McLauchlan, D.J. Pratt and P. Bowker; J. Bone & Joint Surg., 63-B(1):7–11, 1981.

Cast-Bracing for Fractures of the Femoral Shaft, B.F. Meggitt, D.A. Juett and J.D. Smith; J. Bone & Joint Surg., 63-B(1):12–23, 1981.

Checklist for the Prescription of Slings for the Hemiplegic Patient, R.O. Smith and G.A. Okamoto; Amer. J. Occup. Ther., 35(2):91–95, Feb. 1981.

A Comparative Study of Methods for Treating Fractures of the Distal Half of the Femur, T.L. Thomas and B.F. Meggitt; J. Bone & Joint Surg., 63-B(1):3–6, 1981.

Double-Stopped Ankle-Foot Orthosis in Flaccid Peroneal and Tibial Paralysis: Evaluation of Function, J.F. Lehmann, M.J. Ko, and B.J. DeLateur; Arch. Phys. Med. and Rehab., 61(11):536–541, Nov. 1980.

Dynamic Elbow Splint Following Tendon Transfer to Restore Triceps Function, J. Kofkin, M. Tobing, and A.L. Dellon; Am. J. Occup. Ther., 34(10):680–685, Oct. 1980.

The Halo-Shoulder Brace and the Mandibular-Shoulder Brace as Postoperative Supports Following Spinal Fusion, N.V.K. DeWitte; Pros. and Orth. Int'l. 4(2):70–76, Aug. 1980.

Hip Abduction Splint for Use at Night for Scissor Leg of Cerebral Palsy Patients, T. Nakamura and M. Ohamu; Ortho. & Pros., 34(4):13–18, Dec. 1980.

Hip Hinge Thigh Brace for Early Mobilization of Proximal Femoral Shaft Fractures, B.F. Meggitt and T. Vaughan-Lane; Pros. & Ortho. Int'l., 4(3):150–155, Dec. 1980.

The Mobile Arm Support, R. Radulovic; J.B. Piera, B. Cassagne, A. Grossiord and G. Boruchowitsch; Pros. and Ortho. Int'l., 4(2):101–105, Aug. 1980.

Modular, Prefabricated Orthosis for Treatment of Elbow Flexion Contractures, S.I. Reger, J. O'Reagen, M.H. Boblitz and R.W. Rosenberger; Ortho. & Pros., 34(4):26–32, Dec. 1980.

New Casting Material and Improved Functional Design for Lower Femoral Fracture Bracing, T. Vaughan-Lane and B.F. Meggitt; Pros. & Ortho. Int'l., 4(3):145–149, Dec. 1980.

Orthotic Management of the Child with a Meningomyelocele, J.R. Bowen; Inter-Clin. Info. Bull., 17(10):1–8, Feb. 1981.

A Survey of Rationales For and Against Hand Splinting in Hemiplegia, B.E. Neuhaus, E.R. Ascher, B.A. Coullon, M.V. Donohue, A. Einbond, J.M. Glover, S.R. Goldberg and V.L. Takai; Amer. J. Occup. Ther., 35(2):83–90, Feb. 1981.

Whangarei Spina Bifida Orthosis, M. Arthur; Orth. and Prosth., 34(3):46–48, Sept. 1980.

PROSTHETICS

An Acrylic Lamination Technique for an Ultralight Below-Knee Prosthesis (Technical Note), E.J. Roman II, and L. Mott; Ortho. & Pros., 34(4):37–39, Dec. 1980.

An Active Bilateral Above-Knee Amputee—A Case Report, B. Goralnik and A. Scheinhaus; Ortho. & Pros., 34(4):33–36, Dec. 1980.

Attenuation of Sound Due to Bio-Encapsulants in an Electronic Laryngeal Prosthesis, K.A. Young, B.J. Bailey, and T. Davanathan; Biomat., Med. Dev. & Art. Org., 8(3):199–219, 1980.

A Bouncy Knee for Above-Knee Amputees, G.W. Judge and L. Fisher; Engng. in Med., 10(1):27–32, Jan. 1981.

The CAPP Pre-Flexed Wrist Unit, Y. Setoguchi, C.T. Sumida, and J. Shaperman; Inter-Clin. Info. Bull., 17(9):7–12, Aug. 1980.

A Combined End-Bearing and Patellar-Tendon-Bearing Prosthesis for Chopart's Amputation—Case Note, N.M. Mustapha, F. McCard and A.T. Brand; Pros. & Ortho. Int'l., 4(3):156–158, Dec. 1980.

Congenital Amputation in Down's Syndrome: A Case Report, R.A. Sullivan, S. Jain and F. Celikyol; Inter-Clin. Info. Bull., 17(8): 1–4, Jul. 1980.

The Connection, A.B. Wilson, Jr.; Ortho. & Pros., 34(4):19–25, Dec. 1980.

Cosmetic Hand Prosthesis—A Case Report, H.E. Buckner; Orth. and Prosth., 34(3):41–45, Sept. 1980.

The Deformation and Wear of Plastic Components in Artificial Knee Joints—An Experimental Study, P.S. Walker, M. Ben-Dov, M.J. Askew and J. Pugh; Engng. in Med., 10(1):33–38, Jan. 1981.

Developmental Factors in the Care of the Adolescent Amputee, B.D. Curry; Orth. and Prosth., 34(3):17–21, Sept. 1980.

Faster Fitting for Artificial Limbs, R.B. Lawrence; Spectrum, 166:7–8,1979.

Feedback Signal Based Upon Force and Time Delay: Modification of the Krusen Limb Load Monitor, S.L. Wolf and J.E. Hudson; Phys. Ther., 60(10):1289–1290, Oct. 1980.

Fitting of an Artificial Limb after 43 Years—Case Note, G.J.A. Siriwardena; Pros. and Ortho. Int'l., 4(2):90, Aug. 1980.

Fixation of Tibial Components of Knee Prostheses, P.S. Walker, D. Greene, D. Reilly, J. Thatcher, M. Ben-Dov, and F.C. Ewald; J. Bone & Joint Surg., 63-A(2):258–267, Feb. 1981.

Information Brochure: Orthotics-Prosthetics, American Academy of Orthotists and Prosthetists, 717 Pendleton St., Alexandria, VA 22314. 11 pp., 1981. $1.25. (For detailed information, see Notes and News.)

Prosthetic Management of High Bilateral Upper Limb Amputees, D.F. Barcome and L. Eickman; Orth. and Prosth., 34(3):22–28, Sept. 1980.

The S.A.F.E. Foot, J.W. Campbell and C.W. Childs; Orth. and Prosth., 34(3):3–16, Sept. 1980.

Syme's Prosthesis—A Brief Review and a New Fabrication Technique, J. Leimkuehler; Ortho. & Pros., 34(4):3–12, Dec. 1980.

The United Kingdom Trial of the Swedish Myoelectric Hand for Young Children: An Interim Report, H.J.B. Day; Inter-Clin. Info. Bull., 17(8):5–8, Jul. 1980.

A New Material in Orthotics and Prosthetics, M. Stills and A.B. Wilson, Jr.; Orth. and Prosth., 34(3):29–37, Sept. 1980.

SENSORY AIDS

Acoustic Attributes of Preadolescent Voices, C.S. Hasek, S. Singh and T. Murry; J. Acoust. Soc. Amer., 68(5):1262–1265, Nov. 1980.

Cochlear Micromechanics—A Physical Model of Transduction, J.B. Allen; J. Acoust. Soc. Amer., 68(6):1660–1670, Dec. 1980.

Description of a System for the Editing and Duplication of Texts Either in Integral or Abbreviated Braille for the Blind, or in Large Size Characters for the Partially Sighted, J.P. Dubus, F. Wattrelox and A. Mandar; Sensory World, 41:11–16, Dec. 1980.

Dichotic CV Recognition at Various Interaural Temporal Onset Asynchronies: Effect of Age, S.A. Gelfand, S. Hoffman, S.B. Waltzman and N. Piper; J. Acoust. Soc. Amer., 68(5):1258–1261, Nov. 1980.

Multidimensional Scaling of Quality Judgments of Speech Signals Processed by Hearing Aids, J.L. Punch, A.A. Montgomery, D.M. Schwartz, B.E. Walden, R.A. Prosek, and M.T. Howard; J. Acoust. Soc. Amer., 68(2):458–466, Aug. 1980.

Parameters in the Use of CCTV's and Optical Aids, G.L. Goodrich, E.B. Mehr, and N.C. Darling; Amer. J. Optomet. & Physiol. Optics, 57(12):881–892, Dec. 1980.

Perceptual Processing Capabilities and Their Development, R. Held; Sensory World, 41:8–10, Dec. 1980.

Preliminary Report on Evaluation of Synthetic Speech for Reading Machines, G.L. Goodrich, R.R. Bennett, H.S. Paul and J.K. Wiley; J. Vis. Impair. and Blind., 75(7):273–275, Sept. 1980.

Processing Of Speech by the Auditory Nervous System, N.Y.S. Kiang; J. Acoust. Soc. Amer., 68(3):830–835, Sept. 1980.

Relation Between Psychophysical Data and Speech Perception for Hearing-Impaired Subjects I., W.A. Dreschler and R. Plomp; J. Acoust. Soc. Amer., 68(6):1608–1615, Dec. 1980.

Room Acoustics for the Aged, R. Plomp and A.J. Duquesnoy; J. Acoust. Soc. Amer., 68(6):1616–1621, Dec. 1980.

Speech Discrimination in Deaf Subjects with Cochlear Implants, D.K. Eddington; J. Acoust. Soc. Amer., 68(3):885–891, Sept. 1980.

Speech Sounds: Evaluation of a Device for Their Visual Presentation, A.R. Potvin, K.G. Foreit, K. Lam, S. Trued, and J.H. Potvin; Arch. Phys. Med. and Rehab., 61(11):542–546, Nov. 1980.

Visual Prosthesis: Digital Image Processing for Tactile Conversion, T. Pun; Sensory World, 41:3–7, Dec. 1980.

SPINAL CORD INJURY

The Alternation of Paraplegic Patients Muscle Properties Due to Electrical Stimulation Exercising, R. Turk, A. Kralj, T. Bajd, M. Stefancić and H. Benko; Paraplegia, 18(6):386–391, Dec. 1980.

Cervical Spine Injuries Resulting from Water Sports, R.P. Good and V.L. Nickel; Spine, 5(6):502–506, Nov.–Dec. 1980.

Head Positioning Device for Applying Halo Traction, M.S. Weiss and C.B. Wilmot; Arch. Phys. Med. & Rehab., 62(2):89, Feb. 1981.

Dorso-Lumbar Spine Fractures: Recumbent vs. Operative Treatment, R.R. Jacobs, M.A. Asher and R.K. Snider; Paraplegia, 18(6):358–376, Dec. 1980.

The Effect of Pregnancy on Idiopathic Scoliosis, W.P. Blount and D.D. Mellencamp; J. Bone and Joint Surg., 62-A(7):1083–1087, Oct. 1980.

Electrical Stimulation of the Spinal Cord: Two-Dimensional Finite Element Analysis with Particular Reference to Epidural Electrodes, B. Coburn; Med. & Biol. Engng. & Comput., 18(5):573–584, Sept. 1980.

Electromyographic Activity in Paraspinal Musculature in Patients with Idiopathic Scoliosis Before and After Harrington Instrumentation, W.H. Donovan, A.P. Dwyer and G.M. Bedbrook; Arch. Phys. Med. and Rehab., 61(9):413–417, Sept. 1980.

Low Back Pain of Thoracolumbar Origin, R. Maigne; Arch. Phys. Med. and Rehab., 61(9):389–395, Sept. 1980.

Lumbo-Sacral Spinal Cord Injuries, M. Jesel, J. Deviller and R. Ottinger; Paraplegia, 18(6):351–357, Dec. 1980.

Microprocessor-Based Multi-Patient Environmental-Control System for a Spinal Injuries Unit, R.D. Jones, R.H. Hooper, D.I. Armstrong, C.J. Fisher and J.J. Tait; Med. & Biol. Engng. & Comput., 18(5):607–616, Sept. 1980.

Pituitary-Testicular Axis Dysfunction in Spinal Cord Injury, N.E. Naftchi, A.T. Viau and G.H. Sell; Arch. Phys. Med. and Rehab., 61(9):402–405, Sept. 1980.

Short Term Halo-Femoral Preoperative Traction, H.A. Keim and F.A. Dwan; Orthop. Review, 10(2):57–64, Feb. 1981.

Spinal Cord Injury: Effect of Thyrocalcitonin on Calcium, Magnesium and Phosphorus in Paraplegic Rats, N.E. Naftchi, A.T. Viau, G.H. Sell, and E.W. Lowman; Arch. Phys. Med. & Rehab., 61(12):575–579, Dec. 1980.

Stability of the Upper Lumbar Spine Following Progressive Disruptions and the Application of Individual Internal and External Fixation Devices, D.A. Nagel, T.A. Koogle, R.L. Piziali and I. Perkash; J. Bone & Joint Surg., 63-A(1):62–70, Jan. 1981.

The Treatment of Cervical Spine Metastasis from the Prostate With a Halo Cast, L.A. Danzig, D. Resnick, and W.H. Akeson; Spine, 5(5):395–398, Sept. / Oct. 1980

Twelfth Thoracic-First Lumbar Vertebral Mechanical Stability of Fractures after Harrington Rod Instrumentation, G.A. Purcell, K.L. Markolf and E.G. Dawson; J. Bone & Joint Surg., 63-A(1):71–78, Jan. 1981.

Uechi-Ryu Karate in Spinal Cord Injury Rehabilitation: The Sepulveda Experience, S.K. Gordon, A. Scalise, R.M. Felton, C. Jones and G. Gordon; Amer. Corr. Ther. J., 34(6):166–168, Nov.–Dec. 1980.

SURGERY

Amputations and High Tension Electrical Injuries, J.P. Remensnyder; Inter-Clin. Info. Bull., 17(9):1–6, Aug. 1980.

Amputations Through the Middle Part of the Foot, J. Christie, C.B. Clowes and D.W. Lamb; J. Bone and Joint Surg., 62–B(4):473–474, Nov. 1980.

Amputee Stump Radiology, R. Baumgartner and M. Langlotz; Pros. and Ortho. Int'l., 4(2):97–100, Aug. 1980.

Anterior Dislocation of the Hip and Associated Femoral-Head Fractures, J.C. DeLee, J.A. Evans, and J. Thomas; J. Bone and Joint Surg., 62–A(6):960-964, Sept. 1980.

Classification of Trochanteric Fractures, Jensen, F.S.; Acta Orthop. Scand., 51(5):803–810, Oct. 1980.

A Clinical Study of Amputations of the Lower Limb, A.K. Agarwal, M.K. Goel, R.K. Srivastava and S. Rastogi; Pros. & Ortho. Int'l., 4(3):162–164, Dec. 1980.

Critical Analysis of Ender Nailing in the Treatment of Trochanteric Fractures, F. S. Jensen and S. Sonne-Holm; Acta Orthop. Scand., 51(5):817–825, Oct. 1980.

Disarticulation of the Hip as a Result of Femoral Osteotomy in Severe Perthes' Disease, G.C.C. Fenelon, G. von Foerster and E. Engelbrecht; J. Bone and Joint Surg., 62-B(4):441–446, Nov. 1980.

Ectopic Bone Formation Following Charnley Hip Arthroplasty, C. Kromann-Andersen, T.S. Sorensen, K. Hougaard, D. Zdravkovic and E. Frigaard; Acta Orthop. Scand., 51(4):633–637, Aug. 1980.

Hip Replacement with the McKee-Farrar Prosthesis in Rheumatoid Arthritis, H. Baldursson; Acta Orthop. Scand., 51(4):639–647, Aug. 1980.

Human Joints and Their Artificial Replacements, P.S. Walker. Contributors: D.L. Bartel, P.G. Bullough, E.Y. Chao, V.P. Cooney, III, J.N. Insall, J.W. Pugh, C.S. Ranawat, L.C. Rosenberg, P.S. Trent, and A. Villacin. Charles C Thomas, 301–327 East Lawrence Avenue, Springfield, Illinois. 510 pp. 1977. $64.75.

Incidence of Reamputation and Death after Gangrene of the Lower Extremity, B. Ebskov and P. Josephson; Pros. and Ortho. Int'l., 4(2):77–80, Aug. 1980.

An Innovative Removable Rigid Dressing Technique for Below-The-Knee Amputation, Y. Wu, R.D. Keagy, H.J. Krick, J.S. Stratigos and H.B. Betts; Amer. Corr. Ther. J., 34(6):169–175, Nov.–Dec. 1980.

Ischaemic Wound Complications in Above-Knee Amputations in Relation to the Skin Perfusion Pressure, P. Holstein; Pros. and Ortho. Int'l., 4(2):81–86, Aug. 1980.

Lower Extremity Amputation-Rehabilitation: Impact of a Center Concept, J.M. Malone, W.S. Moore, J.M. Leal, and S.J. Malone; Arch. of Surg., 116:93–98, Jan. 1981.

Major Amputations of the Lower Extremity for Vascular Disease, A.H. Boontje; Pros. and Ortho. Int'l., 4(2):87–89, Aug. 1980.

Mechanical Strength of Sliding Screw-Plate Hip Implants. A Biomedical Study of Unstable Trochanteric Fractures. VI., J. Steen Jensen; Acta Orthop. Scand., 51(4):625–631, Aug. 1980.

Morbid Implications of Above-Knee Amputations, C.C. Huston, B.A. Bivins, C.B. Ernst and W. O. Griffen, Jr.; Arch. Surg., 115:165–167, Feb. 1980.

Non-Invasive Treatment of Ununited Fractures of the Tibia Using Electrical Stimulation, W.G. de Haas, J. Watson and D.M. Morrison; J. Bone and Joint Surg., 62-B(4):465–470, Nov. 1980.

The Operative Treatment of Congenital Limb Malformation—Part I. (The Knut Jensen Lecture), E. Marquardt; Pros. & Ortho. Int'l., 4(3):135–144, Dec. 1980.

Published Treatments of Phantom Limb Pain, R.A. Sherman; Am. J. Phys. Med., 59(5):232–244, Oct. 1980.

Stable Trochanteric Fractures. A Comparative Analysis of Four Methods of Internal Fixation, F. S. Jensen, E. Tondevold and S. Sonne-Holm; Acta Orthop. Scand., 51(5):811–816, Oct. 1980.

Subsidence of the Femoral Prosthesis in Total Hip Replacement in Relation to the Design of the Stem, J.R. Loudon and John Charnley; J. Bone and Joint Surg., 62-B(4):450–453, Nov. 1980.

A Survey of Current Phantom Limb Pain Treatment in the United States, R.A. Sherman, C.J. Sherman and N.G. Gall; Pain, 8:85–99, 1980.

Tensile Fracture of Cancellous Bone, D.R. Carter, G.H. Schwab, and D.M. Spengler; Acta Orthop. Scand., 51(5):733–741, Oct. 1980.

Total Hip Replacement in Congenital Dislocation of the Hip, H.O. Fredin and L.E. Unander-Scharin; Acta Orthop. Scand., 51(5):799–802, Oct. 1980.

Transplantation of the Second Toe to the Hand. A Preliminary Report of Sixteen Cases, P.C. Leung and L.C. Kok; J. Bone and Joint Surg., 62-A(6):990–996, Sept. 1980.

Treatment of Pathological Fractures of the Hip by Endoprosthetic Replacement, J.M. Lane, T.P. Sculco, and S. Zolan; J. Bone and Joint Surg., 62-A(6):954-959, Sept. 1980.

GENERAL

Adhesives for Intact Skin: A Preliminary Investigation, G.S. Margules and D.L. Harris; Med. & Biol. Engng. & Comput., 18(5):549–553, Sept. 1980.

Assistive Driving Aids for the Disabled, A.J. Reichenberger; Inter-Clin. Info. Bull., 17(8):9–16, Jul. 1980.

Biomedical Applications of Carbons and Graphites, G.M. Jenkins; Clin. Phys. & Physiol. Meas., 1(3):171–194, Aug. 1980.

Burn Injury in Children: Declining Need for Reconstructive Surgery as Related to Use of Neck Orthoses, A.E. Feldman and B.G. MacMillan; Arch. Phys. Med. and Rehab., 61(10):441–449, Oct. 1980.

Changes in Venous Blood Volume Produced by External Compression of the Lower Leg, R.B. Thirsk, R.D. Kamm, and A.H. Shapiro; Med. & Biol. Engng. & Comput., 18(5):650–656, Sept. 1980.

Clinical Applications of the Paraplegic Swivel Walker, J.C. Griffiths, J.T. Henshaw, O.B. Heywood, and A.G. Taylor; J. Biomed. Engng., 2(4):250–256, Oct. 1980.

Clinical Decision Making with the Aid of Ambulatory Monitoring of Heart Rate, J. Stallard and G.K. Rose; Pros. and Ortho. Int'l., 4(2):91–96, Aug. 1980.

Computed Tomography in Soft Tissue Disorders of the Lower Extremities, K. Laursen and S. Reiter; Acta Orthop. Scand., 51(6):881–885, Dec. 1980.

Computed Tomography of Musculoskeletal Disorders of the Truncus, S. Reiter and K. Laursen; Acta Orthop. Scand., 51(6):887–892, Dec. 1980.

A Critique of the Use of a Thermal Clearance Probe for the Measurement of Skin Blood Flow, B.H. Brown, C. Bygrave, P. Robinson and H.P. Henderson; Clin. Phys. & Physiol. Meas., 1(3):237–241, Aug. 1980.

Design Criteria for the Measurement of Pressure at Body / Support Interfaces, M.W. Ferguson-Pell; Engng. in Med., 9(4):209–214, Oct. 1980.

Distal Sensory Latency Measurement of the Superficial Radial Nerve in Normal Adult Subjects, K. Mackenzie and J.A. DeLisa; Arch. Phys. Med. & Rehab., 62(1):31–34, Jan. 1981.

Effect of Radiation Sterilization and Aging on Ultrahigh Molecular Weight Polyethylene, R.-J. Roe, E.S. Grood, R. Shastri, C.A. Gosselin and F.R. Noyes; J. Biomed. Mat. Res., 15(2):209–230, Mar. 1981.

The Effects of Hip Contact Aberrations on Stress Patterns Within the Human Femoral Head, T.D. Brown and A.B. Ferguson, Jr.; Ann. Biomed. Engng., 8(1):75–92, 1980.

Electrical Stimulation Providing Functional Use of Paraplegic Patient Muscles, A. Kralj, T. Bajd and R. Turk; Med. Prog. Tech., 7(1):3–9, 1980.

Evaluation of a Laser Doppler Flowmeter for Measurement of Tissue Blood Flow, G.E. Nilsson, T. Tenland, and P.A. Oberg; IEEE Trans. on Biomed. Engng., BME-27(10):597–604, Oct. 1980.

An Evaluation of the Ratio Between the Tensions Along the Quadriceps Tendon and the Patellar Ligament, M.I. Ellis, B.B. Seedhom, V. Wright and D. Dowson; Engng. in Med., 9(4):189–194, Oct. 1980.

Eye-Controlled Communication Aids, J.H. ten Kate, E.E.E. Frietman, F.J.M.L. Stoel and W. Willems; Med. Prog. Tech., 8(1):1–21, 1980.

Facilitation of the Tonic Vibration Reflex (TVR) by Cutaneous Stimulation, S.D. Spicer and T.A. Matyas; Am. J. Phys. Med., 59(5):223–231, Oct. 1980.

Facilitation of the Tonic Vibration Reflex (TVR) by Cutaneous Stimulation in Hemiplegics, T.A. Matyas and S.D. Spicer; Amer. J. Phys. Med., 59(6):280–287, Dec. 1980.

Filter Bank Analyser for Automatic Analysis of the E.M.G., J.S. Petrofsky; Med. & Biol. Engng. & Comput., 18(5):585–600, Sept. 1980.

Finite Element Temperature Analysis of a Total Hip Replacement and Measurement of PMMA Curing Temperatures, L.W. Swenson, Jr., D.J. Schurman and R.L. Piziali; J. Biomed. Mat. Res., 15(1):83–96, Jan. 1981.

Fixation of Porous Titanium Implants in Cortical Bone Enhanced by Electrical Stimulation, S.M. Colella, A.G. Miller, R.G. Stang, T.G. Stoebe and D.M. Spengler; J. Biomed. Mat. Res., 15(1):37–46, Jan. 1981.

The Formation of Stress by Acrylic Bone Cements During Fixation of the Acetabular Prosthesis, N.F. Holm; Acta Orthop. Scand., 51(5):719–726, Oct. 1980.

From Reflex to Skill: The Training of Coordination, F.J. Kottke; Arch. Phys. Med. & Rehab., 61(12):551–561, Dec. 1980.

Function of Fifty-Seven Septic, Revised and Healed Total Hip Arthroplasties, A.S. Carlsson, G. Josefsson and L. Lindberg; Acta Orthop. Scand., 51(6):937–941, Dec. 1980.

Gelatin-Based Sprayable Foam as a Skin Substitute, P.M. Neumann, B. Zur and Y. Ehrenreich; J. Biomed. Mat. Res., 15(1):9–18, Jan. 1981.

Hand-Operated Tricycle, M. Gardner, E. Kinnen, and M. Gram; Inter-Clin. Info. Bull., 17(9):13–16, Aug. 1980.

Hemicorporectomy for Functional Rehabilitation, L.W. Friedmann, E.L. Marin and Y.S. Park; Arch. Phys. Med. & Rehab., 62(2):83–86, Feb. 1981.

The Instant Centre Pathway as a Parameter of Joint Motion—an Experimental Investigation of a Method of Assessment of Knee Ligament Injury and Repair, M.L. Harding and M.E. Blakemore; Engng. in Med., 9(4):195–200, Oct. 1980.

Interface Mechanics of Porous Titanium Implants, A.J.T. Clemow, A.M. Weinstein, J.J. Klawitter, J. Koeneman, and J. Anderson; J. Biomed. Mat. Res., 15(1):73–82, Jan. 1981.

An Interpretation of the Initial Low Stiffness Phase of the In Vivo Load Extension Relationship for Human Skin, H.L. Stark; Engng. in Med., 9(4):184–188, Oct. 1980.

Locating, Recruiting and Hiring the Disabled, R. Rabby; Pilot Books, 347 Fifth Ave., New York, N.Y. 10016. 63 pp., 1981. $3.95. (For detailed information, see Notes and News.)

Mechanical Properties of Poly(Methyl Methacrylate) Bone Cements, R.P. Robinson, T.M. Wright and A.H. Burstein; J. Biomed. Mat. Res., 15(2):203–208, Mar. 1981.

Multiple Sclerosis: Early Prognostic Guidelines, G.H. Kraft, J.E. Freal, J.K. Coryell, C.L. Hanan and N. Chitnis; Arch. Phys. Med. & Rehab., 62(2):54–58, Feb. 1981.

Nuclear Magnetic Resonance (NMR) Cylindrical Blood Flowmeter: In Vitro Evaluation, S.W. Salles-Cunha, R.E. Halbach, J.H. Battocletti and A. Sances, Jr.; J. Clin. Engng., 5(3):205–213, Jul.–Sept. 1980.

On the Role of Dynamic Models in Quantitative Posturography, S.H. Koozekanani, C.W. Stockwell, R.B. McGhee and F. Firoozmand; IEEE Trans. on Biomed. Engng., BME-27(10):605–609, Oct. 1980.

Pattern Rotation System for a Visual Stimulator, V. Macellari; Med. & Biol. Engng. & Comput., 18(5):601–606, Sept. 1980.

Phrenic Nerve Conduction Studies: A New Technique and Its Application in Quadriplegic Patients, I.C. MacLean and T.A. Mattioni; Arch. Phys. Med. & Rehab., 62(2):70–73, Feb. 1981.

Preliminary Studies on the Effects of Direct Current on the Bone / Porous Implant Interfaces, J.B. Park, N.N. Salman, G.H. Kenner and A.F. von Recum; Ann. Biomed. Engng., 8(1):93–101, 1980.

Properties of Wrought CoNiCrMo Alloy Protasul-10, a Highly Corrosive and Fatigue Resistant Implant Material for Joint Endoprostheses, M. Semlitsch; Engng. in Med., 9(4):201–207, Oct. 1980.

The Quasistatic and Fatigue Performance of the Implant / Bone-Cement Interface, S. Raab, A.M. Ahmed, and J.W. Provan; J. Biomed. Mat. Res., 15(2):159–182, Mar. 1981.

Recovery After Muscular Fatigue in Hemiparesis, J. Chaco, A. Blank and B. Gonen; Amer. J. Phys. Med., 60(1):30–32, Feb. 1981.

The Relationship of Width, Thickness, Volume and Load to Extension for Human Skin in Vitro, H.L. Stark and A. Al-Haboubi; Engng. in Med., 9(4):179–183, Oct. 1980.

The Relaxation of Some Acrylic Bone Cements, N.F. Holm; Acta Orthop. Scand., 51(5):727–731, Oct. 1980.

Response of Human Body to Tractor Vibrations and Its Minimisation by Provision of Relaxation Suspensions to Both Wheels and Seat at the Plane of Centre of Gravity, M.K. Patil, M.S. Palanichamy and D.N. Ghista; Med. & Biol. Engng. & Comput., 18(5):554–562, Sept. 1980.

Rocker Shoe as Walking Aid in Multiple Sclerosis, J. Perry, J.K. Gronley and T. Lunsford; Arch. Phys. Med. & Rehab., 62(2):59–65, Feb. 1981.

The Role of Canes, T.T. Sowell; Inter-Clin. Info. Bull., 17(10):9–17, Feb. 1981.

Sensory Conduction Studies of the Branches of the Superficial Peroneal Nerve, K.L. Izzo, C.R. Sridhara, H. Rosenholtz and H. Lemont; Arch. Phys. Med. & Rehab., 62(1):24–27, Jan. 1981.

Significance of Force-Feedback in Controlling Artificial Locomotion-Manipulation Systems, M. Vukobratović and D. Stokić; IEEE Trans. on Biomed. Engng., BME-27(12):705–713, Dec. 1980.

Transcutaneous Electrical Nerve Stimulation and Extensor Splint in Linear Scleroderma Knee Contracture, T.E. Rizk and S. J. Park; Arch. Phys. Med. & Rehab., 62(2):86–88, Feb. 1981.

A Voice Controlled Powered Wheelchair and Environmental Control System for the Severely Disabled, M. Youdin, G.H. Sell, T. Reich, M. Clagnaz, H. Louie and R. Kolwicz; Med. Prog. Tech., 7:139–143, 1980.

Walker Modification, N. Miller; Arch. Phys. Med. and Rehab., 61(11):547, Nov. 1980.

Walking and Wheelchair Energetics in Persons with Paraplegia, K. Cerny, R. Waters, H. Hislop and J. Perry; Phys. Ther., 60(9):1133–1139, Sept. 1980.

Writing With Looking: A Typing System Controlled Solely With Eye Fixations for the Severely Motor Impaired, J.H. Bertera, J.F. Bertera, and the OptoCom Research Group; Biological Psychology Bulletin, 5(4):171–174, 1979.