PUBLICATIONS OF INTEREST

The Journal's "Publications of Interest" pages list selected articles, books, and reports dealing with the following subject areas: Bioengineering & Biomechanics, General (Rehabilitation), Orthotics, Prosthetics, Sensory Aids, Spinal Cord Injury, and Surgery (Amputation). Most of the articles cited are selected from journals subscribed to by the Office of Technology Transfer (OTT) Reference Collection, while others have been obtained directly from the authors after the works had been abstracted in Bioengineering Abstracts and/or Excerpta Medica, or were cited as references and reviews in other source documents.

To obtain a copy of a specific article, readers are advised to direct inquiries to the author. The name and address of the author to be contacted appears at the end of each listing. In most instances, reprints of recent papers are available free of charge from authors.

Books and reports should be obtained from the publishers. The name and address of the publisher, and the price, appear with the publication title.

The books, journals, and reprints listed in "Publications of Interest" may be examined or used for study at the OTT premises, but do not circulate. Individuals planning to visit the Rehabilitation R&D Reference Collection are advised to write or telephone in advance to Ms. Lily W. Hom, Technical Information Specialist, Office of Technology Transfer, Rehabilitation R&D Reference Collection, 252 Seventh Avenue, New York, New York 10001. Callers using the Federal Telephone System should call FTS 660-6659 or 6670; the commercial numbers are (212) 620-6659 and 6670.

BIOENGINEERING

Analysis of Residual Stress in Failed T-28 Femoral Stems, R.D. Stroud (Orthop. Research Labs, TB-139, University of California at Davis, Davis, CA 95616, U.S.), S.A. Brown and J.F. Shackelford; Biomat., Med. Dev., and Artificial Org., 11(1):13–20, 1983.

Biomechanical Design of a Total Ankle Prosthesis, P.M. Calderale, R. Barbiero, A. Garro, G. Fasolio, and F. Pipino; Engng. in Med., 12(2):69–80, Apr. 1983. (MEP Ltd, Article Reprint Ser., P.O. Box 24, Northgate Ave., Bury St. Edmunds, Suffolk IP32 6BW, England)

Determination of Femoral Head Containment During Gait, G.T. Rab; (Dept. of Orthopedic Surgery, University of California at Davis. Davis, CA 95616, U.S.A.) Biomat., Med. Dev., & Artificial Org., 11(1):31–38, 1983.

The Effect of Inertial Factors on Spinal Stress When Lifting. T.P.J. Leskinen (Dept. of Physiology, Inst. of Occup. Health, Helsinki, Finland), H.R. Stalhammar, I.A.A. Kourinka and J.D.G. Troup; Engng. in Med., 12(2):87–90, Apr. 1983.

The Effect of Stimulus Parameters on the Recruitment Characteristics of Direct Nerve Stimulation, P.H. Gorman (Appl. Neural. Control Lab., Dept. of Biomed. Engng. Case Western Reserve Univ, Cleveland, OH 44106, U.S.A.) and J.T. Mortimer; IEEE Transac. on Biomed. Engng., BME-30(7): 407–414, July 1983.

Instrumentation for Analysis of Continuous Neck Rotation, I.R. Rankin (Dept. of Instrumentation and Analytical Science, UMIST, Manchester, England), C. Murphy, B.E. Jones, and M.I.V. Jayson; Engng. in Med., 12(2):91–94, Apr. 1983.

Modelling of the Femoral Load Transfer in Total Hip Joint Replacement—A Preliminary Study, A.W. Miles (Dept. of Mech. Engng., Univ of Cape Town, South Africa), D.M. Dall, and B.F. McCleland; Engng. in Med., 12(2):61–64, Apr. 1983.

A New Femoral Component Design Based on the Trabecular Systems of the Proximal Femur, M.A. Gomez (Division of Orthop. Surgery and Rehab., University of California, San Diego, La Jolla, CA 92093, U.S.A.), S.L-Y. Woo and R.D. Coutts; Biomat., Med. Dev., & Artificial Org., 11(1):39–50, 1983.

Spectral Analysis of Electrical Impedance Measurements on the Lower Limbs, W.S. Filho, O.F. Brum, (Dept. of Angiology, Univ. Hosp. of the Federal Univ. of Rio de Janeiro, 21944 Rio de Janeiro, Brazil) and R.B. Panerai; IEEE Transac. on Biomed. Engng., BME-30(7):387–391, July 1983.

The Stability of the Human Patello-Femoral Joint, I. Hvid (The Orthopedic Hospital, Ärhus, Denmark); Engng. in Med., 12(2):55–60, Apr. 1983.

BIOMECHANICS

Adduction Contracture of the Thumb in Cerebral Palsy. A Preoperative Electromyographic Study, M.M. Hoffer (Pathokinesiology Service, Rancho Los Amigos Hospital, 7601 E. Imperial Highway, Downey, CA 90242, U.S.A.), J. Perry, M. Garcia and D. Bullock; J. Bone & Jt. Surg., 65-A(6):755–759, Jul. 1983.

Anatomy and Biomechanics of the Hindfoot, J. Perry (Pathokinesiology Service, Rancho Los Amigos Hospital, 7601 E. Imperial Highway, Downey, CA 90242, U.S.A.); Clin. Orthop. & Rel. Res., 177:9–15, Jul.–Aug. 1983

Biomechanical Analysis of Canine Intervertebral Discs after Chymopapain Injection: A Preliminary Report, K. Wakano, R. Kasman, E.Y. Chao (Biomechanics Lab., Dept. of Orthopedics, Mayo Clinic, Rochester, MN 55905, U.S.A.), D.S. Bradford and T.R. Oegema; Spine, 8(1):59–68, Jan.–Feb. 1983.

Biomechanical Analysis of Foot Function During Gait and Clinical Applications, Y. Katoh, (Biomechanics Lab., Dept. of Orthopedics, Mayo Clinic, Rochester, MN 55905, U.S.A.), E.Y.S. Chao, R.K. Laughman, E. Schneider, and B.F. Morrey; Clin. Orthop. & Rel. Res., 177:23–33, Jul.–Aug. 1983.

Calf Muscle Moment, Work and Efficiency in Level Walking; Role of Series Elasticity, A.L. Hof (Laboratory of Medical Physics, University of Groningen, Bloemsingel 10, The Netherlands), B.A. Geelen and Jw. Van Den Berg; J. Biomech., 16(7):523–538, 1983.

Changes in Duration and Amplitude of the Evoked Muscle Action Potential (EMAP) over Distance in Peroneal, Median, and Ulnar Nerves, G. Felsenthal (Dept. of Rehab. Med., Sinai Hosp. of Baltimore, Belvedere Ave. at Greenspring, Baltimore, MD 21215, U.S.A.) and C.S. Teng; Amer. J. Phy. Med., 62(3):123–134, June 1983.

Changes in Knee Function Associated with Treadmill Ambulation, G.M. Strathy, E.Y. Chao (Biomechanics Lab., Dept. of Orthopedics, Mayo Clinic/Mayo Foundation, Rochester, MN 55905, U.S.A.), and R.K. Laughman; J. Biomech., 16(7):517–522, 1983.

A Clinical Method of Quantitative Gait Analysis: Suggestion from the Field, K. Cerny (Dept. of Physical Therapy, California State University at Long Beach, Long Beach, CA 90840, U.S.A.); Phy. Ther., 63(7):1125–1126, Jul. 1983.

The Dynamic Mechanical Properties of Human Skin In Vivo, R.O. Potts (Gillette Research Institute, 1413 Research Blvd., Rockville, MD 20850, U.S.A.), D.A. Chrisman, Jr., and E.M. Buras, Jr.; J. Biomech., 16(6)365–372, 1983.

Effects of Feedback Stimulation Training and Cyclical Electrical Stimulation on Knee Extension in Hemiparetic Patients, P. Winchester (Stroke/Head Injury Service, Dallas Rehabilitation Institute, 7850 Brookhollow Rd., Dallas, TX 75235, U.S.A.), J. Montgomery, B. Bowman, and H. Hislop; Phy. Ther., 63(7):1096–1103, Jul. 1983.

Energy Expenditure in Hip Disarticulation and Hemipelvectomy Amputees, F. Nowroozi (Dept. of Physical Medicine and Rehab., University of California Irvin Medical Center, 101 City Drive South, Orange, CA 92668, U.S.A.), M.L. Salvanelli and L.H. Gerber; Arch. Phy. Med. & Rehab., 64(7):300–303, Jul. 1983.

Fatigue Considerations of Muscle Contractile Force during High-Frequency Stimulation, M. Solomonow (Dept. of Biomed. Engng., School of Engng, Tulane Univ., New Orleans, LA 70118, U.S.A.), E. Eldred, J. Lyman and J. Foster; Amer. J. Phy. Med., 62(3):117–122, June 1983.

Functional Performance after Excision of the Vastus Lateralis and Vastus Intermedius. A Case Report, M.P. Murray (Kinesiology Research Lab. (151), Veterans Administration Medical Center, 5000 W. National Ave., Wood, WI. 53193, U.S.A.), P.A. Jacobs, L.A. Mollinger and D.R. Gore; J. Bone & Jt. Surg., 65-A(6):856–859, Jul. 1983.

Gait Analysis in Cerebral Palsied and Nonhandicapped Children, K. Skrotzky (Université de Montréal, 2100 Boul Edouard-Montpetit, Montréal, PQ, H3C 3J7, Canada); Arch. Phy. Med. & Rehab., 64(7):291–295, Jul. 1983.

In Vitro Contact Stress Distributions in the Natural Human Hip, T.D. Brown (Dept. of Orthop. Surg., 986 Scaife Hall, University of Pittsburgh, PA. 15261, U.S.A.) and D.T. Shaw; J. Biomech., 16(6):373–384, 1983.

Influence of Torque and Limb Speed on Power Production in Isokinetic Exercise L.R. Osternig (Department of Physical Education, College of Health, Physical Education and Recreation, University of Oregon, Eugene, Oregon 97403, U.S.A.), J. Hamill, J.A. Sawhill and B.T. Bates; Amer. J. Phy. Med., 62(4):163–171, Aug. 1983.

Lower Extremity Electromyographic Analysis of Running Gait, G.H. Schwab, D.R. Moynes (Centinela Hospital, Biomechanics Lab., 555 E. Hardy St. Inglewood, CA 90301, U.S.A.), F.W. Jobe, and J. Perry; Clin. Orthop. & Rel. Res., 176:166–170, Jun. 1983.

Mathematical Modeling of the Stress Strain-Strain Rate Behavior of Bone Using the Ramberg-Osgood Equation, T.K. Hight (Dept. of Mech. Engng. and Materials Science, Duke University, Durham, NC 27706, U.S.A.), and J.F. Brandeau; J. Biomech., 16(6):445–450, 1983.

Mechanical Analysis of the Human Pelvis and Its Application to the Artificial Hip Joint—By Means of the Three Dimensional Finite Element Method, H. Oonishi (Dept, of Orthop. Surg, and Artificial Joint Section, Osaka-Minami National Hospital, 677–6 Kawachinagano-shi, 586-Osaka, Japan), H. Isha and T. Hasegawa; J. Biomech., 16(6):427–444, 1983.

Nerve Conduction Studies in Upper Extremities: Skin Temperature Corrections, E.M. Halar (Chief, RMS (117), VA Medical Center, 4435 Beacon Avenue South, Seattle, Washington 98108, U.S.A.), J.A. Delisa and T.L. Soine; Arch. Phy. Med. & Rehab., 64(9):412–416, Sept. 1983.

Quantification of Intersegmental Reactions During Rapid Swing Motion, S.J. Phillips (Dept. of Physical Education, University of Maryland, College Park, Maryland, U.S.A.), E.M. Roberts and T.C. Huang; J. Biomech., 16(6):411–417, 1983.

Simple Method to Determine Sincerity of Effort during a Maximal Isometric Test of Grip Strength, J.C. Gilbert and R.G. Knowlton (Dept. of Phy. Ed., Southern Illinois Univ. at Carbondale, Carbondale, IL. 02901, U.S.A.); Amer. J. Phy. Med., 62(3):135–144, June 1983.

A Survey of Finite Element Analysis in Orthopedic Biomechanics: the First Decade, R. Huiskes (Laboratory for Experimental Orthopedics, University of Nijmegen, 6500 HB, the Netherlands), and E.Y.S. Chao; J. Biomech., 16(6):385–409, 1983.

Tendon Excursion and Moment Arm of Index Finger Muscles, K.N. An (Biomech. Lab., Dept. of Orthop., Mayo Clinic, Rochester, MN 55905, U.S.A.), Y. Ueba, E.Y. Chao, W.P. Cooney, and R.L. Linscheid; J. Biomech., 16(6):419–425, 1983.

GENERAL

Amyotrophic Lateral Sclerosis: A Comprehensive Rehabilitation Approach, D.W. Janiszewski (Dept. of Rehab. Medicine, Mount Sinai Medical Center, 1 Gustave L. Levy Place, New York, N.Y. 10029, U.S.A.), J.T. Caroscio, and L.H. Wisham; Arch. Phy. Med. & Rehab., 64(7):304–307, Jul. 1983.

Arm Crank vs Handrim Wheelchair Propulsion: Metabolic and Cardiopulmonary Responses, P.A. Smith, R.M. Glaser (Dept. of Physiology, Wright State University School of Medicine, Dayton, OH 45435, U.S.A.), J.S. Petrofsky, P.D. Underwood, G.B. Smith and J.J. Richard; Arch. Phy. Med. & Rehab., 64(6):249–254, Jun. 1983.

Assessing the Driving Potential of Cerebral Vascular Accident Patients, F.L. Quigley and J.A. DeLisa (Dept. of Rehabilitation Medicine, University of Washington, Seattle, Washington 98195, U.S.A.); Amer. J. Occup. Ther., 37(7):474–478, July 1983.

Axillary F Central Latency: Simple Electrodiagnostic Technique for Proximal Neuropathy, Y. Wu (Rehab. Institute of Chicago, 345 East Superior, Chicago, Il. 60611, U.S.A.), J.R.M. Kunz, T.D. Putnam and J.S. Stratigos; Arch. Phys. Med. & Rehab., 64(3):117–120, Mar. 1983.

Calculated Nerve Conduction Velocity Dependence upon the Method of Testing, R.L. Joynt (Rehabilitation Institute, 261 Mack Blvd., Detroit, MI 48201, U.S.A.); Arch. Phys. Med. & Rehab., 64(5):212–216, May 1983.

Carpal Tunnel Syndrome: Median Nerve Stress Test, E.L. Marin (Dept. of Physical Medicine and Rehab., Nassau County Medical Center, 2201 Hempstead Turnpike, East Meadow, N.Y. 11554, U.S.A.), S. Vernick and L.W. Friedmann; Arch. Phys. Med. & Rehab., 64(5):206–208, May 1983.

Chronic Pain Therapy with Transcutaneous Electrical Nerve Stimulation: Predictive Value of Questionnaires, A.C. Reynolds (Dept. of Anesthesiology, Medical College of Wisconsin, 8700 W. Wisconsin Ave., Milwaukee, WI 53226, U.S.A.), S.E Abram, R.A. Anderson, S.V. Vasudevan and N.T. Lynch; Arch. Phy. Med. & Rehab., 64(7):311–313, Jul. 1983.

Conduction Studies of the Medial Cutaneous Nerve of the Forearm, M.P. Reddy (Rehab. Medicine Service, Veterans Administration Medical Center, Martinez, CA 94553, U.S.A.); Arch. Phys. Med. & Rehab., 64(5):209–211, May 1983.

Contour Donor Chair: Device to Maximize Effects of Overhead Cervical Traction, S.V. Vasudevan, (Dept. of Physical Medicine and Rehab., Medical College of Wisconsin, 9001 W. Watertown Plank Rd, Milwaukee, WI 53226, U.S.A.) P.L. Thielen and J.L. Melvin; Arch. Phy. Med. & Rehab., 64(6):285, Jun. 1983.

Counterbalanced Swivel Fork, S.E. Nelson; (Rehabilitation Unit, Mayo Clinic, Rochester MN 55905, U.S.A.) Amer. J. Occup. Ther., 37(7):489–490, July 1983.

Cubital Tunnel Syndrome in Rheumatiod Arthritis, O.M. Balagtas-Balmaseda, (Moss Rehabilitation Hospital, 12th St. and Tabor Rd., Philadelphia, PA 19414, U.S.A.) M. Grabois, P.F. Balmaseda and M.D. Lidsky; Arch. Phys. Med. & Rehab., 64(4):163–166, Apr. 1983.

Educational Needs Assessment in Physical Medicine and Rehabilitation: The Foundation of Continuing Medical Education, N.A. Coldeway (Associate Director, Educational Development, IRMEC (11R), VA Medical Center, Salt Lake City, Utah 84148 U.S.A.) and J.A. Delisa; Arch. Phys. Med. Rehab., 64(9):391–395, Sept. 1983.

Exercise Therapies in Peripheral Neuropathies, G.J. Herbison (Dept. of Rehab. Medicine, Thomas Jefferson University Medical College, Philadelphia, PA 19107, U.S.A.) M.M. Jaweed and J. F. Ditunno, Jr; Arch. Phys. Med. & Rehab. 64(5):201–205, May 1983.

Feeding Device for Glossectomy Patients, S.M. Fleming (Audiology and Speech Pathology (126), Veterans Administration Medical Center, Allen Park, MI 48101, U.S.A.) and A.W. Weaver; Arch. Phys. Med. & Rehab., 64(4):183–185, Apr. 1983.

A Holistic Approach to Rehabilitation for the Limb-Deficient Child, E.G. Marquardt; (Orthop. Hospital, University of Heidelberg, Schlierbacher Landstr 2002, D6900 Heidelberg, West Germany) Arch. Phy. Med. & Rehab., 64(6):237–242, Jun. 1983.

An Index to Measure the Healing Potential of Ischaemic Ulcers Using Thallium 201, M.E. Siegel (University of Southern California School of Medicine, Los Angeles County USC Medical Center, Rancho Los Amigos Hospital, Downey, California 90242, U.S.A.), C.A. Stewart, F.W. Wagner, Jr. and I Sakimura; Pros. & Orthot. Internat'l., 7(2):67–68, Aug. 1983.

Median Nerve Residual Latency: Normal Value and Use in Diagnosis of Carpal Tunnel Syndrome, G.H. Kraft (Dept. of Rehab. Medicine (RJ-30), University of Washington, Seattle, WA 98195, U.S.A.) and G.A. Halvorson; Arch. Phys. Med. & Rehab., 64(5):221–226, May 1983.

Metabolic and Cardiopulmonary Responses of Older Wheelchair-Dependent and Ambulatory Patients During Locomotion, R.M. Glaser (Laboratory of Applied Physiology, Wright State University School of Medicine, Dayton, Ohio 45435, U.S.A.), C.A. Simsen-Harold and J.S. Petrofsky; Ergonomics, 26(7):687–697, Jul. 1983.

Mobility Device for a Child with Phocomelia, J.L. Zazula (Tufts-New England Medical Center, Rehab. Engng. Center, 171 Harrison Ave., Box 1009, Boston, MA 02111, U.S.A.) and R.A. Foulds; Arch. Phys. Med. & Rehab., 64(3):137–139, Mar. 1983.

Motor and Sensory Ulnar Nerve Conduction Velocities: Effect of Elbow Position, C. Harding and E. Halar (Dept. of Rehab. Medicine, Veterans Administration Medical Center, 4435 Beacon Ave. South, Seattle, WA 98108 U.S.A.); Arch. Phys. Med. & Rehab., 64(5):227–232, May 1983.

Oxygen Consumption of Elderly Persons with Bilateral Below Knee Amputations: Ambulation vs Wheelchair Propulsion, L.L. DuBow, P.L. Witt, M.P. Kadaba (Orthop. Engng. and Research Center, Helen Hayes Hospital, West Haverstraw, N.Y. 10993, U.S.A.), R. Reyes, and G.V.B. Cochran; Arch. Phy. Med. & Rehab., 64(6):255–259, Jun. 1983.

Provision of Assistive Equipment for Handicapped Persons, J. Kohn (Rehabilitation Engineering Center, Children's Hospital at Stanford, 520 Willow Road, Palo Alto, Ca. 94304 U.S.A), S. Enders, J. Preston, Jr. and W. Motloch; Arch. Phys. Med. & Rehab., 64(8):378–381, Aug. 1983.

Reflex Cervical Muscle Spasm: Treatment by Diazepam, Phenobarbital or Placebo, J.V. Basmajian (Chedoke-McMaster Rehab. Center, Box 2000, Station A, Hamilton, ON L8N 3Z5, Canada); Arch. Phys. Med. & Rehab., 64(3);121–124, Mar. 1983.

The Selection of Sports Wheelchairs: How to Choose the Right Chair, B. Gibson, D. Marshall, K. Smith and R. Winn; Paraplegia News, 37(9):25–28, Sept. 1983. (Paralyzed Veterans of America, 5201 N. 19th Avenue, Suite 111, Phoenix, Arizona 85015, U.S.A.)

Survey of 1983 Sport Wheelchair Manufacturers: Getting the Facts Straight, N. Crase; Parplegia News, 37(9):29–40, Sept. 1983. (Paralyzed Veterans of America, 5201 N. 19th Avenue, Suite 111, Phoenix, Arizona 85015, U.S.A.)

Voluntary Anterior Dislocation of the Shoulder: Case Study, B.J. Rosaaen and J.A. DeLisa (Associate Chief of Staff/Education (11E), Veterans Administration Medical Center, 4435 Beacon Ave. S, Seattle, WA 98108, U.S.A.); Arch. Phy. Med. & Rehab., 64(7):326–328, Jul. 1983.

The Use of a Four-Channel Electrical Stimulator as an Ambulatory Aid for Paraplegic Patients, T. Bajd (Dept. of Electrical Engng., Edvard Kardelj University, 61000 Ljubljana,

Trzaska 25, Yugoslavia), A. Kralj, R. Turk, H. Benko, and J. Sega; Phy. Ther., 63(7): 1116–1120, Jul. 1983.

Walking Cane Designed to Assist Partial Weight Bearing, J. Engel (Hand Surgery Unit, Sheba Medical Center, Tel Hashomer, Israel), A. Amir, E. Messer and I. Caspi; Arch. Phys. Med. & Rehab., 64(8): 386–388, Aug. 1983.

Wheelchair and Occupant Restraint System for Transportation of Handicapped Passengers, H.W. Wevers, Jr. (McLaughlin Hall, Queen's University, Kingston, Ontario, Canada K7L 3N6); Arch. Phys. Med. & Rehab., 64(8): 374–377, Aug., 1983.

Wheelchair Racing: An Important Modality in Acute Rehabilitation after Paraplegia, J.G. Botvin Madorsky (Casa Colina Hospital for Rehab. Med., 255 E. Bonita Ave., Pomona, CA 91767, U.S.A.) and A. Madorsky; Arch. Phys. Med. & Rehab., 64(4): 186–187, Apr. 1983.

Wheelchair Transfer Training for Right Cerebral Dysfunctions: An Interdisciplinary Approach, K.M. Stanton, (Speech Pathology Services, Dept. of Rehab. Medicine (RJ-30), University of Washington, Seattle, WA 98195, U.S.A.) M. Pepping, J.A. Brockway, L. Bliss, D. Frankel and S. Waggener; Arch. Phy. Med. & Rehab., 64(6): 276–280, Jun. 1983.

ORTHOTICS

Electrogoniometry of Post-Surgical Knee Bracing in Running, K.M. Knutzen (Department of Physical Education, Western Washington University, Bellingham, Washington 98225, U.S.A.), B.T. Bates and J. Hamill; Amer. J. Phy. Med., 62(4): 172–181, Aug. 1983.

Plastic Ankle-Foot Orthoses: Evaluation of Function, J.F. Lehmann (Dept. of Rehab. Medicine, University of Washington RJ-30, Seattle, WA 98195, U.S.A.), P.C. Esselman, M.J. Ko, J.C. Smith, B.J. deLateur, and A.J. Dralle; Arch. Phy. Med. & Rehab., 64(9): 402–407, Sept. 1983.

A Practical Dropfoot Brace, J.B. Milner; Engng. in Med., 12(2): 65–68, Apr. 1983. (MEP Ltd, Article Reprint Ser., P.O. Box 24, Northgate Ave., Bury St. Edmunds, Suffolk 1P32 6BW, England).

Splint Therapy for Trigger Finger in Children, Y. Tsuyuguchi (Dept. of Orthop. Surg., Osaka University Medical School, 1-1-50, Fukushima, Osaka, 553, Japan), K. Tada and H. Kawaii; Arch. Phys. Med. & Rehab., 64(2):75–76, Feb. 1983.

Treatment of Congenital Dislocation of the Hip by the Pavlik Harness. Mechanisms of Reduction and Usage, K. Iwasaki (Dept. of Orthop. Surg., Nagasaki University School of Medicine, 7–1, Sakamoto-Machi, Nagasaki City, Japan); J. Bone & Jt. Surg., 65-A(6):760–767, Jul. 1983.

PROSTHETICS

Biomechanics of the Through-Knee Prosthesis, J. Hughes (Director, National Centre for Training and Education in Prosthetics and Orthotics, University of Strathclyde, The Curran Building, 131 St. James' Road, Glasgow G4 OLS, Scotland); Pros. & Orthot. Internat'l., 7(2):96–99, Aug. 1983.

Casting the Through-Knee Stump, E. Lyquist (The Society and Home for the Disabled in Denmark, Prosthetic and Orthotic Department, Borgervaenget 5,2100 Copenhagen Ø, Denmark); Pros. & Orthot. Internat'l., 7(2):104–106, Aug. 1983.

The Early Rehabilitation of Lower Limb Amputees Using a Pneumatic Walking Aid, R.G. Redhead (The Limb Fitting Centre, Roehampton Lane, London SW15 5PR, United Kingdom); Pros. & Orthot. Internat'l., 7(2):88–90, Aug. 1983.

Elastic Suspension Sleeve for Below the Knee Prostheses, J.P. Leimkuehler (Secretary/Treasurer of Leimkuehler, Inc., Cleveland, Ohio, U.S.A.); Orthot. & Pros., 37(1):52–54, 1983.

Four Bar Linkage Knee Analysis, M.P. Greene (Branch Manager, Union Artificial Limb & Brace Company, Greenburg Pennsylvania, U.S.A.); Orthot. & Pros., 37(1):15–24, 1983.

Functional Comparison of Upper Extremity Amputees Using Myoelectric and Conventional Prostheses, R.B. Stein (Dept. of Physiology, University of Alberta, Edmonton, T6G 2H7, Canada) and M. Walley; Arch. Phy. Med. & Rehab., 64(6):243–248, Jun. 1983.

Gait Patterns in Above-Knee Amputee Patients: Hydraulic Swing Control Vs. Constant-Friction Knee Components, M.P. Murray (Kinesiology Research Lab (151), Veterans Administration Medical Center, 500 W. National Ave., Wood, Wisconsin 53193 U.S.A.), L.A. Mollinger, S.B. Sepic and G.M. Gardner; Arch. Phys. Med Rehab., 64(8):339–345, Aug. 1983.

How to Prepare an Article for Publication, C.H. Pritham, and M.J. Quigley; Orthot. & Pros., 37(1):36–44, 1983. (Managing Editor, Orthotics and Prosthetics, National Office, 717 Pendleton Street, Alexandria, Virginia 22314)

Knee Mechanisms for Through-Knee Prostheses, K. Öberg (Biomechanics Laboratory, Munksjöskolan, Box 1030, S-551 11, Jönköping, Sweden); Pros. & Orthot. Internat'l., 7(2):107–112, Aug. 1983.

Planning and Producing Slide Presentations for Orthotics and Prosthetics, S.M. Forsgren (Prosthetics Research Study, Eklind Hall, Room 109, 1102 Columbia Street, Seattle, Washington 98104, U.S.A.) and T.L. Hittenberger; Orthot. & Pros, 37(1):45–51, 1983.

The Rapid Adjust Prosthetic Harness, B. Radocy (President of Therapeutic Recreation Systems, Inc., Boulder, Colorado, U.S.A.) Orthot. & Pros., 37(1)55–56, 1983.

The Seattle Prosthetic Foot—A Design for Active Sports: Preliminary Studies, E. M. Burgess (Prosthetics Research Study, Eklind Hall, Room 109, 1102 Columbia Street, Seattle, Washington 98104, U.S.A.) D.A. Hittenberger, S.M. Forsgren and D. Lindh; Orthot & Pros., 37(1):25–31, 1983.

Socket Design and Manufacturing Technique for Through-Knee Stumps, P. Botta and R. Baumgartner (Balgrist Orthopaedic Hospital, Forchstr. 340, CH-8008, Zurich, Switzerland); Pros. & Orthot. Internat'l., 7(2):100–103, Aug. 1983.

Success Rate of Prosthetic Fitting after Major Amputations of the Lower Limb, J. Steen Jensen (Department of Orthopaedic Surgery U, Rigshospitalet, University of Copenhagen, DK-2100 Copenhagen Ø, Denmark) and T. Mandrup-Poulsen; Pros. & Orthot. Internat'l., 7(2):119–121, Aug. 1983.

Tolerance of Early Walking with Total Contact Among Below-Knee Amputees—A Randomized Test, E. Liedberg (Department of Orthodpaedic Sugery, Lund University Hospital, S-221 Lund, Sweden), H. Hommerberg and B.M. Persson; Pros. & Orthot. Internat'l., 7(2)91–95, Aug. 1983.

The Use of X-Rays and Xerograms in Prosthetics, T.P. Haslam (Medical Center Prosthetics, Inc., Houston, Texas, U.S.A.), M.T. Wilson, M.J. Urlaub and R.M. Borrell; Orthot. & Pros., 37(1): 32–35, 1983.

SPINAL CORD INJURY

The Application of Pelvic Pins in Halo-Pelvic Distraction: An Anatomic Study, J.P. Kostuik (Toronto General Hospital, 101 College St., Toronto, M5G 1L7, Canada) and M. Tooke; Spine, 8(1): 35–38, Jan.–Feb. 1983.

The Effect of Spinal Cord Stimulation upon Peripheral Blood Flow in Patients with Chronic Neurological Disease, R.C. Tallis (Dept. of Geriatrics, Royal Liverpool Hospital, Prescot St., Liverpool L7 8XP, London), L.S. Illis, E.M. Sedgwick, C. Hardwidge and K. Kennedy; Internat'l. Rehab. Med., 5(1): 4–9, 1983.

Low-Back Impairment Rating Practices of Orthopaedic Surgeons, R.A. Brand (Dept. of Orthop. Surg., University of Iowa Hospitals and Clinics, Iowa City, IA 52242, U.S.A.) and T.R. Lehmann; Spine, 8(1): 75–78, Jan.–Feb. 1983.

Psychologic Prediction of Duration of Inpatient Spinal Cord Injury Rehabilitation and Performance of Self-Care, J. Malec (Behavioral Medicine, Mt. Sinai Medical Center, 950 N. Twelfth Street, Milwaukee, Wisconsin 53201, U.S.A.) and R. Neimeyer; Arch. Phys. Med. & Rehab., 64(8): 359–363, Aug. 1983.

The Quantitative Assessment of the Influence of Spinal Cord Stimulation on Motor Function in Patients with Multiple Sclerosis, R.C. Tallis (Dept. of Geriatrics, Royal Liverpool Hospital, Prescot St., Liverpool) L7 8XP, London) L.S. Illis and E.M. Sedgwick; Internat'l. Rehab. Med., 5(1): 10–16, 1983.

Reduction of Radiation Dose in Radiologic Examination of Patients with Scoliosis, G. Hellström, L. Irstam (Dept. of Diagnostic Radiology, University of Göteborg, Sahlgren's Hospital, Göteborg S-413 45, Sweden), and A. Nachemson; Spine, 8(1): 28–30, Jan.–Feb. 1983

Sexual Experience and Plasma Testosterone Levels in Male Veterans After Spinal Cord Injury, G. Phelps, M. Brown, J. Chen, M. Dunn, E. Lloyd, M.L. Stefanick, J.M. Davidson and I. Perkash (Spinal Cord Injury Service (128), Veterans Administration Medical Center, 3801 Miranda Ave., Palo Alto, CA 94304, U.S.A.); Arch. Phys. Med. & Rehab., 64(2): 47–52, Feb. 1983.

Spinal Fixator for the Management of Spinal Injury (the Mechanical Rationale) S.M. Rezaian (Western Orthopaedic Inst., 365 Terracina Blvd., Redlands, CA U.S.A.), E.T. Dombrowski and D.N. Ghista; Engng. in Med., 12(2):95–98, Apr. 1983.

Terminology and Measurement of Spondylolisthesis, L.L. Wiltse (2888 Long Beach Blvd., Long Beach, CA 90806, U.S.A.) and R.B. Winter, J. Bone & Jt. Surg., 65-A(6):768–772, Jul. 1983.

SURGERY

Age, Diabetes and Smoking in Lower Limb Amputation for Arterial Occlusive Disease, E. Liedberg, (Dept. of Orthop. Surgery, University Hospital, S-221 85 Lund, Sweden), and B.M. Persson; Acta Orthop. Scand., 54(3):383–388, Jun. 1983.

Ambulation Levels of Bilateral Lower-Extremity Amputees. Analysis of One Hundred and Three Cases, L.J. Volpicelli, R.B. Chambers (Orthopaedic-Diabetes and Amputation Service, Rancho Los Amigos Hospital, 7601 E. Imperial Highway, Downey, CA 90242, U.S.A.), and F.W. Wagner, Jr.; J. Bone & Jt. Surg., 65-A(5):599–604, June 1983.

Amputation as a Consequence of Diabetes Mellitus: An Epidemiological Review, J.E. Falkel (Dept. of Physical Therapy and Health Science, Sargent College of Allied Health Professions, Boston University, 1 University Rd., Boston, MA 02215, U.S.A.); Phy. Ther., 63(6):960–964, Jun. 1983.

Choice of Level in Lower Extremity Amputation—Nationwide Survey, B. Ebskov (Danish Amputation Register, P.O. Box 899, DK-2100, Copenhagen, Denmark); Pros. & Orthot. Internat'l., 7(2):58–60, Aug. 1983.

Failures in Through-Knee-Amputation, R. Baumgartner (Balgrist Orthopaedic Hospital, Forchstr. 340, CH-8008, Zurich, Switzerland); Pros. & Orthot. Internat'l., 7(2):116–118, Aug. 1983.

The Healing of Through-Knee Amputations in Relation to Skin Perfusion Pressure, H.C. Thyregod, P. Holstein (Bredland 3, 2850 Naerum, Denmark) and J. Steen Jensen; Pros. & Orthot. Internat'l., 7(2):61–62, Aug. 1983.

Life Expectancy and Social Consequences of Through-Knee Amputations, J. Steen Jensen (Department of Orthopaedic Surgery U, Rigshospitalet, University of Copenhagen, DK-2100, Copenhagen 0, Denmark); Pros. & Orthot. Internat'l. 7(2):113–115, Aug. 1983.

Operative Technique in Knee Disarticulation, J. Steen Jensen (Department of Orthopaedic Surgery U, Rigshospitalet, University of Copenhagen, DK-2100 Copenhagen 0, Denmark) and K. Jansen; Pros. & Orthot. Internat'l., 7(2):72–74, Aug. 1983.

Physiotherapy Following Through-Knee Amputation, G. Mensch (Chief Physical Therapist, Physiotherapy Department, Henderson General Hospital, 711 Concession Street, Hamilton, Ontario, Canada L8V 1C3); Pros. & Orthot. Internat'l., 7(2):79–87, Aug. 1983.

The Postoperative Environment of the Amputation Stump, G. Murdoch (Limb Fitting Centre, 133 Queen Street, Broughty Ferry, Dundee, Scotland; Pros. & Orthot. Internat'l., 7(2):75–78, Aug. 1983.

Prediction of Leg Viability and Amputation Level by Fluorescein Uptake, D. Silverman Dept. of Anaesthesia and Surgery, (7th Floor, Dulles Building, Hospital of University of Pennsylvania, C400 Spruce Street, Philadelphia, Pennsylvania 19104, U.S.A.) and F.W. Wagner, Jr., Pros. & Orthot. Internat'l., 7(2):69–71, Aug. 1983.

Preliminary Experiences with Laser Doppler Velocimetry for the Determination of Amputation Levels, G.A. Holloway, Jr. (Center for Bioengineering, 310 Harris (WD-12), University of Washington, Seattle, Washington 98195, U.S.A.) and E.M. Burgess; Pros. & Orthot. Internat'l 7(2):63–66, Aug. 1983.

Revascularization Surgery: Impact on Lower Extremity Amputations, A.M. Rosenthal (Lutheran General Hospital, 1775 Dempster St, Park Ridge, Il, 60068, U.S.A.) and N.K. Reddy; Arch. Phys. Med. & Rehab., 64(3):125–126, Mar. 1983.