PUBLICATIONS OF INTEREST

The Journal's "Publications of Interest" list is compiled by Lily W. Hom, M.L.S., M.S., who is Technical Information Specialist of the Office of Technology Transfer.

Most of the articles cited are selected from journals subscribed to by the Reference Collection, while others have been obtained directly from the authors after the works were abstracted in Bioengineering Abstracts and/or Excerpta Medica or were cited as references or noted in reviews elsewhere.

To obtain a copy or reprint of a specific paper, our readers are advised to direct inquiries to the appropriate author. The name and address of the author to be contacted appears at the end of each listing. In most instances, a reprint of a recent paper is available as a professional courtesy from the author.

A book or report should be obtained from the publisher. The name and address of the publisher, and the price, appear with the listing.

BIOENGINEERING

Biomedical engineering II: recent developments. Proceedings of the Second Southern Biomedical Engineering Conference, San Antonio, TX, 1983. Hall CW, ed, 1983, 431p. Pergamon Press, Maxwell House, Fairview Park, Elmsford, NY 10523, USA. Price: $60.00.

Changes in sympathetic tone associated with different forms of transcutaneous electrical nerve stimulation in health subjects. Wong RA and Jette DU. Phys Ther 1984 Apr;64(4):478-482.
(CONTACT: R.A. Wong, Dept. of Physical Therapy, University of Connecticut, U101, Storrs, CT 06268, USA).

The clinical use of surface EMG. Hermens HJ, Boon KL, and Zilvold G. Electromyogr Clin Neurophysiol 1984 May;24(4):243-265.
(CONTACT: H.J. Hermens, Rehabilitation Centre "het Roessingh," PO 310, 7500 AH Enschede, The Netherlands).

A computer-based system for automated quantitation of neurologic function. Kondraske GV, Tourtellotte WW, and Syndulko K. IEEE Trans Biomed Eng 1984 May;BME-31(5):401-414.
(CONTACT: G.V. Kondraske, Biomedical Engineering Program, University of Texas, Arlington, TX 76019, USA).

The field is no longer filled with quacks and black magic. Szeto AYJ. IEEE Eng Med and Biol Mag 1983 Dec;2(4):12-13.
(CONTACT: A.Y.J. Szeto, Dept. of Electrical and Computer Engineering, College of Engineering, San Diego State University, San Diego, CA 92182, USA).

A literature review of vibrational analysis of human limbs. Nokes LDM, Williams JH, Fairclough JA, Mintowt-Czyz WJ, and Mackie IG. IEEE Trans Biomed Eng 1984 Feb;BME-31(2):187-192.
(CONTACT: L.D.M. Nokes, Dept. of Mechanical Engineering and Engineering Production, University of Wales, Institute of Science and Technology, Cardiff, Wales).

The mechanical and stress adaptive properties of bone. Cowin SC. Ann Biomed Eng 1983;11(3-4):263-295.
(CONTACT: S.C. Cowin, Dept. of Biomedical Engineering, Tulane University, New Orleans, LA 70118, USA).

Method of determining optimal stimulation sites for transcutaneous electrical nerve stimulation. Berlant SR. Phys Ther 1984 June;64(6):924-928.
(CONTACT: S.R. Berlant, Clinical Education, La Jolla Technology Inc., 11558 Sorrento Valley Rd., San Diego, CA 92121, USA).

On-line electromyographic signals processing system. Coatrieux JL. IEEE Trans Biomed Eng 1984 Feb;BME-31(2):199-207.
(CONTACT: J.L. Coatrieux, Lab de Traitement du Signal, University of Rennes I, Campus de Beaulieu, 35042 Rennes Cedex, France).

A review of electromagnetically enhanced soft tissue healing. Frank CB and Szeto AYJ. IEEE Eng Med and Biol Mag 1983 Dec;4(2):27-32.
(CONTACT: A.Y.J. Szeto, Dept. of Electrical and Computer Engineering, College of Engineering, San Diego State University, San Diego, CA 92182, USA).

Signal processor for laser doppler tissue flowmeters. Nilsson GE. Med and Biol Eng and Comput 1984 July;22(4):343-348.
(CONTACT: G.E. Nilsson, Dept. of Biomedical Engineering, University Hospital, S-581 85 Linkoping, Sweden).

Stimulation of fracture healing with electromagnetic fields of extremely low frequency (EMF of ELF). Wahlstrom O. Clin Orthop and Rel Res 1984 June;186:293-301.
(CONTACT: O. Wahlstrom, Dept. of Orthopaedic Surgery, University Hospital, S-581 85 Linkoping, Sweden).

Transcutaneous electrical nerve stimulation for pain control. Szeto AYJ and Nyquist JK. IEEE Eng Med and Biol Mag 1983 Dec;4(2):14-18.

(CONTACT: A.Y.J. Szeto, Dept. of Electrical and Computer Engineering, College of Engineering, San Diego State University, San Diego, CA 92182, USA).

Transcutaneous electrical nerve stimulation: its role in the control of chronic pain. Fried T, Johnson R, and McCrachen W. Arch Phys Med and Rehab 1984 May;65(5):228-231.
(CONTACT: T. Fried, Workers' Compensation Board, 115 Torbarrie Rd., Downsview, Ontario, Canada M3L 1G8).

Use of signal representation to identify abnormal motor unit potentials in macro EMG. Nandedkar SD, Stalberg E, Kim YI, Sanders DB, and Anne A. IEEE Biomed Eng 1984 Feb;BME-31(2): 220-227.
(CONTACT: S.D. Nandedkar, Division of Neurology, Duke University Medical Center, Durham, NC 27710, USA).

BIOMECHANICS

Advantages of a simple contact switch for human locomotion. Patterson FS, Gorman LK, and Wetzel MC. Amer J Phys Med 1984 Feb;63(1):11-17.
(CONTACT: M.C. Wetzel, Dept. of Psychology, College of Art and Sciences, University of Arizona, Tucson, AZ 85721, USA).

An analysis of posture and gait following spinal fusion with Harrington Instrumentation. Wasylenko M, Skinner SR, Perry J, and Antonelli DJ. Spine 1983 Nov-Dec;8(8):840-845.
(CONTACT: J. Perry, Rehabilitation Engineering Center, Rancho Los Amigos Hospital, 7601 East Imperial Highway, Downey, CA 90242, USA).

Ankle and subtalar motion during gait in arthritic patients. Locke M, Perry J, Campbell J, and Thomas L. Phys Ther 1984 Apr;64(4): 504-509.
(CONTACT: M. Locke, Dept. of Physical Therapy, University of California, Los Angeles, UCLA Hospital and Clinics, Los Angeles, CA 90024, USA).

Assessing the reliability of measurements from the Krusen Limb Load Monitor to analyze temporal and loading characteristics of normal gait. Carey PB, Wolf SL, Binder-MacLeod SA, and Bain RL. Phys Ther 1984 Feb;64(2):199-203.
(CONTACT: S.L. Wolf, Emory University Regional Rehabilitation Research and Training Center, Emory University School of Medicine, 1441 Clifton Rd. NE, Atlanta, GA, USA).

Bicyle ergometer for paralyzed muscle. Petrofsky JS, Phillips CA, Heaton HH, III, and Glaser RM. J Clin Eng 1984 Jan-Mar;9(1):13-19.
(CONTACT: J.S. Petrofsky, National Center for Rehabilitation Engineering and Depts of Engineering, Physiology, and Computer Science, Wright State University, Dayton, OH 45435, USA).

Biomechanics of human movement with applications to the study of human locomotion. Winter DA. CRC Crit Rev Biomed Eng 1984;9(4):287-314.
(CONTACT: D.A. Winter, Dept. of Kinesiology, University of Waterloo, Waterloo, Ontario, Canada N2L 3G1).

Capacitive transducer for continuous measurement of vertical foot force. Miyazaki S and Ishida A. Med and Biol Eng and Comput 1984 July;22(4):309-316.
(CONTACT: S. Miyazaki, Institute for Medical and Dental Engineering, Tokyo Medical and Dental University, 2-3-10 Kanda-Surugadai, Chiyoda-Ku, Tokyo 101, Japan).

Clinical experience of gait analysis in the management of cerebral palsy. Baumann JU. Prosth and Orthot Int 1984 Apr;8(1):29-32.
(CONTACT: J.U. Baumann, Orthopadische Universitatsklinik, Neuro-Orthop Abteilung, Kinderspital Basel, Romergasse, 4005 Basel, Switzerland).

Computer analysis of energy transfers in children walking with crutches. McGill SM and Dainty DA. Arch Phys Med and Rehab 1984 Mar;65(3):115-120.
(CONTACT: S.M. McGill, Dept. of Kinesiology, University of Waterloo, Waterloo, Ontario, Canada N2L 3G1).

A dynamic biomechanical evaluation of lifting maximum acceptable loads. Freivalds A, Chaffin DB, Garg A, and Lee KS. J Biomech 1984;17(4):251-262.
(CONTACT: A. Freivalds, Dept. of Industrial and Management Systems Engineering, The Pennsylvania State University, University Park, PA 16802, USA).

Effect of exercise of the lower limbs on the non-exercised biceps brachii muscle. Wolf E, Blank A, Shoshina M, and Gonen B. Amer J Phys Med 1984 June;63(3):113-121.
(CONTACT: E. Wolf, Dept. of Physical Medicine and Rehabilitation, Hadassah University Hospital, PO Box 24035, Jerusalem 91240, Israel).

Effect of technique variation on sensory nerve conduction characteristics. Stone LA. Phys Ther 1984 Apr;64(4):498-503.
(CONTACT: L.A. Stone, Dept. of Physical Therapy, St. John's Regional Health Center, Springfield, MO 65804, USA).

Electrical properties of bone: a review. Singh S and Saha S. Clin Orthop and Rel Res 1984 June;186:249-271.
(CONTACT: S. Saha, Dept. of Orthopaedic Surgery, Louisiana State University Medical Center, PO Box 33932, Shreveport, LA 71130, USA).

Electrical stimulation to reduce chronic toe-flexor hypertonicity: a case report. Fulbright JS. Phys Ther 1984 Apr;64(4):523-525.
(CONTACT: J.S. Fulbright, Dept. of Physical Therapy, Edward W Sparrow Hospital, 1215 East Michigan Ave., PO Box 30480, Lansing, MI 48909, USA).

Electromyography of the paravertebral muscles in idiopathic scoliosis: measurements of amplitude and spectral changes under load. Zetterberg C, Bjork R, Ortengren R, and Andersson GBJ. Acta Orthop Scand 1984 June;55(3):304-309.
(CONTACT: C. Zetterberg, Dept. of Orthopaedic Surgery I, Sahlgren Hospital, S-413 45 Gothenburg, Sweden).

EMG controlled functional electrical stimulation. van Overeem Hansen G. Int J Rehab Res 1984 Mar;7(1):89-90.
(CONTACT: G. van Overeem Hansen, Occupational Rehabilitation Clinic, Heden 9, 5000 Odense C, Denmark).

Energy expenditure of ambulation in paraplegics: effects of long term use of bracing. Chantraine A, Crielaard JM, Onkelinx A, and Pirnay F. Paraplegia 1984 June;22(3):173-181.
(CONTACT: A. Chantraine, Dept. of Physical Medicine and Rehabilitation, Hopital Cantonal Universitaire, CH 1211 Geneva 4).

Energy expenditure of paraplegic patients standing and walking with two knee-ankle-foot orthoses. Merkel KD, Miller NE, Westbrook PR and Merritt JL. Arch Phys Med and Rehab 1984 Mar;65(3):121-124.
(CONTACT: J.L. Merritt, Mayo Clinic, 200 First St. SW, Rochester, MN 55905, USA).

The enigma of "carry-over". Waters RL. Inst Rehab Med 1984;6(1):9-12.
(CONTACT: R.L. Waters, Rehabilitation Engineering Center, Rancho Los Amigos Hospital, 7601 East Imperial Highway, Downey, CA 90242, USA).

Factors affecting balance and ambulation following stroke. Keenan MA, Perry J, and Jordan C. Clin Orthop and Rel Res 1984 Jan-Feb;182:165-171.
(CONTACT: M.A. Keenan, Rancho Los Amigos Hospital, 7601 East Imperial Highway, Downey, CA 90242, USA).

Forces in the knee joint whilst rising from a seated position. Ellis MI, Seedhom BB, and Wright V. J Biomed Eng 1984 Apr;6(2): 113-120.
(CONTACT: M.I. Ellis, The Rheumatism Research Unit, School of Medicine, University of Leeds, Yorks, UK).

Function after revision of failed total hip arthroplasty. Murray MP, Gore DR, Sepic SB, and Gardner GM. Acta Orthop Scand 1984 Feb;55(1):59-62.
(CONTACT: Kinesiology Research Laboratory (151), VA Medical Center, Wood (Milwaukee), WI 53193, USA).

Functional electrical stimulation in external control of motor activity and movements of paralyzed extremities: research and clinical practice and applied technology in Yugoslavia. Gracanin F. Int Rehab Med 1984;6(1):25-30.
(CONTACT: F. Gracanin, Dept. of Physical Medicine and Rehabilitation, University Hospital, Vinogradska 29, 41000 Zagreb, Yugoslavia).

Functional test for the hemiparetic upper extremity. Wilson DJ, Baker LL, and Craddock JA. Amer J Occup Ther 1984 Mar;38(3): 159-164.
(CONTACT: L.L. Baker, Neuromuscular Engineering—Bonita Hall, Rehabilitation Engineering Center, Rancho Los Amigos Hospital, 7601 East Imperial Highway, Downey, CA 90242, USA).

Gait patterns in patients with amyotrophic lateral sclerosis. Goldfarb BJ and Simon SR. Arch Phys Med and Rehab 1984 Feb;65(2):61-65.
(CONTACT: S.R. Simon, Gait Analysis Lab, Children's Hospital Medical Center, 52 Binney St., Boston, MA 02115, USA).

The investigation of walking of patients with cerebral palsy by the electromyogram (EMG) using surface electrodes. Gueth V, Steinhausen D, and Abbink F. Electromyogr Clin Neurophysiol 1984 Mar-Apr;24(3):225-240.
(CONTACT: V. Gueth, Dept. of Orthopaedic Physiology, Computing Centre, University of Muenster, West Germany).

Kinematic symmetry of the lower limbs. Hannah RE, Morrison JB, and Chapman AE. Arch Phys Med and Rehab 1984 Apr;65(4): 155-158.
(CONTACT: R.E Hannah, Medical Engineering Resource Unit, Shaughnessy Hospital, 4500 Oak St., Vancouver, BC, Canada V6H 3N1).

Knee joint effusion and quadriceps reflex inhibition in man. Spencer JD, Hayes KC, and Alexander IJ. Arch Phys Med and Rehab 1984 Apr;65(4):171-177.
(CONTACT: J.D. Spencer, Elborn College/PPT, Faculty of Medicine, University of Western Ontario, London, Ontario, Canada N6G 1H1).

Lateral electrical surface stimulation as an alternative to bracing in the treatment of idiopathic scoliosis: treatment protocol and patient acceptance. Eckerson LF and Axelgaard J. Phys Ther 1984 Apr;64(4):483-489.
(CONTACT: L.F. Eckerson, Clinical Education Specialist, Neuromedics Inc., Clue, TX 77531, USA).

Leg exerciser for training of paralyzed muscle by closed-loop control. Petrofsky JS, Heaton HH, III, and Phillips CA. Med and Biol Eng and Comput 1984 July;22(4):298-303.
(CONTACT: J.S. Petrofsky, National Center for Rehabilitation Engineering, Wright State University, Dayton, OH 45435, USA).

Linear approximations for swing leg motion during gait. Lee WH and Mansour JM. J Biomech Eng (Trans ASME) 1984 May;106(2): 137-143.
(CONTACT: J.M. Mansour, Dept. of Mechanical and Aerospace Engineering, Case Western Reserve University, Cleveland, OH 44106, USA).

Localizing ulnar nerve lesions to the elbow by motor conduction studies. Pickett JB and Coleman LL. Electromyogr Clin Neurophysiol 1984 June-July;24(5):343-360.
(CONTACT: J.B. Pickett, Dept. of Neurology, Veterans Administration Medical Center, Charleston, SC, USA).

Measurement of torque during passive and active ankle movements in patients with muscle hypertonia: a methodological study. Broberg C and Grimby G. Scand J Rehab Med 1983;(Suppl 9): 108-117.
(CONTACT: G. Grimby, Dept. of Rehabilitation Medicine, Sahlgren Hospital, University of Goteborg, S-413 45 Goteborg, Sweden).

Motion analysis. Smith JC. Med Electron 1984 June;15(3, Issue 87): 110-112.
(CONTACT: J.C. Smith, Oxford Medilog Inc., 11526 53rd St. N., Clairwater, FL 33520, USA).

Muscle dynamics, size principle, and stability. Zheng YF, Hemami H, and Stokes BT. IEEE Trans Biomed Eng 1984 July;BME-31(7): 489-497.
(CONTACT: Y.F. Zheng, Dept. of Electrical Engineering, The Ohio State University, Columbus, OH 43210, USA).

Neurocontrol of upper motor neurone muscle paralysis. Dimitrijevic MR and Dimitrijevic MM. Scand J Rehab Med 1983;(Suppl 9): 40-44.
(CONTACT: M.R. Dimitrijevic, Dept. of Clinical Neurophysiology, Institute for Rehabilitation and Research, 1333 Moursund, Houston, TX 77030, USA).

On the energy cost of achieving mobility. Grimby G. Scand J Rehab Med 1983;(Suppl 9):49-54.
(CONTACT: G. Grimby, Dept. of Rehabilitation Medicine, Sahlgren Hospital, University of Goteborg, S-413 45 Goteborg, Sweden).

Pathologic gait diagnosis with computer-averaged electromyographic profiles. Winter DA. Arch Phys Med and Rehab 1984 July;65(7):393-398.
(CONTACT: D.A. Winter, Dept. of Kinesiology, University of Waterloo, Waterloo, Ontario, Canada N2L 3G1).

Physiology and therapeutic value of passive joint motion. Frank C, Akeson WH, Woo SLY, Amiel D, and Coutts RD. Clin Orthop and Rel Res 1984 May;185:113-125.
(CONTACT: W.H. Akeson, Division of Orthopaedics and Rehabilitation, University of California, San Diego (M-004), La Jolla, CA 92093, USA).

Relationship between myoelectric signals and blood lactate during incremental forearm exercise. Moritani T, Tanaka H, Yoshida T, Ishii C, Yoshida T and Shindo M. Amer J Phys Med 1984 June;63(3):122-132.
(CONTACT: T. Moritani, Human Performance Laboratory, Dept. of Health and Physical Education, College of Education, Texas A&M University, College Station, TX 77843, USA).

A review of biomechanical models. King AI. J Biomech Eng (Trans ASME) 1984 May;106(2):97-104.
(CONTACT: A.I. King, Bioengineering Center, Wayne State University, Detroit, MI 48202, USA).

Skin stress and blood flow in sitting paraplegic patients. Bennett L, Kavner D, Lee BY, Trainor FS, and Lewis JM. Arch Phys Med and Rehab 1984 Apr;65(4):186-190.
(CONTACT: L. Bennett, PETIC, Veterans Administration, 252 Seventh Ave., New York, NY 10001, USA).

State of the art of functional electrical stimulation in France. Albert A and Andre JM. Int Rehab Med 1984;6(1):13-18.
(CONTACT: A. Albert, Institut Regional de Readaptation de Nancy, CRAM du Nord-Est, France).

Thigh muscle atrophy in below-knee amputees. Renstrom P, Grimby G, Morelli B, and Palmertz B. Scand J Rehab Med 1983;(Suppl 9):150-162.
(CONTACT: G. Grimby, Dept. of Rehabilitation Medicine, Sahlgren Hospital, University of Goteborg, S-413 45 Goteborg, Sweden).

Thigh muscle strength in below-knee amputees. Renstrom P, Grimby G, and Larsson E. Scand J Rehab Med 1983;(Suppl 9): 163-173.
(CONTACT: G. Grimby, Dept. of Rehabilitation Medicine, Sahlgren Hospital, University of Goteborg, S-413 45 Goteborg, Sweden).

The use of regression equations in the localization of ulnar and peroneal nerve lesions. Pickett JB. Electromyogr Clin Neurophysiol 1984 June-July;24(5):361-368.
(CONTACT: J.B. Pickett, Dept. of Neurology, Veterans Administration Medical Center, Charleston, SC, USA).

Utilization of the stimulated electromyogram for estimation of the functional state of the muscles. Kostov K, Kossev A, and Gydikov A. Electromyogr Clin Neurophysiol 1984 June-July;24(5):387-399.
(CONTACT: K. Kostov, Central Laboratory of Biophysics, Bulgarian Academy of Sciences, Acad. G. Bontchev Str bl 21, 1113 Sofia, Bulgaria).

Wheelchair exercise testing: comparison of continuous and discontinuous exercise. Whiting RB, Dreisinger TE, and Hayden CR. Paraplegia 1984 Apr;22(2):92-98.
(CONTACT: R.B. Whiting, Division of Cardiology, University of Missouri, Health Sciences Center, One Hospital Drive, Columbia, MO 65212, USA).

GENERAL

Cashing in on recovery: a challenge for rehabilitation. Matkin RE. Rehab Lit 1984 Mar-Apr;45(3-4):74-79,89.
(CONTACT: R.E. Matkin, Vocational Management Systems Inc., PO Box 424, Murphysboro, IL 62966, USA).

Computer-controlled manipulator/display system for human-movement studies. Ruitenbeck JC and Janssen RJ. Med and Biol Eng and Comput 1984 July;22(4):304-308.
(CONTACT: J.C. Ruitenbeck, Laboratory for Measurement and Control and Cybernetic Ergonomics, Dept. of Mechanical Engineering, Delft University of Technology, Mekelweg 2, 2628 CD, Delft, The Netherlands).

Computerized data management as an aid to clinical decision making in rehabilitation medicine. Lehmann JF, Warren CG, Smith W, and Larson J. Arch Phys Med and Rehab 1984 May;65(5):260-262.
(CONTACT: J.F. Lehmann, Dept. of Rehabilitation Medicine, RJ-30, University of Washington, Seattle, WA 98195, USA).

The development of body support systems. Bardsley GI. Int J Rehab Res 1984 Mar;7(1):88-89.
(CONTACT: G.I. Bardsley, Tayside Rehabilitation Engineering Services, Dundee Limb Fitting Centre, 133 Queen St., Broughty Ferry, Dundee, Scotland).

Device to assist training in balancing on the rear wheels of a wheelchair: suggestion from the field. Hinrichsen LC, Nordstrom C, and Law DF. Phys Ther 1984 May;65(5):672-673.
(CONTACT: L.C. Hinrichsen, Dept. of Physical Therapy, Woodrow Wilson Rehabilitation Center, Fishersville, VA 22939, USA).

Disabled people in The Bible. Kokaska CJ, Woodward S, and Tyler L. Rehab Lit 1984 Jan-Feb;45(1-2):20-21.
(CONTACT: C.J. Kokaska, Special Education Program, California State University, Long Beach, CA 90840, USA).

Early use of adaptable seating for patients with head trauma: suggestion from the field. Keener SM and Sweigart JE. Phys Ther 1984 Feb;64(2):206-207.
(CONTACT: S.M. Keener, Brain Injury Program, Pennsylvania State University, Elizabethtown Hospital and Rehabilitation Center, Elizabethtown, PA 17022, USA).

Evaluation of the phrenic nerve in patients with neuromuscular disorders. Shochina MM, Ferber I, and Wolf E. Int J Rehab Res 1983 Dec;6(4):455-459.
(CONTACT: M.M. Shochina, Dept. of Physical Medicine and Rehabilitation, Hadassah University Hospital, PO Box 24035, Jerusalem, Israel).

Foot shields for wheelchairs. Sibille J, Layeux G, and O'Riain MD. Arch Phys Med and Rehab 1984 Feb;65(2):101-102.
(CONTACT: M.D. O'Riain, Royal Ottawa Regency Rehabilitation Center, 505 Smyth Rd., Ottawa, Ontario, Canada K1H 8M2).

Functional assessment measures in medical rehabilitation: current status. Keith RA. Arch Phys Med and Rehab 1984 Feb;65(2):74-78.
(CONTACT: R.A. Keith, Research and Plan Center, Casa Colina Hospital for Rehabilitation Medicine, 255 E. Bonita Ave., Pomona, CA 91767, USA).

A guide to controls: selecting, mounting, applications. 1982, 144p. Rehabilitation Engineering Center, Children's Hospital at Stanford, 520 Willow Rd., Palo Alto, CA 94304, USA. Price: $10.00.

Local muscle blood flow and temperature responses to 915MHz diathermy as simultaneously measured and numerically predicted. Sekins KM, Lehmann JF, Esselman P, Dundore D, Emery AF, deLateur BJ, and Nelp WB. Arch Phys Med & Rehab 1984 Jan;65(1):1-7.
(CONTACT: K.M. Sekins, Mathematical Science Northwest, 2755 Northup Way, Bellevue, WA 98004, USA).

Modified walker for patients with polyatricular rheumatoid arthritis: suggestion from the field. Fillyaw M. Phys Ther 1984 Feb;64(2):205.
(CONTACT: M. Fillyaw, Dept. of Physical Therapy, University of Vermont, Burlington, VT 05401, USA).

Motorized wheelchair driving by disabled children. Butler C, Okamoto GA, and McKay TM. Arch Phys Med and Rehab 1984 Feb;65(2):95-97.
(CONTACT: C. Butler, Division of Congenital Defects, Children's Orthopedics Hospital and Medical Center, Seattle, WA 98105, USA).

Painful sequelae of injuries to peripheral nerves. Yiannikas C and Shahani BT. Amer J Phys Med. 1984 Apr;63(2):53-83.
(CONTACT: B.T. Shahani, Laboratory of Clinical Neurophysiology, Dept. of Neurology, Massachusetts General Hospital, Gray 11, Fruit St., Boston, MA 02114, USA).

Physically disabled people assess the quality of their lives. Weinberg N. Rehab Lit 1984 Jan-Feb;45(1-2):12-15.
(CONTACT: N. Weinberg, School of Social Work, University of Illinois at Urbana-Champaign, 1207 West Oregon St, Urbana, IL 61801, USA).

Rehabilitation medicine within the Veterans Administration: report of a survey. DeLisa JA. Arch Phys Med and Rehab 1984 July;65(7):388-392.
(CONTACT: J.A. DeLisa, Associate Chief of Staff/Education (11E), VA Medical Center, 1660 South Columbia Way, Seattle, WA 98108, USA).

Rehabilitation of the older person: a psychosocial focus. Lewis CB. Phys Ther 1984 Apr;64(4):517-522.
(CONTACT: C.B. Lewis, Physical Therapy Services of Washington, DC, Dupont Medical Building, 1234 19th St. NW, Suite 800, Washington, DC 20036, USA).

The resource manager in physical rehabilitation. Evans RL. Rehab Lit 1984 Jan-Feb;45(1-2):16-18.
(CONTACT: R.L. Evans, Spinal Cord Injury Service, VA Medical Center, 4435 Beacon Ave. S., Seattle, WA 98108, USA).

Response of plasma beta-endorphins to transcutaneous electrical nerve stimulation in healthy subjects. Hughes GS, Jr, Lichstein PR, Whitlock D, and Harker C. Phys Ther 1984 July;64(7):1062-1066.
(CONTACT: G.S. Hughes, Jr, East Carolina University School of Medicine, Section of General Internal Medicine, Greenville, NC 27834, USA).

Robotic device for feeding quadriplegics. Kingma YJ, Durdle N, and Chambers MM. Med Electron 1984 Feb;15(1, Issue 85):196-199.
(CONTACT: Y.J. Kingma, Dept. of Electrical Engineering and Surgery, University of Alberta, Alberta, Canada).

Simple devices for the physically disabled. Harrison E and Vise GT, Jr. Paraplegia 1984 June;22(3):182-193.
(CONTACT: E. Harrison, Methodist Rehabilitation Center, 1350 East Woodrow Wilson, Jackson, MS 39216, USA).

The Swedish Institute for the Handicapped and its role in the provision of technical aids. Lindahl L. Scand J Rehab Med 1983;(Suppl 9):71-74.
(CONTACT: L. Lindahl, The Swedish Institute for the Handicapped, Box 303, S-161 26 Bromma, Sweden).

Treatment effectiveness in cerebral palsy. Goldkamp O. Arch Phys Med and Rehab 1984 May;65(5):232-234.
(CONTACT: O. Goldkamp, Darthmouth-Hitchcock Medical Center, Hanover, NH 03756, USA).

Ultrasound mapping of the buttock-cushion interface contour. Kadaba MP, Ferguson-Pell MW, Palmieri VR, and Cochran GVB. Arch Phys Med and Rehab 1984 Aug;65(8):467-469.
(CONTACT: M.P. Kadaba, Orthopaedic Engineering and Research Center, Helen Hayes Hospital, West Haverstraw, NY 10993, USA).

Upright mobility system for spinal muscular atrophy patients. Siegel IM and Silverman M. Arch Phys Med and Rehab 1984 July;65(7):418.
(CONTACT: I.M. Siegel, Strauss Surgical Group Assoc., 4640 Marine Drive, Chicago IL 60640, USA).

Videogame adaptation for patients with high-level cervical injury. White GW, Wusson AE, and Merritt JL. Arch Phys Med and Rehab 1984 Apr;65(4):208-209.
(CONTACT: G.W. White, c/o Section of Publications, Mayo Clinic, 200 First St. SW, Rochester, MN 55905, USA).

Wheelchair design and quality. Brattgard SO, Lindstrom IL, Severinson K, and Wihk L. Scand J Rehab Med 1983;(Suppl 9):15-19.
(CONTACT: S.O. Brattgard, Dept. of Handicap Research, University of Goteborg, Brunnsgatan 2, S-413 12 Goteborg, Sweden).

Wheelchair mountaineering. Madorsky JGB and Kiley DP. Arch Phys Med and Rehab 1984 Aug;65(8):590-592.
(CONTACT: J.G.B. Madorsky, Casalohina Hospital for Rehabilitation Medicine, 255 East Bonita Ave., Pomona, CA 91767, USA).

ORTHOPEDIC IMPLANTS

Acrylic bone cement: in vitro and in vivo property-structure relationship—a selective review. Park JB. Ann Biomed Eng 1983;11(3-4):297-312.
(CONTACT: J.B. Park, Dept. of Biomedical Engineering, College of Engineering, University of Iowa, Iowa City, IA 52242, USA).

Adaptive changes in the femur after implantation of an Austin Moore prosthesis. Murphy SB, Walker PS, and Schiller AL. J Bone and Joint Surg 1984 Mar;66-A(3):437-443.
(CONTACT: P.S. Walker, Biomechanics Laboratory, Brigham and Women's Hospital, 75 Francis St., Boston, MA 02115, USA).

Architectural changes in the proximal femur following prosthetic insertion: preliminary observations of an animal model. Rose RM, Martin RB, Orr RB, and Radin EL. J Biomech 1984;17(4):241-249.
(CONTACT: R.M. Rose, Dept. of Material Science and Engineering, Massachusetts Institute of Technology, Cambridge, MA 02138, USA).

A cement impactor for uniform cement penetration in the upper tibia. Kim YH, Walker PS, and Deland JT. Clin Orthop and Rel Res 1984 Jan-Feb;182:206-210.
(CONTACT: P.S. Walker, Biomechanics Laboratory, Brigham and Women's Hospital, 75 Francis St., Boston, MA 02115, USA).

Characterization of plasma polymerized silicone coatings useful as biomaterials. Chawla AS and Sipehia R. J Biomed Mat Res 1984 May-June;18(5):537-545.
(CONTACT: A.S. Chawla, Bureau of Medical Devices, Health and Welfare Canada, Ottawa, Ontario, Canada K1A 0L2).

Control of cement penetration in total knee arthroplasty. Walker PS, Soudry M, Edwald FC, and McVickar H. Clin Orthop and Rel Res 1984 May;185:155-164.
(CONTACT: P.S. Walker, Biomechanics Laboratory, Brigham and Women's Hospital, 75 Francis St., Boston, MA 02115, USA).

Fatigue properties of carbon- and porous-coated Ti-6A1-4V alloy. Cook SD, Georgette FS, Skinner HB, and Haddad RJ, Jr. J Biomed Mat Res 1984 May-June;18(5):497-512.
(CONTACT: S.D. Cook, Rehabilitation Research and Development, VA Medical Center, New Orleans, LA 70146, USA).

Free radical decay kinetics in PMMA bone cement. Turner RC. J Biomed Mat Res 1984 May-June;18(5):467-473.
(CONTACT: R.C. Turner, Dept. of Physics and Astronomy, Clemson University, Clemson, SC 29631, USA).

The influence of prosthetic stem stiffness and a calcar collar on stresses in the proximal end of the femur with a cemented femoral component. Lewis JL, Askew MJ, Wixson RL, Kramer GM, and Tarr RR. J Bone and Joint Surg 1984 Feb;66-A(2):280-286.
(CONTACT: J.L. Lewis, Rehabilitation Engineering Program, Dept. of Orthopedic Surgery, Northwestern University, 345 East Superior, Room 1441, Chicago, IL 60611, USA).

The influence of temperature and specimen size on the flexural properties of PMMA bone cement. Brown SA and Bargar WL. J Biomed Mat Res 1984 May-June;18(5):523-536.
(CONTACT: S.A. Brown, Orthopaedic Research Labs, TB-139, University of California, Davis, CA 95616, USA).

Instability, migration and laxity of total hip prostheses: a roentgen stereophotogrammetric study. Mjorberg B, Hansson LI, and Selvik G. Acta Orthop Scand 1984 Apr;55(2):141-145.
(CONTACT: B. Mjorberg, University Dept. of Orthopaedics, S-221 85 Lund, Sweden).

Key references in biomaterials: bone/biomaterial interface in orthopedic joint implants. Gruen TA and Sarmiento A. J Biomed Mat Res 1984 May-June;18(5):577-599.
(CONTACT: T.A. Gruen, Dept. of Orthopaedics, University of Southern California School of Medicine and Orthopaedic Biomechanics, Orthopaedic Hospital, Los Angeles, CA 90007, USA).

Metacarpophalangeal joint arthroplasty with a metallic hinged prosthesis. Blair WF, Shurr DG, and Buckwalter JA. Clin Orthop and Rel Res 1984 Apr;184:156-163.
(CONTACT: W.F. Blair, Divsion of Hand Surgery, Dept. of Orthopaedic Surgery, University of Iowa Hospitals, Iowa City, IA 52242, USA).

Nerve lesions after total hip replacement. Ahlgren SA, Elmquist D, and Ljung P. Acta Orthop Scand 1984 Apr;55(2):152-155.
(CONTACT: D. Elmquist, Dept. of Clinical Neurophysiology, University Hospital, S-221 85 Lund, Sweden).

Proximal interphalangeal joint arthroplasty. Dryer RF, Blair WF, Shurr DG, and Buckwalter JA. Clin Orthop and Rel Res 1984 May;185:187-194.
(CONTACT: W.F. Blair, Division of Hand Surgery, Dept. of Orthopaedic Surgery, University of Iowa Hospitals and Clinics, Iowa City, IA 52242, USA).

Radiographic assessment of acetabular cup orientation: a new design concept. Chandler DR, Tarr RR, Gruen TA, and Sarmiento A. Clin Orthop and Rel Res 1984 June;186:60-64.
(CONTACT: R.R. Tarr, Orthopaedic Hospital, 2400 South Flower St., Los Angeles, CA 90007, USA).

Seventy-four Attenborough knee replacements for rheumatoid arthritis: a clinical and radiographic study. Boegard T, Brattstrom H and Lidgren L. Acta Orthop Scand 1984 Apr;55(2):166-171.
(CONTACT: T. Boegard, Dept. of Diagnostic Radiology, University Hospital in Lund, S-221 85 Lund, Sweden).

Total condylar knee arthroplasy: prosthetic component positioning and radiolucent lines. Hvid I and Nielsen S. Acta Orthop Scand 1984 Apr;55(2):160-165.
(CONTACT: I. Hvid, Orthopaedic Hospital, Randersvej 1, DK-8200 Arhus N, Denmark).

Total hip arthroplasty with a low-modulus porous-coated femoral component: progress report. Tullos HS, McCaskill BL, Dickey R, and Davidson J. J Bone and Joint Surg 1984 July;66-A(6):888-898.
(CONTACT: H.S. Tullos, Division of Orthopaedic Surgery, Baylor College of Medicine, 6560 Fannin, Suite 2100, Houston, TX 77030, USA).

Total hip replacement with a straight stem prosthesis: a 2-year follow-up of 126 CAD operations. Olsson SS, Jernberger A, and Tryggo D. Acta Orthop Scand 1984 Apr;55(2):146-151.
(CONTACT: S.S. Olsson, Dept. of Orthopaedic Surgery, Central Hospital, S-601 82 Norrkoping, Sweden).

Total knee arthroplasty following patellectomy. Bayne O and Cameron HU. Clin Orthop and Rel Res 1984 June;186:112-114.
(CONTACT: H.U. Cameron, 43 Wellesley St. East, Toronto, Canada M4Y 1H1).

Total knee arthroplasty in rheumatoid arthritis. Sledge CB and Walker PS. Clin Orthop and Rel Res 1984 Jan-Feb;182:127-136.
(CONTACT: C.B. Sledge, Dept. of Orthopedic Surgery, Brigham and Women's Hospital, 75 Francis St., Boston, MA 02115, USA).

Treatment of avascular necrosis of the femoral head by a combination of bone grafting, decompression, and electrical stimulation. Steinberg ME, Brighton CT, Steinberg DR, Tooze SE, and Hayken GD. Clin Orthop and Rel Res 1984 June;186:137-153.
(CONTACT: M.E. Steinberg, Silverstein II, 3400 Spruce St., Philadelphia, PA 19104, USA).

ORTHOTICS

Boston thoracic brace in the treatment of idiopathic scoliosis: initial correction. Jonasson-Rajala E, Josefsson E, Lundberg B, and Nilsson H. Clin Orthop and Rel Res 1984 Mar;183:37-41.
(CONTACT: E. Jonasson-Rajala, Dept. of Orthopaedic Surgery, Gavle Hospital, S-801 17 Gavle, Sweden).

A case study of use of a terminal device to augment a paralyzed hand. Katz JA and Perkins D. Orthot and Prosth 1983-84 Wint;37(4):49-53.
(CONTACT: J.A. Katz, Dept. of Psychology, Auburn University, Montgomery, AL, USA).

The demand for orthotics and prosthetics technicians: preliminary survey results. Duggan MB. Orthot and Prosth 1983;37(3):74-77.
(CONTACT: M.B. Duggan, City of Quincy CETA Office, 11 Hayward St. N., Quincy, MA 02171, USA).

The effect of lumbar flexion and Boston thoracic brace on the curves in idiopathic scoliosis. Uden A and Willner S. Spine 1983 Nov-Dec;8(8):846-850.
(CONTACT: A. Uden, Dept. of Orthopaedioc Surgery, University of Lund, Malmo General Hospital, Malmo S-214 01 Sweden).

Fabrication and fitting instructions: trilateral perthes orthosis. Fillauer C and Pritham CH. Orthot and Prosth 1983-84 Wint;37(4): 24-33.
(CONTACT: C. Filauer, Durr-Fillauer Medical Inc., Orthopedic Division, 2710 Amnicola Highway, Chattanooga, TN 37406, USA).

Follow-up experience with an orthosis combining the supracondylar knee orthosis and the spiral orthosis. Martin TA. Clin Prosth and Orthot 1984 Sum;8(3):22.
(CONTACT: T.A. Martin, President Baja Orthotic and Prosthetic Services, 205 Church St., Chula Vista, CA 92010, USA).

Harrington instrumentation without fusion plus external orthotic support for the treatment of difficult curvature problems in young children. Moe JH, Kharrat K, Winter RB, and Cummine JL. Clin Orthop and Rel Res 1984 May;185:35-45.
(CONTACT: J.H. Moe, 8441 Irwin Rd., #207, Bloomington, MN 55437, USA).

Hip-rotation control straps. Hoffman E. Inter-Clin Info Bull 1983 Wint;18(5):1-4.
(CONTACT: E. Hoffman, Child Prosthetic-Orthotic Studies, New York University Post-Graduate Medical School, 317 East 34 St., New York, NY 10016, USA).

Magnetic splint for object retrieval (Brief or new). Mildenberger LA. Amer J Occup Ther 1984 Mar;38(3):195-197.
(CONTACT: L.A. Mildenberger, Dept. of Physical Medicine and Rehabilitation, Mayo Clinic, 200 First St. SW, Rochester, MN 55905, USA).

Mechanical effectiveness studies of lumbar spine orthoses. Nachemson A, Schultz A, and Andersson G. Scand J Rehab Med 1983;(Suppl 9):139-149.
(CONTACT: A. Nachemson, Dept. of Orthopaedic Surgery, Sahlagren Hospital, University of Goteborg, S-413 45 Goteborg, Sweden).

A mechanism of action of spinal orthoses. Bunch WH, Patwardhan A, and Dvonch VM. Inter-Clin Info Bull 1983 Wint;18(5):7-10.
(CONTACT: W.H. Bunch, Loyola University Medical Center, Stritch School of Medicine, 2160 South First Ave., Maywood, IL 60153, USA).

A method for determining the mechanical characteristics of orthotic knee joints. Scothern RP and Johnson GR. Prosth and Orthot Int 1984 Apr;8(1):16-20.
(CONTACT: G.R. Johnson, Dept. of Mechanical Engineering, University of Newcastle-upon-Tyne, Newcastle-upon-Tyne NE1 7RU, UK).

A multiple form plastic ankle foot orthosis: case study (Technical note). Showers DC. Orthot and Prosth 1984 Spr;38(1):68-70.
(CONTACT: D.C. Showers, INA Orthotics/Prosthetics Research Lab, Hospital of the University of Pennsylvania, 3400 Spruce St., Philadelphia, PA 19104, USA).

The negative anatomically modified foot orthosis (NAMFO). Marvin R and Brownrigg P. Orthot and Prosth 1983;37(3):24-31. (CONTACT: R. Marvin, R.W. Marvin Inc., 1703 East 18 St., Loveland, CO 80537, USA).

A new cervical neck ring for the idiopathic scoliosis CTLSO. Moore G. Orthot and Prosth 1984 Spr;38(1):50-54. (CONTACT: G. Moore, Rehabilitation Engineering Center, Children's Hospital at Stanford, 520 Willow Rd., Palo Alto, CA 94304, USA).

A new concept in orthotics joint design—the Northwestern University knee orthosis system. Lewis JL, Lew WD, Patrnchak CM, and Shybut GT. Orthot and Prosth 1983-84 Wint;37(4):15-23. (CONTACT: J.L. Lewis, Rehabilitation Engineering Program, Dept. of Orthopaedic Surgery, Northwestern University, 345 East Superior St., Room 1441, Chicago, IL 60611, USA).

A new concept in orthotics—the Northwestern knee orthosis system, Part II: the complete orthosis. Lewis JL, Lew WD, Stulberg SD, Patrnchak CM, and Shybut GT. Orthot and Prosth 1984 Spr;38(1):13-28. (CONTACT: J.L. Lewis, Rehabilitation Engineering Program, Dept. of Orthopaedic Surgery, Northwestern University, 345 East Superior St., Room 1441, Chicago, IL 60611, USA).

A new orthosis for immediate postoperative bracing in idiopathic scoliosis (Briefly noted). Ibarra-Isunza GC, Gaines RW, and Leatherman KD. Spine 1983 Nov-Dec;8(8):915-918. (CONTACT: R.W. Gaines, Division of Orthopedic Surgery, University of Missouri-Columbia, 807 Stadium Rd., Columbia, MO 65212, USA).

Orthotic management of scoliosis in Duchenne muscular dystrophy. Seeger BR, Sutherland AD, and Clark MS. Arch Phys Med and Rehab 1984 Feb;65(2):83-86. (CONTACT: B.R. Seeger, Regency Park Center for Young Disabled, PO Box 209, Kilkenny, S. Australia 5009, Australia).

Orthotists and prothetists: issues in a developing profession. Schoenwald IS, Scott RK, and Lance L. Orthot and Prosth 1983;37(3):78-79. (CONTACT: I.S. Schoenwald, California State University-Dominguez Hill, Health Science Dept., 1000 East Victoria, Carson, CA 90747, USA).

The outrigger problem in hand splinting. Moberg E. Scand J Rehab Med 1983;(Suppl 9):136-138. (CONTACT: E. Moberg, Dept. of Hand Surgery, Sahlgren Hospital, Terrassgatan 15, S-411 33 Goteborg, Sweden).

Preliminary communication: a tridigital dynamic orthosis for tetraplegic patients (Technical note). Dollfus P and Oberle M. Paraplegia 1984 Apr;22(2):115-118. (CONTACT: P. Dollfus, Centre de Readaptation de Mulhouse, France).

RTV silicone insoles (Technical note). Pratt DJ, Rees PH, and Butterworth RH. Prosth and Orthot Int 1984 Apr;8(1):54-55. (CONTACT: D.J. Pratt, Orthotics and Disability Research Centre, Derbyshire Royal Infirmary, London Rd., Derby DE1 2QY, UK).

Sitting orthosis for patient with bilateral hip disarticulation. Oryshkevich RS, Jhee WH, Wilcox R, Coleman D, and Ayyappa E. Arch Phys Med and Rehab 1984 May;65(5):276-278. (CONTACT: R.S. Oryshkevich, Rehabilitation Medicine (117), VA West Side Medical Center, University of Illinois, 820 South Damen Ave., Chicago, IL 60612, USA).

Splint modification for flexor tendon repairs. Lopez MS and Hanley KF. Amer J Occup Ther 1984 June;38(6):398-403. (CONTACT: M.S. Lopez, Army Medical Specialists Corps, Silas B Hays Army Community Hospital, Fort Old, CA 93941, USA).

The technique of reciproal walking using the hip guidance orthosis (hgo) with crutches. Butler PB, Major RE, and Patrick JH. Prosth and Orthot Int 1984 Apr;8(1):33-38. (CONTACT: P.B. Butler, Orthotic Research and Locomotor Assessment Unit, The Robert Jones and Agnes Hunt Orthopaedic Hospital, Oswestry, Shropshire SY10 7AG, UK).

The thoracic suspension jacket—review of principles and fabrication. Fillauer C and Pritham CH. Orthot and Prosth 1984 Spr;38(1): 36-44. (CONTACT: C. Fillauer, Durr-Fillauer Medical Inc., Orthopedic Division, 2710 Amnicola Highway, Chattanooga, TN 37406, USA).

Use of the anterior floor reaction orthosis in patients with cerebral palsy. Harrington ED, Lin RS, and Gage JR. Orthot and Prosth 1983-84 Wint;37(4):34-42. (CONTACT: R.S. Lin, Dept. of Orthotics and Prothetics, Newington Children's Hospital, Newington, CT 06111, USA).

Use of a bivalved polypropylene orthosis in the postoperative management of idiopathic scoliosis. Roberts RS, Price CT, and Riddick MF. Clin Orthop and Rel Res 1984 May;185:25-34. (CONTACT: C.T. Price, 1315 South Orange Ave., Orlando, FL 32806, USA).

The use of prophylactic knee orthoses at Iowa State University. Randall F, Miller H, and Shurr D. Orthot and Prosth 1983-84 Wint;37(4):54-57. (CONTACT: H. Miller, American Prosthetics, 2203 Muscatine Ave., Iowa City, IA, USA).

PROSTHETICS

An air-ventilated Syme's leg prosthesis. Pearl M and Johnson RJ. Inter-Clin Info Bull 1983 Wint;18(5):5-6. (CONTACT: M. Pearl, Capital Orthopedics Ltd., Part St., St. Paul, MN 55103, USA).

An alternative to fitting partial hand amputees. Brown RS. Orthot and Prosth 1984 Spr;38(1):64-67. (CONTACT: R.S. Brown, Thornton Orthopedic Inc. of Boulder, 2245 Broadway, Boulder, CO 80302, USA).

An angular alignment protractor for use in the alignment of below-knee protheses (Technical note). Kerr G, Saleh M, and Jarrett MO. Prosth and Orthot Int 1984 Apr;8(1):56-57. (CONTACT: G. Kerr, Limb Fitting Centre, 133 Queen St., Broughty Ferry, Dundee DD5 1AG, Scotland).

The application of ionomer resins in definitive below knee prostheses: a limited study. McCellan BP, Kapp S, and Stills M. Clin Prosth and Orthot 1984 Sum;8(3):18-21. (CONTACT: B.P. McCellan, University of Texas, Prosthetics-Orthotics Program, School of Allied Health Sciences, Health Science Center at Dallas, 5323 Harry Hines Blvd., Dallas, TX 75235, USA).

The application of Nickelplast in fabricating a PTB insert (Technical note). Kays G and Scott G. Orthot and Prosth 1984 Spr;38(1):71-72. (CONTACT: G. Kays, Webb's K.E. Karlson Co., 533 S.W. Twelfth Ave., Portland, OR 97205, USA).

A below knee vacuum casting technique. Hittenberger DA and Carpenter KL. Orthot and Prosth 1983;37(3):15-23. (CONTACT: D.A. Hittenberger, Prosthetic Research Study Center, 1102 Columbia St., Room 409, Seattle, WA 98104, USA).

Construction methods and materials for external prostheses—present and future. Foort J, Lawrence RB, and Davies RM. Int Rehab Med 1984;6(2):72-78. (CONTACT: J. Foort, Medical Engineering Resource Unit, University of British Columbia, Vancouver BC, Canada V6H-3N1).

Control aspects of prosthetics and orthotics. Proceedings of the IFAC symposium, Ohio, USA, 7-9 May 1982. Campbell RM, ed, 1983, 187p. Pergamon Press, Maxwell House, Fairview Park, Elmsford, NY 10523, USA. Price: $60.00.

The delivery of orthotic and prosthetic services in America—a physical therapist's view. Shurr DG. Orthot and Prosth 1984 Spr;38(1):55-63.
(CONTACT: D.G. Shurr, Dept. of Physical Therapy, University of Iowa Hospitals and Clinics, Iowa City, IA 52240, USA).

Digital myoelectric signal processor with adaptive decision boundaries. Berube JL, Parker PA, Gander RE, and Dunfield VA. Med and Biol Eng and Comput 1984 July;22(4):349-352.
(CONTACT: P.A. Parker, Dept. of Electrical Engineering, University of New Brunswick, PO Box 4400, Fredericton, New Brunswick, Canada E3B 5A3).

Fabrication of the water-resistant recreational B/K prosthesis. LaBlanc KP. Orthot and Prosth 1983;37(3):42-49.
(CONTACT: K.P. LaBlanc, PETIC, Veterans Administration, 252 Seventh Ave., New York, NY 10001, USA).

Functional capabilities of lower limb amputees. Narang IC, Mathur BP, Singh P, and Jape VS. Prosth and Orthot Int 1984 Apr;8(1):43-51.
(CONTACT: I.C. Narang, L-32 Tara Apartments, Kalkaji, New Delhi 110019, India).

Hip disarticulation: a prosthetic follow-up. Shurr DG, Cook TM, Buckwalter JA, and Cooper RR. Orthot and Prosth 1983;37(3):50-57.
(CONTACT: D.G. Shurr, Dept. of Physical Therapy, University of Iowa Hospitals and Clinics, Iowa City, IA 52242, USA).

Juvenile upper-limb amputees: early prosthetic fit and functional use. Tervo RC and Leszczynski J. Inter-Clin Info Bull 1983 Wint;18(5):11-15.
(CONTACT: R.C. Tervo, Children's Rehabilitation Center, University Hospital, Saskatoon, Saskatchewan, Canada S7N 0W8).

A medical-social study of upper limb amputees in Hong Kong—a preliminary report. Chan KM, Lee SY, Leung KK, and Leung PC. Orthot and Prosth 1983-84 Wint;37(4):43-48.
(CONTACT: K.M. Chan, Dept. of Orthopaedic and Traumatic Surgery, Faculty of Medicine, Chinese University of Hong Kong, Shatin, NT, Hong Kong).

A method for socket duplication using silcoset R 105 (Technical note). Young NJ. Prosth and Orthot Int 1984 Apr;8(1):52-53.
(CONTACT: N.J. Young, Prosthetic Dept., Princess Margaret Rose Orthopaedic Hospital, Frogston Rd., Edinburg EH10 7ED, Scotland).

Nerve entrapment syndromes in the upper extremity contralateral to amputation. Reddy MP. Arch Phys Med and Rehab 1984 Jan;65(1):24-26.
(CONTACT: M.P. Reddy, Rehabilitation Medicine Service (117), VA Medical Center, 1000 Locust St., Reno, NA 89520, USA).

A new design and construction for a swimming prosthesis. Marano C and DeMarco E. Orthot and Prosth 1984 Spr;38(1):45-49.
(CONTACT: C. Marano, Orthopedic Studio Inc., 81 Atlantic Ave., Brooklyn, NY 11201, USA).

A novel concept in fitting bilateral above-knee amputees: a case history. Svetz WR. Orthot and Prosth 1983;37(3):63-66.
(CONTACT: W.R. Svetz, Union Artificial Limb and Brace Co., 3401 Liberty Ave., Pittsburg, PA 15201, USA).

Orthosil silicone gel for pads and soft insert liners (Technical note). Black LK. Orthot and Prosth 1983-84 Wint;37(4):58-62.
(CONTACT: L.K. Black, Otto Bock Orthopedic Industry Inc., 4130 Highway 55, Minneapolis, MN 55422, USA).

Ottawa experience with hip disarticulation prostheses. van der Waarde T. Orthot and Prosth 1984 Spr;38(1):29-35.
(CONTACT: T. van der Waarde, Prothetics/Orthotics, Royal Ottawa Regional Rehabilitation Centre, 505 Smyth Rd., Ottawa, Ontario K1H 8M2, Canada).

Pantyhose prosthesis: a cosmetic alternative. Wainapel SF, Reteguiz C, and Burton J. Arch Phys Med and Rehab 1984 June;65(6):338-340.
(CONTACT: S.F. Wainapel, Dept. of Rehabilitation Medicine, University Hospital, 75 East Newton St., Boston, MA 02118, USA).

Potential problems of manufacture and fitting of polypropylene ultralightweight below-knee prostheses. Convery P, Jones D, Hughes J, and Whitefield G. Prosth and Orthot Int 1984 Apr;8(1): 21-28.
(CONTACT: P. Convery, National Centre for Training and Education in Prosthetics and Orthotics, Curran Building, University of Strathclyde, 131 St. James Rd., Glasgow G4 0LS, Scotland).

Prosthetic alignment: effect on gait of persons with below-knee amputation. Hannah RE, Morrison JB, and Chapman AE. Arch Phys Med and Rehab 1984 Apr;65(4):159-162.
(CONTACT: R.E. Hannah, Medical Engineering Resource Unit, Shaughnessy Hospital, 4500 Oak St., Vancouver BC, Canada V6H 3N1).

Prosthetics and orthotics in developing countries. Sankaran B. Int Rehab Med 1984;6(2):85-101.
(CONTACT: B. Sankaran, Division of Diagnostic, Therapetic and Rehabilitative Technology, World Health Organization, Palais des Nations, Geneva, Switzerland).

Rehabilitation engineering and the growth of prosthetics/orthotics practices. Staros A. Int Rehab Med 1984;6(2):79-84.
(CONTACT: A. Staros, 301 East 21 St., New York, NY 10010, USA).

A revised A/K adjustable socket. Burnette P and Young E. Orthot and Prosth 1983;37(3):38-41.
(CONTACT: P. Burnette, 310 Oak Ave., Redwood City, CA 94061, USA).

Signal processing for proportional myoelectric control. Evans HB, Pan Z, Parker PA, and Scott RN. IEEE Trans Biomed Eng 1984 Feb;BME-31(2):207-211.
(CONTACT: P.A. Parker, Dept. of Electrical Engineering, University of New Brunswick, Fredericton, New Brunswick, Canada).

Sockets, linings, and interfaces. Murphy E.F. Clin Prosth and Orthot 1984 Su;8(3):4-10.
(CONTACT: Office of Technology Transfer, Veterans Administration, 252 Seventh Ave., New York, NY 10001, USA).

Syntactic end seal technique. Staats TB. Orthot and Prosth 1983;37(3):32-37.
(CONTACT: T.B. Staats, Prosthetic/Orthotic Education Program, University of California at Los Angeles, 1000 Veteran Ave., Los Angeles, CA 90024, USA).

The thigh corset: its effects on the quadriceps muscle and its role in prosthetic suspension. Weiss J, Middleton L, Gonzalez E, and Lovelace RE. Orthot and Prosth 1983;37(3):58-62.
(CONTACT: J. Weiss, Dept. of Physical Medicine and Rehabilitation, College of Physicians and Surgeons, Columbia University, New York, NY 10032, USA).

Water safe prosthetics (Technical note). Koester EE. Orthot and Prosth 1983-84 Wint;37(4):63-66.
(CONTACT: E.E. Koester, Koester Prosthetic-Orthotic Labs Inc., 4940 Gratiot, Saginaw, MI 48603, USA).

Wrist disarticulation of a deformed hand: appropriate prosthesis and the rehabilitation of a severely retarded young man. Stimson C, Morrison H, Wakefield W, Kiss T, Lehneis HR, Simons A, Sverdlik

SV, and Rotondo MJT. Arch Phys Med and Rehab 1984 May;65(5): 279-280.
(CONTACT: C. Stimson, Guild for Exceptional Children Inc., 260 68th St., Brooklyn, NY 11220, USA).

SENSORY AIDS

Communication Systems for Severely Handicapped Persons. Fairweather BC, Haun DH, and Finkle LJ, 1983, 102p. Charles C Thomas, 2600 South First St., Springfield, IL 62717, USA. Price $15.75.

Instrumental enrichment: an intervention program for cognitive modifiability. Feuersteir R, Rand Y, Hoffman MD, and Miller R, 1984. University Park Press, 300 North Charles St., Baltimore, MD 21201, USA. Price: $28.50.

HEARING IMPAIRED

Acoustic model of a multiple-channel cochlear implant. Blamey PJ, Dowell RC, Tong YC, and Clark GM. J Acoust Soc Amer 1984 July;76(1):97-103.
(CONTACT: P.J. Blamey, Dept. of Otolaryngology, University of Melbourne, The Royal Victorian Eye and Ear Hospital, 32 Gisborne St., East Melbourne, Victoria 3002, Australia).

Acoustical Factors Affecting Hearing Aid Performance. Studebaker GA, 1980, 454p. University Park Press. 300 N. Charles St., Baltimore, MD 21202, USA. Price: $39.95.

Audiologic findings in a child with a single-channel cochlear implant. Popelka GR and Gittelman DA. J Speech and Hearing Disorders 1984 Aug;49(3):254-261.
(CONTACT: G.R. Popelka, Central Institute for the Deaf, 818 South Euclid Ave., St. Louis, MO 63110, USA).

Auditory Processing Disorders and Remediation. Heasley BE, 2nd ed, 1980, 168p. Charles C Thomas, 2600 S. First St., Springfield, IL 62717, USA. Price: $16.50.

Basic and applied research on tactile aids for deaf people: progress and prospects. Sherrick CE. J Acoust Soc Amer 1984 May;75(5):1325-1342.
(CONTACT: C.E. Sherrick, Princeton University, C-334 Engineering Quadrangle, Princeton, NJ 08544, USA).

Current Trends in Auditory and Hearing Prosthesis Research. Larson VD, et al, eds, 1979, 480p. Grune and Stratton, c/o Academic Press, 111 Fifth Ave., New York, NY 10003, USA. Price: $29.50.

Effects of age and mild hearing loss on speech recognition in noise. Dubno JR, Dirks DD, and Morgan DE. J Acoust Soc Amer 1984 July;76(1):87-96.
(CONTACT: J.R. Dubno, Division of Head and Neck Surgery, University of California at Los Angeles School of Medicine, Los Angeles, CA 90024, USA).

An evaluation of some assumptions underlying the articulation index. Pavlovic CV and Studebaker GA. J Acoust Soc Amer 1984 May;75(5):1606-1612.
(CONTACT: C.V. Pavlovic, Dept. of Communicative Disorders, University of Mississippi, University, MS 38677, USA).

Extraction of the constituent components of brain stem auditory evoked responses by a filtering and optimisation procedure. Thomas JG. Med and Biol Eng and Comput 1984 July;22(4):339-342.
(CONTACT: J.G. Thomas, Burdenko Institute of Neurosurgery, Moscow, USSR).

Getting the Most Out of Your Hearing Aid. Armbruister JM and Miller MH, 1981, 40p. Alexander Graham Bell Association for the Deaf, 3417 Volta Place NW, Washington, DC 20007, USA. Price: $1.60.

Hearing Aid Assessment and Use in Audiologic Rehabilitation. Hodgson WR and Skinner P, 2nd ed, 1981, 343p. Williams and Wilkins, 428 E. Preston St., Baltimore, MD 21202, USA. Price: $34.00.

Hearing Disorders in Adults: Current Trends. Jerger J, ed, 1984, 355p. College-Hill Press, 4284 41st St., San Diego, CA 92105, USA. Price: $29.50 plus $4.50 postage and handling.

Hearing-Handicapped Adults. Giolas TG, 1982, 240p. Prentice-Hall, Route 9W, Englewood Cliffs, NJ 07632, USA. Price: $19.95.

Lateralization and frequency selectivity in normal and impaired hearing. Buus S, Scharf B, and Florentine M. J Acoust Soc Amer 1984 July;76(1):77-86.
(CONTACT: S. Buus, Auditory Perception Laboratory, Northeastern University, Boston, MA 02115, USA).

A multi-channel hearing prosthesis for profound-to-total hearing loss. Clark GM, Tong YC, Patrick JR, Seligman PM, Crosby PA, Kuzma JA, and Money DK, J Med Eng and Tech 1984 Jan-Feb;8(1): 3-8.
(CONTACT: G.M. Clark, Dept. of Otolaryngology, University of Melbourne, Royal Victorian Eye and Ear Hospital, 32 Gisborne St., E. Melbourne, Victoria 3002, Australia).

New Perspectives on Noise-Induced Hearing Loss. Hamernik RP, et al, eds, 1982, 550p. Raven Press, 1140 Avenue of Americas, New York, NY 10036, USA. Price: $69.95.

Recognition of speech spectrograms. Greene BG, Pisoni DB, and Carrell TD. J Acoust Soc Amer 1984 July;76(1):32-43.
(CONTACT: B.G. Greene, Speech Research Laboratory, Dept. of Psychology, Indiana University, Bloomington, IN 47405, USA).

Rehabilitation strategies for sensorineural hearing loss. Proceedings of the Second Conference on auditory techniques. Yanick P, Jr, ed, 1979, 256p. Grune and Stratton, c/o Academic Press, 111 Fifth Ave., New York, NY 10003, USA. Price: $17.00.

Signal-to-noise ratio advantage of binaural hearing aids and directional microphones under different levels of reverberation. Hawkins DB and Yacullo WS. J Speech and Hearing Disorders 1984 Aug;49(3):278-286.
(CONTACT: D.B. Hawkins, Army Audiology and Speech Center, Walter Reed Army Medical Center, Washington, DC 20307, USA).

Special Devices for Hard of Hearing, Deaf, and Deaf-Blind Persons. Hurvitz J and Carmen R, 1981, 297p. Little, Brown and Co, 34 Beacon St., Boston, MA 02106, USA. Price: $14.95.

Speech processing studies using an acoustic model of a multiple-channel cochlear implant. Blamey PJ, Dowell RC, Tong YC, Brown AM, Luscombe SM, and Clark GM. J Acoust Soc Amer 1984 July;76(1):104-110.
(CONTACT: P.J. Blamey, Dept. of Otolaryngology, University of Melbourne, The Royal Victorian Eye and Ear Hospital, 32 Gisborne St., East Melbourne, Victoria 3002, Australia).

Use of a personal computer to model the electroacoustics of hearing aids. Bade PF, Engebretson AM, Heidbreder AF, and Niemoeller AF. J Acoust Soc Amer 1984 Feb;75(2):617-620.
(CONTACT: P.F. Bade, Central Institute for the Deaf, 818 South Euclid Ave., St. Louis, MO 63110, USA).

SPEECH IMPAIRED

Clinical EMG feedback in motor speech disorders. Draizar A. Arch Phys Med and Rehab 1984 Aug;65(8):481-484.
(CONTACT: A. Draizar, Speech/Language Pathology, Baptist Hospital of Miami, Miami, FL 33176, USA).

The functional assessment of verbal impairment. Sarno MT. Scand J Rehab Med 1983;(Suppl 9):75-81.
(CONTACT: M.T. Sarno, Speech Pathology Service, Institute of

Rehab. Medicine, New York University Medical Center, 400 East 34th St., New York, NY 10016, USA).

Microcomputer-based communication augmentation systems for two nonspeaking, physically handicapped persons with severe visual impairment. Beukelman DR, Traynor C, Poblete M, and Warren CG. Arch Phys Med and Rehab 1984 Feb;65(2):89-91. (CONTACT: D.R. Beukelman, Dept. of Rehab. Medicine, University of Washington, Seattle, WA 98195, USA).

Optical communication aids in rehabilitation. Ten Kate JH, Donker Duyvis J, and Le Poole JB. Med Prog through Tech 1983-84;10(2): 109-123.
(CONTACT: J.H. Ten Kate, Applied Physics Dept., Delft University of Technology, Lorentzweg 1, PO Box 5046, 2600 GA Delft, The Netherlands).

Measurement of skin perfusion pressure by photoelectric technique—an aid to amputation level selection in arteriosclerotic disease. Ovesen J and Stockel M. Prosth and Orthot Int 1984 Apr;8(1):39-42.
(CONTACT: J. Ovesen, Dept. of Orthopaedic Surgery, Aalborg Sygehus, Post Box 365, 9100 Aalborg, Denmark).

New trends in the rehabilitation of lower extremity amputees. Goldberg RT. Rehab Lit 1984 Jan-Feb;45(1-2):2-11.
(CONTACT: R.T. Goldberg, Massachusetts Rehabilitation Commission, Statler Office Building, 20 Providence St., Boston, MA 02116, USA).

Nutritional status: importance in predicting wound-healing after amputation. Dickhaut SC, DeLee JC, and Page CP. J Bone and Joint Surg 1984 Jan;66-A(1):71-75.
(CONTACT: J.C. DeLee, University of Texas Health Science Center at San Antonio, 7703 Floyd Curl Drive, TX 78284, USA).

The place of amputation in the management of the ischaemic lower limb in the dysvacular geriatric patient. Redhead RG. Int Rehab Med 1984;6(2):68-71.
(CONTACT: R.G. Redhead, Dept. of Health and Social Security, The Limb Fitting Centre, Roehampton Lane, London, SW15 5PR, Great Britain).

Rotational deformities of the lower limb in myelomeningocele: evaluation and treatment. Dias LS, Jasty MJ, and Collins P. J Bone and Joint Surg 1984 Feb;66-A(2):215-223.
(CONTACT: Division of Orthopedic Surgery, Children's Memorial Hospital, 2300 Children's Plaza, Chicago, IL 60614, USA).

Traumatic partial foot amputation. Lange TA and Nasca RJ. Clin Orthop and Rel Res 1984 May;185:137-141.
(CONTACT: T.A. Lange, Section of Oncology, Dept. of Orthopaedics, University of Arkansas for Medical Sciences, 4301 West Markham St., Mail Slot 531, Little Rock, AK 72205, USA).

Short report from the project "Improved communication aids for people with speech impediments." Bjorck-Akesson G, Hjort I, Lagerman U, Lekemo U, Olow I, and Zachrisson G. Scand J Rehab Med 1983;(Suppl 9):9-14.
(CONTACT: U. Lekemo, Rikscentralen, Bracke Ostergard, S-417 22 Goteborg, Sweden).

Speaking the Language of Sign: the Art and Science of Signing. Schein JD. 1984. Doubleday, 673 Fifth Ave., New York, NY 10022, USA. Price: $9.95.

Text-to-speech conversion. Gilblom D. Med Electron 1984 Apr;15 (2, Issue 86):166-171.
(CONTACT: D. Gilblom, Speech Plus, Inc., 461 North Bernardo Ave., Mountain View, CA 94043, USA).

VISUALLY IMPAIRED

Blindness and visual handicap: the facts. Dobree JH and Boulter E, 1982, 252p. Oxford University Press, 16-00 Pollitt Drive, Fair Lawn, NJ 07410, USA. Price: $13.95.

Focus on the hands: a beginning approach to teaching typing to visually impaired, multiply handicapped students. Dibble FJB. J Vis Impair and Blind 1984 Oct;78(8):345-349.
(CONTACT: F.J.B. Dibble, Glenview Elementary School, 69 Garland Ave., Oakland, CA 94611, USA).

A fresh look at the sign system of the braille code. Hamp EP and Caton H. J Vis Impair and Blind 1984 May;74(5):210-214.
(CONTACT: H. Caton, Dept. of Special Education, School of Education, University of Louisville, Louisville, KY 40292, USA).

Gait analysis with blind people. Clark-Carter DD. Int J Rehab Res 1984 Mar;7(1):90-91.
(CONTACT: D.D. Clark-Carter, Blind Mobility Research Unit, Dept. of Pyschology, University of Nottingham, University Park, Nottingham NG7 2RD, Great Britain).

How useful is braile? Reports of blind adults. Mack C. J Vis Impair and Blind 1984 Sept;78(7):311-313.
(CONTACT: C. Mack, Dept. of Special Education, Box 328, George Peabody College, Vanderbilt University, Nashville, TN 37203, USA).

Incised girds: enhancing the readability of tangible graphs for the blind. Barth JL. Human Factors 1984 Feb;26(1):61-70.
(CONTACT: J.L. Barth, American Printing House for the Blind, PO Box 6085, Louisville, KY 40206, USA).

Inkbraille: a pilot study of a new reading medium for blind persons. Hislop DW, Zuber BL, and Trimble JL. J Vis Impair and Blind 1984 Sept;78(7):326.
(CONTACT: D.W. Hislop, Rehabilitation Research and Development Center, Edward Hines JR. VA Hospital, Hines, IL 60141, USA).

Microcomputer-based communication augmentation system for two nonspeaking, physically handicapped persons with severe visual impairment. Beukelman DR, Traynor C, Poblete M, and Warren CG. Arch Phys Med and Rehab 1984 Feb;65(2):89-91. (CONTACT: D.R. Beukelman, Dept. of Rehabilitation Medicine, University of Washington, Seattle, WA 98195, USA).

Mobility strategies for icy conditions. Larson RW. J Vis Impair and Blind 1984 Oct;78(8):365-366.
(CONTACT: R.W. Larson, Parkview School, PO Box 309, Muskogee, OK 74401, USA).

Physically handicapped blind people: adaptive mobility techniques. Coleman CL and Weinstock RF. J Vis Impair and Blind 1984 Mar;78(3):113-117.
(CONTACT: C.L. Coleman, Nevil Institute for Rehab and Service, 919 Walnut St., Philadelphia, PA 19107, USA).

Rehabilitation of the blind stroke patient. Wainapel SF. Arch Phys Med and Rehab 1984 Aug;65(8):487-489.
(CONTACT: S.F. Wainapel, Dept. of Rehabilitation Medicine, University Hospital, 75 East Newton St., Room 515, Boston, MA 02118, USA).

Rehabilitation of the elderly blind person. Lamprey H and Carluch M. J Vis Impair and Blind 1984 Sept;78(7):324-326.
(CONTACT: H. Lamprey, Florida Division of Blind Service, Miami, FL 33128, USA).

Rehabilitation of the Visually Disabled and the Blind at Different Ages. Gloor B and Bruckner R, eds, 1980, 164p. Jack K. Burgess, Inc., 2175 Lemoine Ave., Fort Lee, NJ 07024, USA. Price: $19.50.

The sonic pathfinder: an evaluation. Dodds AG, Clark-Carter DD,

and Howarth CI. J Vis Impair and Blind 1984 May;74(5):203-206.
(CONTACT: A.G. Dodds, Blind Mobility Research Unit, University of Nottingham, University Park, Nottingham NG7 2RD, England).

The sonic pathfinder: a new electronic travel aid. Heyes AD. J Vis Impair and Blind 1984 May;74(5):200-202.
(CONTACT: A.D. Heyes, Blind Mobility Research Unit, University of Nottingham, University Park, Nottingham, NG7 2RD, England).

Study of an optical scanning aid. Thurlow WR, Colwell KR, and Bialzik JJ. J Vis Impair and Blind 1984 Oct;78(8): 364-365.
(CONTACT: W.R. Thurlow, Dept. of Psychology, University of Wisconsin, 1202 West Johnson St., Madison, WI 53706, USA).

SPINAL CORD INJURY

The biomechanics of spinal injuries. Sances A, Jr, Myklebust JB, Maiman DJ, Larson SJ, Cusick JF, and Jodat RW. CRC Crit Rev Biomed Eng 1984;11(1):1-76.
(CONTACT: A. Sances, Jr, Dept. of Biomedical Engineering, Medical College of Wisconsin, Milwaukee, WI, USA).

***Current trends in stabilizing high thoracic and thoracolumbar* spinal fractures.** Ahn JH, Ragnarsson KT, Gordon WA, Goldfinger G, and Lewin HM. Arch Phys Med and Rehab 1984 July;65(7):366-369.
(CONTACT: J.H. Ahn, Dept. of Rehabilitation Medicine, New York University Medical Center, 400 East 34th St., New York, NY 10016, USA).

An epidemiological study of acute prolapsed cervical intervertebral disc. Kelsey JL, Githens PB, Walter SD, Southwick WO, Weil U, Holford TR, Ostfeld AM, Calogero JA, O'Connor T, and White AA, III. J Bone and Joint Surg 1984 July;66-A(6):907-914.
(CONTACT: J.L. Kelsey, Division of Epidemiology, Columbia University School of Public Health, 600 West 168th St., New York, NY 10032, USA).

External fixation in quadriplegia. Levine AM, Krebs M, and Santos-Mendoza N. Clin Orthop and Rel Res 1984 Apr;184:169-172.
(CONTACT: A.M. Levine, Dept. of Physical Medicine, Baylor College of Medicine, Houston, TX 77030, USA).

The Florida approach to spinal cord injury prevention. Shaw LR, McMahon BT, and Bruce JH. Rehab Lit 1984 Mar-Apr;45(3-4):85-89.
(CONTACT: B.T. McMahon, Rehabilitation Services Program, Florida State University, 215 Stone Building, Tallahassee, FL 32306, USA).

Functional paralysis mimicking spinal cord injury resulting in admission to a spinal cord injury center. Weingarden SI and Lynch CG. Arch Phys Med and Rehab 1984 Mar;65(3):145-147.
(CONTACT: S.I. Weingarden, Maryland Institute of Emergency Service System, University of Maryland, 20 South Green St., Baltimore, MD 21201, USA).

Independent living outcomes in spinal cord injury: multi-variate analyses. DeJong G, Branch LG, and Corcoran PJ. Arch Phys Med and Rehab 1984 Feb;65(2):66-73.
(CONTACT: G. DeJong, Tufts 75K-New England Medical Center, 171 Harrison Ave., Boston, MA 02111, USA).

Lower extremity hemorrhage in spinal cord injured patients receiving therapeutic anticoagulation. Chen YT and Gershkoff AM. Arch Phys Med and Rehab 1984 May;65(5):263-265.
(CONTACT: A.M. Gershkoff, Magee Rehabilitation Hospital, 6 Franklin Plaza, Philadelphia, PA 19102, USA).

Osteomyelitis in spinal cord injury. Sugarman BA. Arch Phys Med and Rehab 1984 Mar;65(3):132-134.
(CONTACT: B.A. Sugarman, VA Medical Center, 2002 Holcombe Blvd., Houston, TX 77211, USA).

Paraplegia due to adrenomyeloneuropathy. Lamid S and El Ghtit AZ. Paraplegia 1984 Apr;22(2):119-123.
(CONTACT: S. Lamid, Dept. of Physical Medicine and Rehabilitation, VA Medical Center, Wood (Milwaukee), WI 53193, USA).

Paraplegic ambulation: a systems point of view. Coburn B. Int Rehab Med 1984;6(1):19-24.
(CONTACT: B. Coburn, Dept. of Mechanical Engineering, Brunel University, Uxbridge, Great Britain).

***Posttraumatic systic myelopathy in motor incomplete quadriplegia* presenting as progressive orthostasis.** Maynard FM. Arch Phys Med and Rehab 1984 Jan;65(1):30-32.
(CONTACT: F.M. Maynard, Dept. of Physical Medicine and Rehabilitation, University of Michigan Medical School, Ann Arbor, MI 48109, USA).

Reflex sympathetic dystrophy in quadriplegia: case report. Wainapel SF and Freed MM. Arch Phys Med and Rehab 1984 Jan;65(1):35-36.
(CONTACT: S.F. Wainapel, Dept. of Rehabilitation Medicine, University Hospital, 75 East Newton St., Boston, MA 02118, USA).

Regeneration in the human spinal cord: a review of the response to injury of the various constituents of the human spinal cord. Hughes JT. Paraplegia 1984 June;22(3):131-137.
(CONTACT: J.T. Hughes, Dept. of Neurophathology, Radcliffe Imfirmary, Oxford OX2 6HE, England).

Sexual dysfunction after spinal cord or cauda equina lesions. Larson E and Hejgaard N. Paraplegia. 1984 Apr;22(2):66-74.
(CONTACT: E. Larsen, Lyngvigvej 14, DK-2720 Vanlose, Denmark).

Spinal cord injury and serum erythropoietin. Claus-Walker J and Dunn CDR. Arch Phys Med and Rehab 1984 July;65(7):370-374.
(CONTACT: J. Claus-Walker, The Institute for Rehabilitation and Research, 1333 Moursund, Houston, TX 77030, USA).

Spinal Cord Injury Statistics: Experience of the Regional Spinal Cord Injury Systems. Young JS, Burns PE, Bowen AM, and McCutchen R, Aug 1982, 152p. Good Samaritan Medical Center, 1130 East McDowell Rd., Suite A-7, Phoenix, AZ 85006, USA. Price: $25.00.

Telogen effluvium: hair loss after spinal cord injury. Dahlin PA, George J, and Nerette J-C. Arch Phys Med and Rehab 1984 Aug;65(8):485-486.
(CONTACT: P.A. Dahlin, Spinal Cord Injury Service (128), James A Haley VA Medical Center, 13000 North 30th St., Tampa, FL 33612, USA).

Transcutaneous electrical muscle stimulation for the treatment of progressive spinal curvature deformities. Axelgaard J. Int Rehab Med 1984;6(1):31-46.
(CONTACT: J. Axelgaard, Spinal Research, Rehabilitation Engineering Center, Rancho Los Amigos Hospital, 7601 East Imperial Highway, Downey, CA 90242, USA).

Upper limb exercise effect on tilt tolerance during orthostatic training of patients with spinal cord injury. Lopes P, Figoni SF, and Perkash I. Arch Phys Med and Rehab 1984 May;65(5):251-253.
(CONTACT: P. Lopes, Corrective Therapy (117-A), VA Medical Center, 3801 Miranda Ave., Palo Alto, CA 94304, USA).

Utilization of somatosensory evoked cortical potentials in spinal cord injury: prognostic limitations. York DH, Watts C, Raffensberger M, Spagnolia T, and Joyce C. Spine 1983 Nov-Dec;8(8): 832-839.
(CONTACT: D.H. York, Division of Neurological Surgery, University of Missouri-Columbia, N522 Health Science Center, 807 Stadium Rd., Columbia, MO 65212, USA).

SURGERY

Amputation following meningococcemia: a sequela to purpura fulminans. Jacobsen ST and Crawford AH. Clin Orthop and Rel Res 1984 May;185:214-219.
(CONTACT: A.H. Crawford, Dept. of Pediatric Orthopaedic Surgery, Children's Hospital Medical Center, Elland and Bethesda Aves, Cincinnati, OH 45229, USA).

Amputation of the forefoot: predictive value of signs and clinical physiological tests. Boeckstyns MEH and Jensen CM. Acta Orthop Scand 1984 Apr;55(2):224-226.
(CONTACT: M.E.H. Boeckstyns, Dept. of Orthopedic Surgery, University of Copenhagen Hospital in Hidovre, Denmark).

Changes in the N1-P1 component of the somatosensory cortical evoked response in patients with partial limb amputation. Sica REP, Sanz OP, Cohen LG, Freyre JD, and Panizza M. Electromyogr Clin Neurophysiol 1984 June-July;24(5):415-427.
(CONTACT: R.E.P. Sica, Seccion de Electroneurofisiologia Clinica Neurologia, Hospital Ramos Mejia, Buenos Aires).

Coping with amputation. Wilson PG and Krebs MJS. Vascular Surg 1983 May-June;17(3):165-174.
(CONTACT: P.G. Wilson, Cornell University Medical Center, 525 East 68th St., New York, NY 10021, USA).

The distal blood pressure predicts healing of amputations on the feet. Holstein P. Acta Orthop Scand 1984 Apr;55(2):227-233.
(CONTACT: P. Holstein, Dept. of Clinical Physiology and Dept. of Surgery M, Bispebjerg Hospital, Copenhagen, Denmark).

Evaluation of amputees. Khoury SA. Int J Rehab Res 1983 Dec;6(4):449-454.
(CONTACT: S.A. Khoury, Dept. of Community Medicine, Faculty of Medicine, University of Jordon, Amman, Jordon).

Fractures of the femoral shaft treated by external fixation with the Wagner device. Dabezies EJ, D'Ambrosia R, Shoji H, Norris R, and Murphy G. J Bone and Joint and Surg 1984 Mar;66-A(3):360-364.
(CONTACT: E.J. Dabezies, Dept. of Orthopedic Surgery, Louisiana State University School of Medicine, 1542 Tulane Ave., New Orleans, LA 70112, USA).

Harrington Instrumentation for thoracic and lumbar vertebral fractures. Svensson O, Aaro S, and Ohlen G. Acta Orthop Scand 1984 Feb;55(1):38-41.
(CONTACT: O. Svensson, Dept. of Orthopaedic Surgery, Huddinge University Hospital, Karolinska Institute, S-141 86 Huddinge, Sweden).

Iliopsoas transfer in children with myelomeningocele. Bunch WH and Hakala MW. J Bone and Joint Surg 1984 Feb;66-A(2):224-227.
(CONTACT: W.H. Bunch, Loyola University Medical Center, 2160 South First Ave., Maywood, IL 60153, USA).

Intraoperative evoked potential monitoring of the spinal cord: a restricted filter, scalp method during Harrington Instrumentation for scoliosis. Nuwer MC and Dowson EC. Clin Orthop and Rel Res 1984 Mar;183:42-50.
(CONTACT: M.R. Nuwer, Dept. of Neurology, Reed Neurological Research Center, University of California, Los Angeles, 710 Westwood Plaza, Los Angeles, CA 90024, USA).

The Knud Jansen lecture: amputation revisited. Murdoch G. Prosth and Orthot Int 1984 Apr;8(1):8-15.
(CONTACT: G. Murdoch, Limb Fitting Centre, 133 Queen St., Broughty Ferry, Dundee DD5 1AG, Scotland).