Title Index

A

[1]
Aid for training and evaluation of handicapped drivers. Reger SI, McGloin AT, Law DF Jr., Spence RE, and Claus C. 18(2):35–39, 1981. (A Technical Note)

[2]
Alignment of lower limb prostheses. Zahedi MS, Spence WD, Solomonidis SE, and Paul JP. 23(2):2–19, 1986.

[3]
An analysis of extended physiological proprioceptions as a prosthesis-control technique. Doubler JA and Childress DS. 21(1):5–18, 1984.

[4]
Assessment of nutritional and metabolic status of paraplegics. Lee BY, Agarwal N, Corcoran L, Thoden WR, and Del Guercio LRM. 22(3):11–17, 1985.

[5]
Automated retrieval of information on assistive devices (ARIAD). Szeto AYJ, Tingle LA, and Cronk SR. 18(2):27–34, 1981. (A Technical Note)

[6]
Automatic transmission for electric wheelchairs. Reswick JB. 22(3):42–51, 1985.

C

[7]
Comments for a new generation of rehabilitation engineers. Foort J. 22(1):2–8, 1985. (A Guest Editorial)

[8]
Comments on the article: "The effectiveness of preventive management in reducing the occurrence of pressure sores." Brand PW. 20(1):73, 1983.

[9]
Comparison of amplification systems in a classroom. Nabelek AK, Donahue AM, and Letowski TR. 23(1):41–52, 1986.

[10]
Compression systems for hearing aids and cochlear prostheses. White MW. 23(1):25–39, 1986.

[11]
Compressive behavior after simulated service conditions of some foamed materials intended as orthotic shoe insoles. Campbell GJ, McLure M, and Newell EM. 21(2):57–65, 1986. (A Technical Note)

[12]
Continuing evaluation of the Queen's University tactile vocoder. I: Identification of open set words. Brooks PL, Frost BJ, Mason JL, and Gibson DM. 23(1):119–128, 1986.

[13]
Continuing evaluation of the Queen's University tactile vocoder. II: Identification of open set sentences and tracking narrative. Brooks PL, Frost BJ, Mason JL, and Gibson DM. 23(1):129–138, 1986.

D

[14]
Design and evaluation of a prosthesis control system based on the concept of extended physiological proprioception. Doubler JA and Childress DS. 21(1):19–31, 1984.

[15]
Development and preliminary evaluation of the VA Seattle Foot. Burgess EM, Poggi DL, Hittenberger D, Zettl JH, Moeller DE, Carpenter KL, and Forsgren SM. 22(3):75–84, 1985.

(16)
Digital approaches to myoelectric state control of prostheses. Philipson L, Childress DS, and Strysik J. 18(2):3–11, 1981.

[17]
Digital instrument for measurement of aural acoustic immittance: a preliminary report. Robinette LN and Thompson DJ. 23(2):34–47, 1986.

[18]
A digital master hearing aid. Levitt H, Neuman A, Mills R, and Schwander T. 23(1):79–87, 1986.

[19]
Digital technology: Its effect on R&D ("A Guide to this Issue"). Levitt H. 23(1):ix–xii, 1986.

E

[20]
Early clinical evaluation of a robot arm/worktable system for spinal cord injured persons. Seamone W and Schmeisser G. 22(1):38–57, 1985.

[21]
Effectiveness of mattress overlays in reducing interface pressures during recombency. Krouskop TA, Williams R, Krebs M, Hershzkowicz, and Garber S. 22(3):1–7, 1985.

[22]
The effectiveness of preventive management in reducing the occurrence of pressure sores. Krouskop TA, Noble PC, Garber SL, and Spencer WA. 20(1):74–83, 1983.

[23]
Effects of side slope on wheelchair performance. Brubaker CE, McLaurin CA, and McClay IS. 23(2):55–57, 1986. (A Technical Note)

[24]
Electromyographic patterns in adult locomotion: A comprehensive review. Shiavi R. 22(3):85–98, 1985. (A Special Article)

[25]
Evaluation of a cochlear prosthesis using Connected Discourse Tracking. Levitt H, Waltzman SB, Shapiro WH, and Cohen NL. 23(1):147–154, 1986.

[26]
Evaluation of a curb climbing aid for manual wheelchairs: Considerations of stability, effort, and safety. Szeto AYJ and White RN. 20(1):45–56, 1983.

[27]
Evaluation of problems and needs of veteran lower limb amputees in the San Francisco Bay Area during the period 1977-1980. Hoaglund FT, Jergesen HE, Wilson L, Lamoreux LW, and Roberts R. 20(1):57–71, 1983.

[28]
Evaluation of transducer performance for buttock/cushion interface pressure measurements. Reddy NP, Palmieri V, and Cochran GVB. 21(1):43–50, 1984.

[29]
Evolution of reading machines for the blind: Haskins Laboratories' research as a case history. Cooper FS, Gaitenby JH, and Nye PW. 21(1):51–87, 1984. (A Special Article: research/history)

[30]
External knee joint design based on normal motion. Walker PS, Kurosawa H, Rovick JS, and Zimmerman RA. 22(1):9–22, 1985.

F

[31]
Fluorometric prediction of successful amputation level in the ischemic limb. Silverman DG, Rubin SM, Reilly CA, Brousseau DA, Norton KJ, and Wolf GL. 22(1):23–28, 1985.

[32]
Functional assessment: An annotated bibliography. Allen L, Chadderton L, Malhotra S, and Sinha A. 23(2):78–85, 1986. (Reprinted from *Interconnector,* 8(1) January 1985, UCIR, Michigan State University, East Lansing, MI)

[33]
A future prosthetic limb device. Hall CW. 22(3):99–102, 1985. (A Technical Note)

G

[34]
Gait restoration in paraplegic patients: A feasibility demonstration using multichannel surface electrode/FES. Kralj A, Bajd T, Turk R, Krajnik J, and Benko H. 20(1):3–20, 1983.

H

[35]
Hearing impairment and sensory aids: A tutorial review. Levitt H. 23(1):xiii–xviii, 1986.

I

[36]
Immediate, early, and late postsurgical management of upper limb amputation. Malone JM, Fleming LL, Roberson J, Whitesides TE Jr., Leal JM, Poole JU, and Grodin RS. 21(1):33–41, 1984.

[37]
Induction loop listening system designed for a classroom. Letowski TR, Donahue AM, and Nabelek AK. 23(1):63–69, 1986.

[38]
Inductive coupling of hearing aids and telephone receivers. Stoker RG, French-St. George M, and Lyons JM. 23(1):71–78, 1986.

[39]
The influence of environmental aging upon the load-bearing properties of polyurethane foams. Noble PC, Goode B, Krouskop TA, and Crisp B. 21(2):31–38, 1984.

[40]
Inkbraille as a potential new reading system for the blind. Hislop DW, Zuber BL, and Trimble JL. 21(2):54–57, 1984. (A Technical Note)

K

[41]
Key references in biomaterials: bone/biomaterial interface in orthopedic joint implants. (A bibliography) Gruen TA and Sarmiento A. 23(2):59–77, 1986.

L

[42]
Lever drive system for wheelchairs. McLaurin CA and Brubaker CE. 23(2):52–54, 1986. (A Technical Note)

[43]
Lipreading with tactile supplements. Boothroyd A and Hnath T. 23(1):139–146, 1986.

[44]
Locomotion via paralyzed leg muscles: Feasibility study for a leg-propelled vehicle. Glaser RM, Gruner JA, Feinberg SD, and Collins SR. 20(1):87–92, 1983. (A Technical Note)

M

[45]
Measurement of weightbearing during standing. Poyezdala JJ and Jaeger RJ. 21(2):46–49, 1984.

[46]
Measuring gait-related blind mobility performance. Hollyfield RL and Trimble JL. 22(3):66–74, 1985.

[47]
Microprocessor-based communications system for the nonverbal person with serious motor handicaps: A preliminary report. Pollak IV 19(1):7–17, 1982.

[48]
Multichannel syllabic compression for severely impaired listeners. De Gennaro S, Braida LD, and Durlach NI. 23(1):17–24, 1986.

[49]
Multistate myoelectric control: The feasibility of 5-state control. Richard PD, Gander RE, Parker PA, and Scott RN. 20(1):84–86, 1983.

[50]
A myofeedback instrument for clinical use. McCarthy CF and De Luca, CJ. 21(2):39–44, 1984.

N

[51]
A new communications technique for the nonvocal person, using the Apple II computer. Seamone W. 19(1):28–33, 1982. (A Technical Note)

[52]
The new evaluation unit of the Veterans Administration's

Rehabilitation Research and Development Service. Reswick JB. 22(1):31–36, 1985.

[53]
Nucleus 22-channel cochlear implant: Preliminary observations. Hirshorn MS, Mecklenburg DJ, and Brimacombe JA. 23(2):27–33, 1986. (A Technical Note)

P

[54]
Performance requirements for hearing aids. Dillon H and Macrae J. 23(1):1–15, 1986. (A Special Article)

[55]
The practical use of microcomputers in rehabilitation. Vanderheiden GC. 19(1):1–5, 1982.

Q

[56]
Qualitative and quantitative gait phase analysis by continuous monitoring of inter-ankle distance. Pinzur MS, Levine PD, Trimble JL, Haag K, and Sherman R. 21(2):50–53, 1984.

R

[57]
Research on what? Todd SP, Jr. and Sowell TT. 21(1):2–3, 1984. (An Editorial)

[58]
The road ahead: More attention to research strategy will be needed if veterans are to benefit as they should from our blossoming technology and science. Burgess EM. 21(2):10–13, 1984. (A Guest Editorial)

S

[59]
Scotchcast® PVC interim prosthesis for below-knee amputees. Wu Y, Brncick MD. Krick HJ, Putnam TD, and Stratigos JS. 18(2):40–45, 1981. (A Technical Note)

[60]
Simplicity. Murphy EF. 18(2):1–2, 1981. (An Editorial)

[61]
A simulator for objectively evaluating prospective drivers of the Scott Van. Hogan HA and Szeto AYJ. 19(1):19–27, 1982.

[62]
Skin blood flow changes and tissue deformations produced by cylindrical indentors. Sacks AH, O'Neill H, and Perkash I. 22(3):1–6, 1985.

[63]
Some rehabilitative considerations for future speech-processing hearing aids. Revoile SG. Holden-Pitt LD, Edward DM, and Pickett JM. 23(1):89–94, 1986.

[64]
Speech communication for the deaf: Visual, tactile, and cochlear implant. Pickett JM 23(1):95–99, 1986.

[65]
Speech perception through FM auditory trainers in noise and reverberation. Picard M and LeFrancois J. 23(1):53–62, 1986.

[66]
Spinal cord injury: A prototype "system" for the prevention and control of severe disability. Spencer WA, 21(2):2–9, 1984. Donovan WH, and Carter RE. (A Guest Editorial)

[67]
A system for evaluation and exercise-conditioning of paralyzed leg muscles. Gruner JA, Glaser RM, Feinberg SD, Collins SR, and Nussbaum NS. 20(1):21–30, 1983.

T

[68]
Text-scanning patterns of blind readers using Optacon and braille. Hislop DW, Zuber BL, and Trimble JL. 22(3):54–65, 1985.

[69]
Tracking skill of a deaf person with long-term tactile aid experience: A case study. Cholewiak RW and Sherrick CE. 23(2):20–26, 1986.

[70]
Traction for the bilateral lower extremity amputee: A World War II improvisation. Holscher EC. 20(1):92–94, 1983.

U

[71]
The use of visual and tactile sensory aids in speech production training: A preliminary report. McGarr NS, Head J, Friedman M, Behrman AM, and Youdelman K. 23(1):101–109, 1986.

V

[72]
Vibrotactile stimulation: Case study with a profoundly deaf child. Geers AE. 23(1):111–117, 1986.

[73]
Veterans Administration Standards for Electrically Powered Wheelchairs. 19(1):130–138, 1982. (Reprinted from the Federal Register of Tuesday, December 15, 1981)

W

[74]
Walking casts: Effect on plantar foot pressures. Birke JA, Sims DS, Jr. and Buford WL. 22(3):18–22, 1985.

[75]
The wear-particles of synovial fluid: Their ferrographic analysis and pathophysiological significance. Evans CH and Mears DC. 18(2):13–26, 1981. (A Technical Note)

[76]
Wheelchair batteries: Driving cycles and testing. Kauzlarich JJ, Ulrich V, Bresler M, and Bruning T. 20(1): 31–43, 1983.

[77]
Wheelchair caster shimmy and turning resistance. Kauzlarich JJ, Bruning T, and Thacker JG. 21(2):15–29, 1984.

[78]
Wheelchair development, standards, progress, and issues: A discussion with Colin McLaurin, Sc.D. 23(2):48–51, 1986.

[79]
Wheelchair tire rolling resistance and fatigue. Kauzlarich JJ and Thacker JG. 22(3):25–41, 1985.