

TITLE INDEX

A

- [1] **An adaptable optimal controller for electric wheelchairs.** Brown KE, Inigo RM, Johnson BW. 24(2):87-98, Spring 1987.
- [2] **Aid for training and evaluation of handicapped drivers.** Reger SI, McGloin AT, Law DF Jr., Spence RE, and Claus C. 18(2):35-39, 1981. (A Technical Note)
- [3] **Alignment of lower limb prostheses.** Zahedi MS, Spence WD, Solomonidis SE, and Paul JP. 23(2):2-19, 1986.
- [4] **An analysis of extended physiological proprioceptions as a prosthesis-control technique.** Doubler JA and Childress DS. 21(1):5-18, 1984.
- [5] **Application of adaptive signal processing to speech enhancement for the hearing impaired.** Chabries DM, Christiansen RW, Brey RH, Robinette MS, and Harris RW. 24(4):65-74, 1987.
- [6] **Assessment of nutritional and metabolic status of paraplegics.** Lee BY, Agarwal N, Corcoran L, Thoden WR, and Del Guercio LRM. 22(3):11-17, 1985.
- [7] **Auditory filtering and the discrimination of spectral shapes by normal and hearing-impaired subjects.** Turner CW, Holte LA, and Relkin E. 24(4):229-238, 1987.
- [8] **Automated retrieval of information on assistive devices (ARIAD).** Szeto AYJ, Tingle LA, and Cronk SR. 18(2):27-34, 1981. (A Technical Note)
- [9] **Automatic transmission for electric wheelchairs.** Reswick JB. 22(3):42-51, 1985.

B

- [10] **Biomechanical and physiological evaluation of FES-activated paraplegic patients.** Isakov E, Mizrahi J, Najenson T. 23(3):9-19, July 1986.

C

- [11] **A cancellation technique for the amplitude and phase calibration of hearing aids and nonconventional transducers.** Levitt H, 24(4):261-270, 1987.
- [12] **Clinical articles in the *Journal of Rehabilitation Research and Development*.** Todd SP, Jr. 24(3):iv, Summer 1987. (Editor's Note)
- [13] **Clinical performance of endoprosthetic and total hip replacement systems.** Sandborn PM, Cook SD, Harding AF, Kester MA, Haddad RJ. 24(3):49-56, Summer 1987.
- [14] **Comments on the article: "The effectiveness of preventive management in reducing the occurrence of pressure sores."** Brand PW. 20(1):73, 1983.
- [15] **Comments for a new generation of rehabilitation engineers.** Foort J. 22(1):2-8, 1985. (A Guest Editorial)
- [16] **Comparison of amplification systems in a classroom.** Nabelek AK, Donahue AM, and Letowski TR. 23(1):41-52, 1986.
- [17] **Compression systems for hearing aids and cochlear prostheses.** White MW. 23(1):25-39, 1986.
- [18] **Compressive behavior after simulated service conditions of some foamed materials intended as orthotic shoe insoles.** Campbell GJ, McLure M, and Newell EM. 21(2):57-65, 1986. (A Technical Note)
- [19] **Computer-aided design of a prosthetic socket for an above-knee amputee.** Krouskop TA, Muilenberg AL, Dougherty DR, Winningham DJ. 24(2):31-38, Spring 1987.
- [20] **Consonant burst enhancement: A possible means to improve intelligibility for the hard of hearing.** Guelke RW. 24(4):217-220, 1987.
- [21] **Continuing evaluation of the Queen's University tactile vocoder. I: Identification of open set words.** Brooks PL, Frost BJ, Mason JL, and Gibson DM. 23(1):119-128, 1986.

[22] **Continuing evaluation of the Queen's University tactile vocoder. II: Identification of open set sentences and tracking narrative.** Brooks PL, Frost BJ, Mason JL, and Gibson DM. 23(1):129-138, 1986.

D

[23] **Design considerations in development of a prototype piezoelectric internal fixation plate: A preliminary report.** Cochran GVB, Johnson MW, Kadaba MP, Palmieri VR, and Mahaffey G. 24(2):39-50, Spring 1987.

[24] **Design and evaluation of a prosthesis control system based on the concept of extended physiological proprioception.** Doubler JA and Childress DS. 21(1):19-31, 1984.

[25] **Design and evaluation of a two-channel compression hearing aid.** Moore BCJ. 24(4):181-192, 1987.

[26] **Development of an Australian standard for wheelchair occupant restraint assemblies for motor vehicles.** Fisher WE, Seeger BR, Svensson NL. 24(3):23-34, Summer 1987.

[27] **Development of an ear-level digital hearing aid and computer-assisted fitting procedure: An interim report.** Engebretson AM, Morley RE, and Popelka GR. 24(4):55-64, 1987.

[28] **Development of a modular wheelchair cushion for spinal cord injured persons.** Ferguson-Pell M, Cochran GVB, Palmieri VR, Brunski JB. 23(3):63-76, July 1986.

[29] **Development and preliminary evaluation of an earmold sound-to-tactile aid for the hearing-impaired.** Weisenberger JM, Heidbreder AF, Miller JD. 24(2):51-66, Spring 1987.

[30] **Development and preliminary evaluation of the VA Seattle Foot.** Burgess EM, Poggi DL, Hittenberger DA, Zettl JH, Moeller DE, Carpenter KL, and Forsgren SM. 22(3):75-84, 1985.

[31] **Digital approaches to myoelectric state control of prostheses.** Philipson L, Childress DS, and Stryzik J. 18(2):3-11, 1981.

[32] **Digital hearing aids: A tutorial review.** Levitt H. 24(4):7-20, 1987.

[33] **Digital instrument for measurement of aural acoustic immittance: A preliminary report.** Robinette LN and Thompson DJ. 23(2):34-47, 1986.

[34] **A digital master hearing aid.** Levitt H, Neuman A, Mills R, and Schwander T. 23(1):79-87, 1986.

[35] **Digital technology and clinical practice: The outlook for the future.** Neuman AC. 24(4):1-6, 1987.

[36] **Digital technology: Its effect on R&D ("A Guide to This Issue").** Levitt H. 23(1):ix-xii, 1986.

[37] **Dynamic orthoses for the management of microstomia.** Conine TA, Carlow DL, Stevenson-Moore P. 24(3):43-48, Summer 1987.

E

[38] **Early clinical evaluation of a robot arm/worktable system for spinal cord injured persons.** Seamone W and Schmeisser G. 22(1):38-57, 1985.

[39] **Effectiveness of mattress overlays in reducing interface pressures during recumbency.** Krouskop TA, Williams R, Krebs M, Hershkowitz I, and Garber S. 22(3):7-10, 1985.

[40] **The effectiveness of preventive management in reducing the occurrence of pressure sores.** Krouskop TA, Noble PC, Garber SL, and Spencer WA. 20(1):74-83, 1983.

[41] **The effects of increasing consonant/vowel intensity ratio on speech loudness.** Montgomery AA, Prosek RA, Walden BA, and Cord MT. 24(4):221-228, 1987.

[42] **The effect of filtering on the intelligibility and quality of speech in noise.** Neuman AC and Schwander TJ. 24(4):127-134, 1987.

[43] **Effect of lumbar sympathectomy on muscle blood flow: Distribution of perfusion measured by hydrogen clearance in skeletal muscle.** Lee BY, Ostrander LE, Thoden WR, Madden JL. 24(3):1-8, Summer 1987.

[44] **Effect of two-microphone noise reduction on speech recognition by normal-hearing listeners.** Schwander T and Levitt H. 24(4):87-92, 1987.

[45] **Effects of side slope on wheelchair performance.** Brubaker CE, McLaurin CA, and McClay IS. 23(2):55-57, 1986. (A Technical Note)

[46] **Electrical stimulation of the auditory brain stem structure in deafened adults.** Eisenberg LS, Maltan AA, Portillo F, Mobley JP, House WF. 24(3):9-22, Summer 1987.

- [47] **Electromyographic gait assessment, Part 1: Adult EMG profiles and walking speed.** Shiavi R, Bugle HJ, Limbird T. 24(2):13-23, Spring 1987.
- [48] **Electromyographic gait assessment, Part 2: Preliminary assessment of hemiparetic synergy patterns.** Shiavi R, Bugle HJ, Limbird T. 24(2):24-30, Spring 1987.
- [49] **Electromyographic patterns in adult locomotion: A comprehensive review.** Shiavi R. 22(3):85-98, 1985. (A Special Article)
- [50] **Electrostimulation of erection and ejaculation and collection of semen in spinal cord injured humans.** Warner H, Martin DE, Perkash I, Speck V, Nathan B. 23(3):21-31, July 1986.
- [51] **Evaluating manual control devices for those with tremor disability.** Riley PO, Rosen MJ. 24(2):99-110, Spring 1987.
- [52] **Evaluation of adaptive multimicrophone algorithms for hearing aids.** Chazan D, Medan Y, and Shvadron U. 24(4):111-118, 1987.
- [53] **Evaluation of a cochlear prosthesis using connected discourse tracking.** Levitt H, Waltzman SB, Shapiro WH, and Cohen NL. 23(1):147-154, 1986.
- [54] **Evaluation of a curb climbing aid for manual wheelchairs: Consideration of stability, effort, and safety.** Szeto AYJ and White RN. 20(1):45-56, 1983.
- [55] **Evaluation of transducer performance for buttock/cushion interface pressure measurements.** Reddy NP, Palmieri V, and Cochran GVB. 21(1):43-50, 1984.
- [56] **Evaluation of the Seattle Foot.** Reswick JB. 23(3):77-94, July 1986.
- [57] **Evaluation of problems and needs of veteran lower limb amputees in the San Francisco Bay Area during the period 1977-1980.** Hoaglund FT, Jergesen HE, Wilson L, Lamoreux LW, and Roberts R. 20(1):57-71, 1983.
- [58] **Evolution of reading machines for the blind: Haskins Laboratories' research as a case history.** Cooper FS, Gaitenby JH, and Nye PW. 21(1):51-87, 1984. (A Special Article: research/history)
- [59] **Experiments with a programmable master hearing aid.** Levitt H, Sullivan JA, Neuman AC, and Rubin-Spitz JA. 24(4):29-54, 1987.
- [60] **External knee joint design based on normal motion.** Walker PS, Kurosawa H, Rovick JS, and Zimmerman RA. 22(1):9-22, 1985.
- F**
- [61] **Factors affecting the pressure-distributing properties of foam mattress overlays.** Krouskop TA, Noble PS, Brown J, Marburger R. 23(3):33-39, July 1986.
- [62] **Fluorometric prediction of successful amputation level in the ischemic limb.** Silverman DG, Rubin SM, Reilly CA, Brousseau DA, Norton KJ, and Wolf GL. 22(1):23-28, 1985.
- [63] **Functional assessment: An annotated bibliography.** Allen L, Chadderton L, Malhotra S, and Sinha A. 23(2):78-85, 1986. (Reprinted from *Interconnector*, 8(1) January 1985, UCIR, Michigan State University, East Lansing, MI.)
- [64] **A future prosthetic limb device.** Hall CW. 22(3):99-102, 1985. (A Technical Note)
- G**
- [65] **Gait restoration in paraplegic patients: A feasibility demonstration using multichannel surface electrode/FES.** Kralj A, Bajd T, Turk R, Krajnik J, and Benko H. 20(1):3-20, 1983.
- H**
- [66] **Hearing impairment and sensory aids: A tutorial review.** Levitt H. 23(1):xiii-xviii, 1986.
- I**
- [67] **Immediate, early, and late postsurgical management of upper limb amputation.** Malone JM, Fleming LL, Roberson J, Whitesides TE Jr., Leal JM, Poole JU, and Grodin RS. 21(1):33-41, 1984.
- [68] **Implantation techniques and experience with percutaneous intramuscular electrodes in the lower extremities.** Marsolais EB, Kobetic R. 23(3):1-8, July 1986.

[69] **Improvement in speech intelligibility in noise employing an adaptive filter with normal and hearing-impaired subjects.** Brey RH, Robinette MS, Chabries DM, and Christiansen RW. 24(4):75-86, 1987.

[70] **Induction loop listening system designed for a classroom.** Letowski TR, Donahue AM, and Nábelek AK. 23(1):63-69, 1986.

[71] **Inductive coupling of hearing aids and telephone receivers.** Stoker RG, French-St. George M, and Lyons JM. 23(1):71-78, 1986.

[72] **The influence of environmental aging upon the load-bearing properties of polyurethane foams.** Noble PC, Goode B, Krouskop TA, and Crisp B. 21(2):31-38, 1984.

[73] **Inkbraille as a potential new reading system for the blind.** Hislop DW, Zuber BL, and Trimble JL. 21(2):54-57, 1984. (A Technical Note)

K

[74] **Key references in biomaterials: Bone/biomaterial interface in orthopedic joint implants.** (A bibliography) Gruen TA and Sarmiento A. 23(2):59-77, 1986.

L

[75] **Lever drive system for wheelchairs.** McLaurin CA and Brubaker CE. 23(2):52-54, 1986. (A Technical Note)

[76] **Lipreading with tactile supplements.** Boothroyd A and Hnath T. 23(1):139-146, 1986.

[77] **Literature search of publications on digital hearing aids.** Nowotarski H (compiler). 24(4):293-304, 1987.

[78] **Locomotion via paralyzed leg muscles: Feasibility study for a leg-propelled vehicle.** Glaser RM, Gruner JA, Feinberg SD, and Collins SR. 20(1):87-92, 1983. (A Technical Note)

M

[79] **Measurement of pressure under leprotic feet using a barograph.** Patil KM, Srinivasan H. 24(2):9-12, Spring 1987.

[80] **Measurement of weightbearing during standing.** Poyezdala JJ and Jaeger RJ. 21(2):46-49, 1984.

[81] **Measuring gait-related blind mobility performance.** Hollyfield RL and Trimble JL. 22(3):66-74, 1985.

[82] **Metallurgical analysis of five failed cast cobalt-chromium-molybdenum alloy hip prostheses.** Cook SD, Kester MA, Harding AF, Brown TD, Sandborn PM. 23(4):27-36, 1986.

[83] **A microprocessor-based acoustic hearing aid for the profoundly impaired listener.** Rosen S, Walliker JR, Fourcin A, and Ball V. 24(4):239-260, 1987.

[84] **Microprocessor-based communications system for the nonverbal person with serious motor handicaps: A preliminary report.** Pollak IV. 19(1):7-17, 1982.

[85] **Multiband compression limiting for hearing-impaired listeners.** Bustamante DK and Braida LD. 24(4):149-160, 1987.

[86] **Multichannel compression processing for profound deafness.** Villchur E. 24(4):135-148, 1987.

[87] **Multichannel syllabic compression for severely impaired listeners.** De Gennaro S, Braida LD, and Durlach NI. 23(1):17-24, 1986.

[88] **Multimicrophone adaptive beamforming for interference reduction in hearing aids.** Peterson PM, Durlach NL, Rabinowitz WM, and Zurek PM. 24(4):103-110, 1987.

[89] **Multistate myoelectric control: The feasibility of 5-state control.** Richard PD, Gander RE, Parker PA, and Scott RN. 20(1):84-86, 1983.

[90] **A myofeedback instrument for clinical use.** McCarthy CF and De Luca CJ. 21(2):39-44, 1984.

N

[91] **A new communications technique for the nonvocal person, using the Apple II computer.** Seamone W. 19(1):28-33, 1982. (A Technical Note)

[92] **The new evaluation unit of the Veterans Administration's Rehabilitation Research and Development Service.** Reswick JB. 22(1):31-36, 1985.

[93] **New motor control assessment techniques for evaluating individuals with severe handicaps: A case study.** Rudin NJ, Gilmore LD, Roy SH, De Luca CJ. 24(3):57-74, Summer 1987.

[94] **Nucleus 22-channel cochlear implant: Preliminary observations.** Hirshorn MS, Mecklenburg DJ, and Brimacombe JA. 23(2):27-33, 1986. (A Technical Note)

P

[95] **Performance requirements for hearing aids.** Dillon H and Macrae J. 23(1):1-15, 1986. (A Special Article)

[96] **Physical medicine and rehabilitation reading list.** Katz RT. 23(4):41-48, October 1986.

[97] **Powered wheelchair bucking.** Bennett L. 24(2):81-86, Spring 1987.

[98] **The practical use of microcomputers in rehabilitation.** Vanderheiden GC. 19(1):1-5, 1982.

[99] **A preliminary report on the use of a practical biofeedback device for gait training of above-knee amputees.** Flowers WC, Cullen CP, Tyra KP. 23(4):7-18, 1986.

[100] **Preliminary testing of a dual-channel electrical stimulator for correction of gait.** Bogataj U, Malezic M, Filipic D. 24(3):75-80, Summer 1987. (A Technical Note)

[101] **A pulsed Doppler ultrasonic system for making noninvasive measurements of the mechanical properties of soft tissue.** Krouskop TA, Dougherty DR, Vinson FS. 24(2):1-8, Spring 1987.

Q

[102] **Qualitative and quantitative gait phase analysis by continuous monitoring of inter-ankle distance.** Pinzur MS, Levine PD, Trimble JL, Haag K, and Sherman R. 21(2):50-53, 1984.

R

[103] **Research on what?** Todd SP Jr., and Sowell TT. 21(1):2-3, 1984. (An Editorial)

[104] **The road ahead: More attention to research strategy will be needed if veterans are to benefit as they should from our blossoming technology and science.** Burgess EM. 21(2):10-13, 1984. (A Guest Editorial)

S

[105] **Scotchcast™ PVC interim prosthesis for below-knee amputees.** Wu Y, Brncick MD, Krick HJ, Putnam TD, and Stratigos JS. 18(2):40-45, 1981. (A Technical Note)

[106] **Selected perspectives on a quarter-century of rehabilitation engineering.** Mann RW. 23(4):1-6, 1986. (A Guest Editorial)

[107] **The short-time articulation index.** Kates JM. 24(4):271-276, 1987.

[108] **Simplicity.** Murphy EF. 18(2):1-2, 1981. (An Editorial)

[109] **A simulator for objectively evaluating prospective drivers of the Scott Van.** Hogan HA and Szeto AYY. 19(1):19-27, 1982.

[110] **A single-microphone-based self-adaptive filter of noise from speech and its performance evaluation.** Graupe D, Grosspietsch JK, and Basseas SP. 24(4):119-126, 1987.

[111] **Skin blood flow changes and tissue deformations produced by cylindrical indentors.** Sacks AH, O'Neill H, and Perkash I. 22(3):1-6, 1985.

[112] **Some rehabilitative considerations for future speech-processing hearing aids.** Revoile SG, Holden-Pitt LD, Edward DM, and Pickett JM. 23(1):89-94, 1986.

[113] **Spectrum shaping with a hardware digital filter.** Studebak GA, Sherbecoe RL, and Matesich JS. 24(4):21-28, 1987.

[114] **Speech communication for the deaf: Visual, tactile, and cochlear implant.** Pickett JM, 23(1):95-99, 1986.

[115] **Speech-cue enhancement for the hearing impaired: Amplification of burst/murmur cues for improved perception of final stop voicing.** Revoile SG, Holden-Pitt L, Edward DM, Pickett JM, and Brandt F. 24(4):207-216, 1987.

[116] **Speech discrimination with an 8-channel compression hearing aid and conventional aids in the background of speech-band noise.** Yund EW, Simon HJ, and Efron R. 24(4):161-180, 1987.

[117] **Speech distortion measures for hearing aids.** Williamson MJ, Cummins KL, and Hecox KE. 24(4):277-282, 1987.

[118] **Speech perception through FM auditory trainers in noise and reverberation.** Picard M and LeFrancois J. 23(1):53-62, 1986.

[119] **Spinal cord injury: A prototype "system" for the prevention and control of severe disability.** Spencer WA, Donovan WH, and Carter RE. 21(2):2-9, 1984. (A Guest Editorial)

[120] **Static orthotic devices for the management of microstomia.** Carlow DL, Conine TA, Stevenson-Moore P. 24(3):35-42, Summer 1987.

[121] **A system for evaluation and exercise-conditioning of paralyzed leg muscles.** Gruner JA, Glaser RM, Feinberg SD, Collins SR, and Nussbaum NS. 20(1):21-30, 1983.

T

[122] **Technological and physiological characteristics of a newly developed hand-lever drive system for wheelchairs.** Engel P, Seeliger K. 23(4):37-40, 1986. (A Technical Note)

[123] **Text-scanning patterns of blind readers using Optacon and braille.** Hislop DW, Zuber BL, and Trimble JL. 22(3):54-65, 1985.

[124] **A theory of wheelchair wheelie performance.** Kauzlarich JJ, Thacker JG. 24(2):67-80, Spring 1987.

[125] **Towards a general measure of distortion.** Levitt H, Cudahy E, Jiang W-H, Kennedy E, and Link C. 24(4):283-292, 1987.

[126] **Tracking skill of a deaf person with long-term tactile aid experience: A case study.** Cholewiak RW and Sherrick CE. 23(2):20-26, 1986.

[127] **Traction for the bilateral lower extremity amputee: A World War II improvisation.** Holscher EC. 20(1):92-94, 1983.

[128] **Two-state compression of spectral tilt: Individual differences and psychoacoustical limitations to the benefit from compression.** Haggard MP, Trinder JR, Foster JR, and Lindblad A-C. 24(4):193-206, 1987.

U

[129] **Updated performance requirements for hearing aids.** Macrae J, Dillon H. 23(3):41-56, July 1986.

[130] **Use of an adaptive noise canceler as an input processor for a hearing aid.** Weiss M. 24(4):93-102, 1987.

[131] **The use of visual and tactile sensory aids in speech production training: A preliminary report.** McGarr NS, Head J, Friedman M, Behrman AM, and Youdelman K. 23(1):101-109, 1986.

[132] **Users' responses to contoured wheelchair handrims.** Gaines RF, La WHT. 23(3):57-62, July 1986.

V

[133] **Vibrotactile stimulation: Case study with a profoundly deaf child.** Geers AE. 23(1):111-117, 1986.

[134] **Veterans Administration Standards for Electrically Powered Wheelchairs.** 19(1):130-138, 1982. (Reprinted from the *Federal Register* of Tuesday, December 15, 1981)

W

[135] **Walking casts: Effect on plantar foot pressures.** Birke JA, Sims DS Jr., and Buford WL. 22(3):18-22, 1985.

[136] **The wear-particles of synovial fluid: Their ferrographic analysis and pathophysiological significance.** Evans CH and Mears DC. 18(2):13-26, 1981. (A Technical Note)

[137] **Wheelchair batteries: Driving cycles and testing.** Kauzlarich JJ, Ulrich V, Bresler M, and Bruning T. 20(1):31-43, 1983.

[138] **Wheelchair caster shimmy and turning resistance.** Kauzlarich JJ, Bruning T, and Thacker JG. 21(2):15-29, 1984.

[139] **Wheelchair development, standards, progress, and issues: A discussion with Colin McLaurin, Sc.D.** 23(2):48-51, 1986.

[140] **Wheelchair prescription: An analysis of factors that affect mobility and performance.** Brubaker CE. 23(4):19-26, 1986.

[141] **Wheelchair tire rolling resistance and fatigue.** Kauzlarich JJ and Thacker JG. 22(3):25-41, 1985.