
CONTENTS

- ii Guidelines for Contributors
- iii Masthead
- vii Guest Editorial:
Rory Cooper receives VA's prestigious Olin E. Teague Award
Judith M. LaVoie
- xi Clinical Relevance for the Veteran: Summaries of Scientific/Technical Articles

Scientific/Technical Articles

- 625 Memorial:
In Memoriam: Dr. Thomas J. O'Connor
Rory A. Cooper, PhD

- 627 Kinetic and physiological analysis of the GAME^{Wheels} system
Thomas J. O'Connor, PhD; Shirley G. Fitzgerald, PhD; Rory A. Cooper, PhD; Tricia A. Thorman, MOT; Michael L. Boninger, MD

- 635 Shoulder kinematics and kinetics during two speeds of wheelchair propulsion
Alicia M. Koontz, PhD, ATP; Rory A. Cooper, PhD; Michael L. Boninger, MD; Aaron L. Souza, MS; Brian T. Fay, PhD

- 651 Rate of isometric knee extension strength development and walking speed after stroke
Patricia S. Pohl, PhD; Pamela Duncan, PhD; Subashan Perera, PhD; Jason Long, MS; Wen Liu, PhD; Jinshi Zhou, PhD; Steven A. Kautz, PhD

- 659 Consumer perspectives on mobility: Implications for neuroprosthesis design
Denise L. Brown-Triolo, MS, CRC; Mary Joan Roach, PhD; Kristine Nelson, MEd, CRC; Ronald J. Triolo, PhD

- 671 Electrode fracture rates and occurrences of infection and granuloma associated with percutaneous intramuscular electrodes in upper-limb functional electrical stimulation applications
Jayme S. Knutson, MS; Gregory G. Naples, MS; P. Hunter Peckham, PhD; Michael W. Keith, MD

- 685 A multistage field test of wheelchair users for evaluation of fitness and prediction of peak oxygen consumption
Marc Vanderthommen, PhD; Marc Francaux, PhD; Cédrik Colinet, BS; Cédric Lehance, BS; Claude Lhermerout, PhD; Jean-Michel Crielaard, PhD; Daniel Theisen, PhD

- 693** Interface pressures during ambulation using suction and vacuum-assisted prosthetic sockets
Tracy L. Beil, MS; Glenn M. Street, PhD; Steven J. Covey, PhD, PE
- 701** Shooting mechanics related to player classification and free throw success in wheelchair basketball
Laurie A. Malone, PhD; Pierre L. Gervais, PhD; Robert D. Steadward, PhD
- 711** Erratum