

APPENDIX

HCPCS USED TO CLASSIFY LOWER LIMB PROSTHESES

- L5020 PARTIAL FOOT, MOLDED SOCKET, TIBIAL TUBERCLE HEIGHT, WITH TOE FILLER
- L5050 ANKLE, SYMES, MOLDED SOCKET, SACH FOOT
- L5060 ANKLE, SYMES, METAL FRAME, MOLDED LEATHER SOCKET, ARTICULATED ANKLE/FOOT
- L5100 BELOW KNEE, MOLDED SOCKET, SHIN, SACH FOOT
- L5105 BELOW KNEE, PLASTIC SOCKET, JOINTS AND THIGH LACER, SACH FOOT
- L5150 KNEE DISARTICULATION (OR THROUGH KNEE), MOLDED SOCKET, EXTERNAL KNEE JOINTS, SHIN, SACH FOOT
- L5160 KNEE DISARTICULATION (OR THROUGH KNEE), MOLDED SOCKET, BENT KNEE CONFIGURATION, EXTERNAL KNEE JOINTS, SHIN, SACH FOOT
- L5200 ABOVE KNEE, MOLDED SOCKET, SINGLE AXIS CONSTANT FRICTION KNEE, SHIN, SACH FOOT
- L5210 ABOVE KNEE, SHORT PROSTHESIS, NO KNEE JOINT ('STUBBIES'), WITH FOOT BLOCKS, NO ANKLE JOINTS, EACH
- L5220 ABOVE KNEE, SHORT PROSTHESIS, NO KNEE JOINT ('STUBBIES'), WITH ARTICULATED ANKLE/FOOT, DYNAMICALLY ALIGNED, EACH
- L5230 ABOVE KNEE, FOR PROXIMAL FEMORAL FOCAL DEFICIENCY, CONSTANT FRICTION KNEE, SHIN, SACH FOOT
- L5250 HIP DISARTICULATION, CANADIAN TYPE; MOLDED SOCKET, HIP JOINT, SINGLE AXIS CONSTANT FRICTION KNEE, SHIN, SACH FOOT
- L5270 HIP DISARTICULATION, TILT TABLE TYPE; MOLDED SOCKET, LOCKING HIP JOINT, SINGLE AXIS CONSTANT FRICTION KNEE, SHIN, SACH FOOT
- L5280 HEMIPELVECTOMY, CANADIAN TYPE; MOLDED SOCKET, HIP JOINT, SINGLE AXIS CONSTANT FRICTION KNEE, SHIN, SACH FOOT
- L5300 [Below knee prosthesis](#)
- L5301 BELOW KNEE, MOLDED SOCKET, SHIN, SACH FOOT, ENDOSKELETAL SYSTEM
- L5310 Knee disarticulation (or through knee), molded socket, SACH foot, endoskeletal system, including soft cover and finishing
- L5311 KNEE DISARTICULATION (OR THROUGH KNEE), MOLDED SOCKET, EXTERNAL KNEE JOINTS, SHIN, SACH FOOT, ENDOSKELETAL SYSTEM
- L5320 [Single axis knee](#)
- L5321 ABOVE KNEE, MOLDED SOCKET, OPEN END, SACH FOOT, ENDOSKELETAL SYSTEM, SINGLE AXIS KNEE
- L5330 Hip disarticulation prosthesis
- L5331 HIP DISARTICULATION, CANADIAN TYPE, MOLDED SOCKET, ENDOSKELETAL SYSTEM, HIP JOINT, SINGLE AXIS KNEE, SACH FOOT
- L5340 Prosthetics lower
- L5341 HEMIPELVECTOMY, CANADIAN TYPE, MOLDED SOCKET, ENDOSKELETAL SYSTEM, HIP JOINT, SINGLE AXIS KNEE, SACH FOOT
- L5400 IMMEDIATE POST SURGICAL OR EARLY FITTING, APPLICATION OF INITIAL RIGID DRESSING, INCLUDING FITTING, ALIGNMENT, SUSPENSION, AND ONE CAST CHANGE, BELOW KNEE
- L5410 IMMEDIATE POST SURGICAL OR EARLY FITTING, APPLICATION OF INITIAL RIGID DRESSING, INCLUDING FITTING, ALIGNMENT AND SUSPENSION, BELOW KNEE, EACH ADDITIONAL CAST CHANGE AND REALIGNMENT
- L5420 IMMEDIATE POST SURGICAL OR EARLY FITTING, APPLICATION OF INITIAL RIGID DRESSING, INCLUDING FITTING, ALIGNMENT AND SUSPENSION AND ONE CAST CHANGE 'AK' OR KNEE DISARTICULATION

- L5430 IMMEDIATE POST SURGICAL OR EARLY FITTING, APPLICATION OF INITIAL RIGID DRESSING, INCL. FITTING, ALIGNMENT AND SUSPENSION, 'AK' OR KNEE DISARTICULATION, EACH ADDITIONAL CAST CHANGE AND REALIGNMENT
- L5500 INITIAL, BELOW KNEE 'PTB' TYPE SOCKET, NON-ALIGNABLE SYSTEM, PYLON, NO COVER, SACH FOOT, PLASTER SOCKET, DIRECT FORMED
- L5505 INITIAL, ABOVE KNEE - KNEE DISARTICULATION, ISCHIAL LEVEL SOCKET, NON-ALIGNABLE SYSTEM, PYLON, NO COVER, SACH FOOT, PLASTER SOCKET, DIRECT FORMED
- L5510 PREPARATORY, BELOW KNEE 'PTB' TYPE SOCKET, NON-ALIGNABLE SYSTEM, PYLON, NO COVER, SACH FOOT, PLASTER SOCKET, MOLDED TO MODEL
- L5520 PREPARATORY, BELOW KNEE 'PTB' TYPE SOCKET, NON-ALIGNABLE SYSTEM, PYLON, NO COVER, SACH FOOT, THERMOPLASTIC OR EQUAL, DIRECT FORMED
- L5530 PREPARATORY, BELOW KNEE 'PTB' TYPE SOCKET, NON-ALIGNABLE SYSTEM, PYLON, NO COVER, SACH FOOT, THERMOPLASTIC OR EQUAL, MOLDED TO MODEL
- L5535 PREPARATORY, BELOW KNEE 'PTB' TYPE SOCKET, NON-ALIGNABLE SYSTEM, NO COVER, SACH FOOT, PREFABRICATED, ADJUSTABLE OPEN END SOCKET
- L5540 REPARATORY, BELOW KNEE 'PTB' TYPE SOCKET, NON-ALIGNABLE SYSTEM, PYLON, NO COVER, SACH FOOT, LAMINATED SOCKET, MOLDED TO MODEL
- L5560 PREPARATORY, ABOVE KNEE- KNEE DISARTICULATION, ISCHIAL LEVEL SOCKET, NON-ALIGNABLE SYSTEM, PYLON, NO COVER, SACH FOOT, PLASTER SOCKET, MOLDED TO MODEL
- L5570 PREPARATORY, ABOVE KNEE - KNEE DISARTICULATION, ISCHIAL LEVEL SOCKET, NON-ALIGNABLE SYSTEM, PYLON, NO COVER, SACH FOOT, THERMOPLASTIC OR EQUAL, DIRECT FORMED
- L5580 PREPARATORY, ABOVE KNEE - KNEE DISARTICULATION ISCHIAL LEVEL SOCKET, NON-ALIGNABLE SYSTEM, PYLON, NO COVER, SACH FOOT, THERMOPLASTIC OR EQUAL, MOLDED TO MODEL
- L5585 PREPARATORY, ABOVE KNEE - KNEE DISARTICULATION, ISCHIAL LEVEL SOCKET, NON-ALIGNABLE SYSTEM, PYLON, NO COVER, SACH FOOT, PREFABRICATED ADJUSTABLE OPEN END SOCKET
- L5590 PREPARATORY, ABOVE KNEE - KNEE DISARTICULATION ISCHIAL LEVEL SOCKET, NON-ALIGNABLE SYSTEM, PYLON NO COVER, SACH FOOT, LAMINATED SOCKET, MOLDED TO MODEL
- L5595 PREPARATORY, HIP DISARTICULATION-HEMIPELVECTOMY, PYLON, NO COVER, SACH FOOT, THERMOPLASTIC OR EQUAL, MOLDED TO PATIENT MODEL
- L5600 PREPARATORY, HIP DISARTICULATION-HEMIPELVECTOMY, PYLON, NO COVER, SACH FOOT, LAMINATED SOCKET, MOLDED TO PATIENT MODEL
- L5610 ADDITION TO LOWER EXTREMITY, ENDOSKELETAL SYSTEM, ABOVE KNEE, HYDRACADENCE SYSTEM
- L5611 ADDITION TO LOWER EXTREMITY, ENDOSKELETAL SYSTEM, ABOVE KNEE - KNEE DISARTICULATION, 4 BAR LINKAGE, WITH FRICTION SWING PHASE CONTROL
- L5613 ADDITION TO LOWER EXTREMITY, ENDOSKELETAL SYSTEM, ABOVE KNEE-KNEE DISARTICULATION, 4 BAR LINKAGE, WITH HYDRAULIC SWING PHASE CONTROL
- L5614 ADDITION TO LOWER EXTREMITY, EXOSKELETAL SYSTEM, ABOVE KNEE-KNEE DISARTICULATION, 4 BAR LINKAGE, WITH PNEUMATIC SWING PHASE CONTROL
- L5616 ADDITION TO LOWER EXTREMITY, ENDOSKELETAL SYSTEM, ABOVE KNEE, UNIVERSAL MULTIPLEX SYSTEM, FRICTION SWING PHASE CONTROL
- L5626 ADDITION TO LOWER EXTREMITY, TEST SOCKET, HIP DISARTICULATION
- L5676 ADDITIONS TO LOWER EXTREMITY, BELOW KNEE, KNEE JOINTS, SINGLE AXIS, PAIR
- L5677 ADDITIONS TO LOWER EXTREMITY, BELOW KNEE, KNEE JOINTS, POLYCENTRIC, PAIR
- L5710 ADDITION, EXOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, MANUAL LOCK
- L5711 ADDITIONS EXOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, MANUAL LOCK, ULTRA-LIGHT MATERIAL

Resnik L, Borgia M. Predicting prosthetic prescription after major lower-limb amputation. J Rehabil Res Dev. 2015;52(6):XX-XX.

- L5712 ADDITION, EXOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, FRICTION SWING AND STANCE PHASE CONTROL (SAFETY KNEE)
- L5714 ADDITION, EXOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, VARIABLE FRICTION SWING PHASE CONTROL
- L5716 ADDITION, EXOSKELETAL KNEE-SHIN SYSTEM, POLYCENTRIC, MECHANICAL STANCE PHASE LOCK
- L5718 ADDITION, EXOSKELETAL KNEE-SHIN SYSTEM, POLYCENTRIC, FRICTION SWING AND STANCE PHASE CONTROL
- L5722 ADDITION, EXOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, PNEUMATIC SWING, FRICTION STANCE PHASE CONTROL
- L5724 ADDITION, EXOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, FLUID SWING PHASE CONTROL
- L5726 ADDITION, EXOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, EXTERNAL JOINTS FLUID SWING PHASE CONTROL
- L5728 knee shin systems..swing and/or stance phase controls
- L5780 ADDITION, EXOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, PNEUMATIC/HYDRA PNEUMATIC SWING PHASE CONTROL
- L5785 ADDITION, EXOSKELETAL SYSTEM, BELOW KNEE, ULTRA-LIGHT MATERIAL (TITANIUM, CARBON FIBER OR EQUAL)
- L5790 ADDITION, EXOSKELETAL SYSTEM, ABOVE KNEE, ULTRA-LIGHT MATERIAL (TITANIUM, CARBON FIBER OR EQUAL)
- L5795 ADDITION, EXOSKELETAL SYSTEM, HIP DISARTICULATION, ULTRA-LIGHT MATERIAL (TITANIUM, CARBON FIBER OR EQUAL)
- L5810 ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, MANUAL LOCK
- L5811 ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, MANUAL LOCK, ULTRA-LIGHT MATERIAL
- L5812 ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, FRICTION SWING AND STANCE PHASE CONTROL (SAFETY KNEE)
- L5814 ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, POLYCENTRIC, HYDRAULIC SWING PHASE CONTROL, MECHANICAL STANCE PHASE LOCK
- L5816 ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, POLYCENTRIC, MECHANICAL STANCE PHASE LOCK
- L5818 ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, POLYCENTRIC, FRICTION SWING, AND STANCE PHASE CONTROL
- L5822 ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, PNEUMATIC SWING, FRICTION STANCE PHASE CONTROL
- L5824 knee shin systems..swing phase controls
- L5826 ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, HYDRAULIC SWING PHASE CONTROL, WITH MINIATURE HIGH ACTIVITY FRAME
- L5828 ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, PNEUMATIC/ SWING PHASE CONTROL
- L5830 ADDITION, ENDOSKELETAL, KNEE-SHIN SYSTEM, STANCE FLEXION FEATURE, ADJUSTABLE
- L5840 ADDITION, ENDOSKELETAL, KNEE-SHIN SYSTEM, MICROPROCESSOR CONTROL FEATURE, SWING PHASE ONLY
- L5845 ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, MICROPROCESSOR CONTROL FEATURE, STANCE PHASE
- L5846 ADDITION TO ENDOSKELETAL KNEE-SHIN SYSTEM, FLUID STANCE EXTENSION, DAMPENING FEATURE, WITH OR WITHOUT ADJUSTABILITY
- L5847 ADDITION, ENDOSKELETAL SYSTEM, ABOVE KNEE OR HIP DISARTICULATION, KNEE EXTENSION ASSIST
- L5848 ADDITION, ENDOSKELETAL SYSTEM, HIP DISARTICULATION, MECHANICAL HIP EXTENSION ASSIST

Resnik L, Borgia M. Predicting prosthetic prescription after major lower-limb amputation. J Rehabil Res Dev. 2015;52(6):XX-XX.

- L5850 ADDITION TO LOWER EXTREMITY PROSTHESIS, ENDOSKELETAL KNEE-SHIN SYSTEM, MICROPROCESSOR CONTROL FEATURE, SWING AND STANCE PHASE, INCLUDES ELECTRONIC SENSOR(S), ANY TYPE
- L5855 ADDITION, ENDOSKELETAL SYSTEM, HIP DISARTICULATION, MECHANICAL HIP EXTENSION ASSIST
- L5856 ADDITION TO LOWER EXTREMITY PROSTHESIS, ENDOSKELETAL KNEE-SHIN SYSTEM, MICROPROCESSOR CONTROL FEATURE, SWING AND STANCE PHASE, INCLUDES ELECTRONIC SENSOR(S), ANY TYPE
- L5857 ADDITION TO LOWER EXTREMITY PROSTHESIS, ENDOSKELETAL KNEE-SHIN SYSTEM, MICROPROCESSOR CONTROL FEATURE, SWING PHASE ONLY, INCLUDES ELECTRONIC SENSOR(S), ANY TYPE
- L5858 ADDITION TO LOWER EXTREMITY PROSTHESIS, ENDOSKELETAL KNEE SHIN SYSTEM, MICROPROCESSOR CONTROL FEATURE, STANCE PHASE ONLY, INCLUDES ELECTRONIC SENSOR(S), ANY TYPE
- L5910 ADDITION, ENDOSKELETAL SYSTEM, BELOW KNEE, ALIGNABLE SYSTEM
- L5920 ADDITION, ENDOSKELETAL SYSTEM, ABOVE KNEE OR HIP DISARTICULATION, ALIGNABLE SYSTEM
- L5925 ADDITION, ENDOSKELETAL SYSTEM, ABOVE KNEE, KNEE DISARTICULATION OR HIP DISARTICULATION, MANUAL LOCK
- L5930 ADDITION, ENDOSKELETAL SYSTEM, HIGH ACTIVITY KNEE CONTROL FRAME
- L5940 ADDITION, ENDOSKELETAL SYSTEM, BELOW KNEE, ULTRA-LIGHT MATERIAL (TITANIUM, CARBON FIBER OR EQUAL)
- L5950 ADDITION, ENDOSKELETAL SYSTEM, ABOVE KNEE, ULTRA-LIGHT MATERIAL (TITANIUM, CARBON FIBER OR EQUAL)
- L5960 ADDITION, ENDOSKELETAL SYSTEM, HIP DISARTICULATION, ULTRA-LIGHT MATERIAL (TITANIUM, CARBON FIBER OR EQUAL)
- L5968 ADDITION, ENDOSKELETAL SYSTEM, BELOW KNEE, FLEXIBLE PROTECTIVE OUTER SURFACE COVERING SYSTEM
- L5970 ALL LOWER EXTREMITY PROSTHESES, FOOT, EXTERNAL KEEL, SACH FOOT
- L5971 ALL LOWER EXTREMITY PROSTHESIS, SOLID ANKLE CUSHION HEEL (SACH) FOOT, REPLACEMENT ONLY
- L5972 ALL LOWER EXTREMITY PROSTHESES, FOOT, FLEXIBLE KEEL
- L5973 ENDOSKELETAL ANKLE FOOT SYSTEM, MICROPROCESSOR CONTROLLED FEATURE, DORSIFLEXION AND/OR PLANTAR FLEXION CONTROL, INCLUDES POWER SOURCE
- L5974 ALL LOWER EXTREMITY PROSTHESES, FOOT, SINGLE AXIS ANKLE/FOOT
- L5975 ALL LOWER EXTREMITY PROSTHESIS, COMBINATION SINGLE AXIS ANKLE AND FLEXIBLE KEEL FOOT
- L5976 ALL LOWER EXTREMITY PROSTHESES, ENERGY STORING FOOT (SEATTLE CARBON COPY II OR EQUAL)
- L5978 ALL LOWER EXTREMITY PROSTHESES, FOOT, MULTIAXIAL ANKLE/FOOT
- L5979 ALL LOWER EXTREMITY PROSTHESIS, MULTI-AXIAL ANKLE, DYNAMIC RESPONSE FOOT, ONE PIECE SYSTEM
- L5980 ALL LOWER EXTREMITY PROSTHESES, FLEX FOOT SYSTEM
- L5981 ALL LOWER EXTREMITY PROSTHESES, FLEX-WALK SYSTEM OR EQUAL
- L5982 ALL EXOSKELETAL LOWER EXTREMITY PROSTHESES, AXIAL ROTATION UNIT
- L5984 ALL ENDOSKELETAL LOWER EXTREMITY PROSTHESIS, AXIAL ROTATION UNIT, WITH OR WITHOUT ADJUSTABILITY
- L5985 ALL ENDOSKELETAL LOWER EXTREMITY PROSTHESES, DYNAMIC PROSTHETIC PYLON
- L5986 ALL LOWER EXTREMITY PROSTHESES, MULTI-AXIAL ROTATION UNIT ('MCP' OR EQUAL)
- L5987 ALL LOWER EXTREMITY PROSTHESIS, SHANK FOOT SYSTEM WITH VERTICAL LOADING PYLON
- L5988 ADDITION TO LOWER LIMB PROSTHESIS, VERTICAL SHOCK REDUCING PYLON FEATURE

Resnik L, Borgia M. Predicting prosthetic prescription after major lower-limb amputation. J Rehabil Res Dev. 2015;52(6):XX-XX.

- L5989 ADDITION TO LOWER EXTREMITY PROSTHESIS, ENDOSKELETAL SYSTEM, PYLON WITH INTEGRATED ELECTRONIC FORCE SENSORS
- L5990 ADDITION TO LOWER EXTREMITY PROSTHESIS, USER ADJUSTABLE HEEL HEIGHT
- L5993 Addition to lower extremity prosthesis, heavy duty feature, foot only, (for patient weight greater than 300 lbs)
- L5994 Addition to lower extremity prosthesis, heavy duty feature, knee only, (for patient weight greater than 300 lbs)
- L5995 ADDITION TO LOWER EXTREMITY PROSTHESIS, HEAVY DUTY FEATURE, OTHER THAN FOOT OR KNEE, (FOR PATIENT WEIGHT GREATER THAN 300 LBS)
- L5999 LOWER EXTREMITY PROSTHESIS, NOT OTHERWISE SPECIFIED
- L7520 REPAIR PROSTHETIC DEVICE, LABOR COMPONENT, PER 15 MINUTES
- L5617 ADDITION TO LOWER EXTREMITY, QUICK CHANGE SELF-ALIGNING UNIT, ABOVE KNEE OR BELOW KNEE, EACH
- L5651 ADDITION TO LOWER EXTREMITY, ABOVE KNEE, FLEXIBLE INNER SOCKET, EXTERNAL FRAME