

Journal of Rehabilitation Research and Development Vol. 30, No. 3 1993

CONTENTS		
vii	Guest Editorial Harry Levitt, PhD	
ix	Clinical Relevance for the Veteran: Summaries of Scientific/Technical Articles Harry Levitt, PhD	
Scientific/Technical Articles		
297	On the evaluation of a new generation of hearing aids Robyn M. Cox, PhD	
305	Preferred frequency responce for two- and three-channel amplification systems Donald D. Dirks, PhD; Jayne Ahlstrom, MS; P. Douglas Noffsinger, PhD	
318	Do adaptive frequency response (AFR) hearing aids reduce 'upward spread' of masking? David A. Fabry, PhD; Marjorie R. Leek, PhD; Brian E. Walden, PhD; Mary Cord, MA	
326	Effects of prolonged lack of amplification on speech-recognition performance: Preliminary findings Shlomo Silman, PhD; Carol A. Silverman, PhD; Michele B. Emmer, MS; Stanley A. Gelfand, PhD	
333	High-frequency testing techniques and instrumentation for early detection of ototoxicity Stephen A. Fausti, PhD; Richard H. Frey, BS; James A. Henry; MS; Deanna J. Olson, MS; Heidi I. Schaffer, MA	
Clinical Report		
342	Development and Use of Auditory Compact Discs in Auditory Evaluation Richard H. Wilson, PhD	
Departments		
352	Abstracts of Recent Literature Joan E. Edelstein, MA, PT	362 Publications of Interest378 Calendar of Events
359	Book Reviews Jerome D. Schein, PhD	